

SAFETY FOOTWEAR



Oliver® is a full line of quality footwear for Mining, Oil & Gas, Heavy Metal Fabrication, Construction and general industrial applications. The roots of Oliver footwear date back to the mid-1800s, in the mining fields of Australia. Oliver has a full and rich history of quality craftsmanship and technologically innovative features like Poron® XRD™ metatarsal guards, NANOLite footbed comfort system, and NATUREform wide profile steel toe caps. Oliver boots are crafted for extreme comfort, performance and durability.

The Original Muck® Boot Company began with a single goal: to provide the most comfortable, 100% waterproof, high-performance footwear on the market. Today, the Muck® Boot brand defines the standard reference for comfort, fit and quality.

Servus® is Honeywell's quality PVC and dipped Neoprene line of footwear, offering a wide range of protection from liquid and chemical hazards ranging from organic, common in petrochemical and food processing industries, to acids and oils in heavy manufacturing industries. Servus boots are constructed with the finest materials to ensure optimal durability, protection and comfort.

Ranger® rubber boots; any tougher and they'd be bulletproof. Ranger work boots are built for rugged durability and extreme protection. Several styles are available with features that cater to the individual needs in a variety of hazardous environments. Tough, hard-wearing treads and knurled protective overlays add durability to these tougher-than-tough boots. Ranger boots feature a variety of protection elements, including steel toe, puncture resistant insoles and full metatarsal protection – Ranger boots are built to last!

NEOS® Overshoes protect your work boots while adding traction and insulation in extreme weather conditions. The precision sole design of NEOS overshoes eliminates excess material, making them lighter than any competitor. Aggressive traction design allows workers to walk confidently on most wintery surfaces. NEOS remains an industry leader, developing new and relevant products for the industrial market to ensure safe-stepping when walking on snowy and icy ladders, steps and surfaces.



SERVUS

RANGER

NEOS
OVERSHOE



65394

Oliver All Terrain 65394

- Chemical- and liquid-resistant leather
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- Qflex Zero, non-metallic puncture protection
- Non-conductive, electrical hazard rated outsole
- TPU safety cell reinforcement for excellent protection from oils and minerals
- Outsole is heat resistant up to 572° F (300° C) and chemical resistant to mineral oils, acids, alkalies, animal fats and oils
- NANOLite and COMFORTcushion technology enhances comfort and helps to reduce leg fatigue
- Heavy-duty Kevlar stitching on critical seams for extra reinforcement and longer life
- Meets ASTM F2413-11 M I/75 C/75 PR EH

SKU	Description	Whole/Half Sizes
65394	Brown, leather, lace up, 6 inch (150 mm)	6-15, 7½-11½



65392

Oliver All Terrain 65392

- Chemical- and liquid-resistant leather
- NATUREform steel toe cap has a wider profile to ensure toes are comfortable
- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- TPU safety cell reinforcement for excellent protection from oils and minerals
- Outsole is heat resistant up to 572° F (300° C) and chemical resistant to mineral oils, acids, alkalies, animal fats and oils
- NANOLite and COMFORTcushion technology enhances comfort and helps to reduce leg fatigue
- Heavy-duty Kevlar stitching on critical seams for extra reinforcement and longer life
- Meets ASTM F2413-11 M I/75 C/75 Mt/75 SD

SKU	Description	Whole/Half Sizes
65392	Brown, lace-in quick-release zipper closure, 8 inch (200 mm)	6-15, 7½-11½
65393	Brown, pull-on Riggers boot, 10 inch (250 mm)	6-15, 7½-11½



65396

Oliver All Terrain 65396

- Chemical- and liquid-resistant leather
- NATUREform steel toe cap has a wider profile to ensure toes are comfortable
- PORON® XRD™ metatarsal guard is soft and flexible, but hardens upon impact for top-rated protection
- Qflex Zero, non-metallic puncture protection
- Non-conductive, electrical hazard rated outsole
- TPU safety cell reinforcement for excellent protection from oils and minerals
- Outsole is heat resistant up to 572° F (300° C) and chemical resistant to mineral oils, acids, alkalies, animal fats and oils
- NANOLite and COMFORTcushion technology enhance comfort and reduce leg fatigue
- Heavy-duty Kevlar stitching on critical seams for extra reinforcement and longer life
- Meets ASTM F2413-11 M I/75 C/75 Mt/75 PR EH

SKU	Description	Whole/Half Sizes
65396	Brown, pull-on Riggers boot, 10 inch (250 mm)	6-15, 7½-11½





Oliver All Terrain 65690 and 65691

- Chemical- and liquid-resistant leather
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- Qflex Zero, non-metallic puncture protection for underfoot safety
- SYMPATEX™ waterproof liner keeps feet dry and comfortable
- Outsole is heat resistant up to 572° F (300° C) and chemical resistant to mineral oils, acids, alkalies, animal fats and oils
- Meet ASTM F2413-11 M I/75 C/75 Mt/75 PR SD
- SRC rated

SKU	Description	Whole/Half Sizes
65690	Black, lace-up, 10 inch (250 mm)	6-15, 7½-11½
65691	Black, lace-up, 14 inch (350 mm)	6-15, 7½-11½

HEAVY-METAL FABRICATION



Oliver All Terrain 55246

- Chemical- and liquid-resistant leather
- NATUREform steel toe cap has a wider profile and latex cushion liner to ensure toes are comfortable and not in direct contact with the cap
- PORON® XRD™ metatarsal guard is soft and flexible for outstanding comfort, but hardens upon impact for top-rated protection
- Qflex Zero, non-metallic puncture protection for underfoot safety
- Outsole is heat resistant up to 572° F (300° C) and chemical resistant to mineral oils, acids, alkalies, animal fats and oils
- Meets ASTM F2413-11 M I/75 C/75 Mt/75 PR EH
- SRC rated

SKU	Description	Whole/Half Sizes
55246	Black, lace-up, 6 inch (150 mm)	6-15, 7½-11½

SMELTER BOOT



Oliver Heavy-Duty Smelter Boot 66299P

- Flame retardant, Heat & Water resistant full grain leather upper
- Alloy toe cap provides excellent impact protection
- External, composite metatarsal guard
- Qflex Zero non-metallic puncture-resistant midsole
- Kevlar® fire-retardant stitching for added reinforcement
- Meets ASTM F2413-11 M I/75 C/75 Mt/75 PR EH
- SRC rated

SKU	Description	Whole/Half Sizes
66299P	Black leather, Hook & loop closure, 8 inch	7-15 / 7.5-11.5



NON-METALLIC GENERAL WORKBOOTS



45633C



45637C



45646C

Oliver 45 Series Composite Toe Workboots

- Composite toe impact protection
- Non-metallic construction
- Outsole is heat resistant up to 266°F and resists mineral oils, acids, alkalies, animal fats and oils
- Electrical hazard rated outsole
- Meets ASTM F2413-11 M I/75 C/75 EH
- SRB Rated

SKU	Description	Whole/Half Sizes
45633C	Wheat, lace-up, 6 inch (150 mm)	6-14
45637C	Brown, lace-up, 6 inch (150 mm)	6-14, 7½-11½
45646C	Black, lace-up, 6 inch (150 mm)	6-14, 7½-11½

NON-METALLIC MINING WORKBOOTS



45675C



45680C

Oliver Mining Boots 45675C and 45680C

- Water-resistant, full grain leather
- NATUREform hi-impact composite, non-metallic toe cap offers a wide profile shape to accommodate the natural toe-spread when walking and flexing
- PORON® XRD™, extreme impact protection, metatarsal guard is soft and flexible for added comfort and hardens upon impact for great protection
- SYMPATEX™ waterproof liner and membrane
- Long lasting sole is resistant to mineral and organic oils and acids, as well as cuts, splits and cracks; excellent slip resistance
- TECtuff toe bumper protects leather in high abrasion areas for longer boot life
- Outsole is electrical resistant
- Outsole is heat-resistant to 266° F (130° C) surface contact
- Styles meet ASTM F2413-11 M I/75 C/75 Mt/75 EH

SKU	Description	Whole/Half Sizes
45675C	Black, lace-up, 8 inch (200 mm)	6-15, 7½-11½
45680C	Black, Thinsulate™ thermal liner, 8 inch lace-up, (200 mm)	6-15, 7½-11½

*Style 45-680C features a 600 gram Thinsulate™ liner for sub-zero environments





Muck Chore Cool

- New comfortable XpressCool™ lining material keeps your feet cool and dry in warm weather by quickly dispersing perspiration
- 100% waterproof, lightweight and flexible
- Steel toe impact protection
- Steel shank for additional arch support
- Spandura® added to exterior of the neoprene for added protection from wear and abrasion
- Vibram® outsole for improved durability and performance
- etc® sockliner lining to reduce friction and heat build-up
- Meets ASTM F2413-11 M I/75 C/75 EH
- Comfort Range: Sub Freezing to 95°F/35°C

SKU	Description	Whole Men's Sizes	Whole Women's Sizes
CSCT-000	Black, steel-toe, 16 inch	5-16	6-13

Muck Chore Pro Cool

- New comfortable XpressCool™ lining material keeps our feet cool and dry in warm weather by quickly dispersing perspiration
- 100% waterproof, lightweight and flexible
- Steel toe impact protection
- Steel shank for additional arch support
- Full rubber coverage provides protection for neoprene lining against scratches, salts, minerals, and oils
- New Vibram® outsole for improved durability and performance
- etc® sockliner lining to reduce friction and heat build-up
- Meets ASTM F2413-11 M I/75 C/75 EH
- Comfort Range: Sub Freezing to 95°F/35°C

SKU	Description	Whole Men's Sizes	Whole Women's Sizes
CPCT-000	Black, steel-toe, 16 inch	5-16	6-13

Muck Arctic Sport

- 5mm CR flex-foam bootie with 4-way stretch nylon
- Fleece lined for added comfort and warmth
- 100% waterproof, lightweight and flexible
- Steel toe protection
- 2mm thermal foam underlay added to the instep area for additional warmth
- EVA molded midsole with contoured footbed
- MS-1 molded outsole is rugged, aggressive and durable for maximum protection and stability
- Meets ASTM F2413-11 M I/75 C/75 EH
- Comfort Range: -40°F/-40°C to 60°F/15°C

SKU	Description	Whole Men's Sizes	Whole Women's Sizes
ASP-STL	Black, steel toe, 16 inch	7-14	8-13



Muck Arctic Pro

- 8mm CR flex-foam bootie with 4-way stretch nylon
- Fleece lined for added comfort and warmth
- 100% waterproof, lightweight and flexible
- Steel toe protection
- 2mm thermal foam underlay added to the instep area for additional warmth
- EVA molded midsole with contoured footbed
- Bob-Tracker molded outsole is rugged, aggressive and durable for maximum protection and stability
- Double reinforcements on the instep, heel and achilles
- Meets ASTM F2413-11 M I/75 C/75 EH
- Comfort Range: -60°F/-50°C to 40°F/4°C

SKU	Description	Whole Men's Sizes	Whole Women's Sizes
ACP-STLO	Black, steel toe, 16 inch	7-14	8-13

Muck Chore Meta

- 5mm CR flex-foam bootie with four-way stretch nylon
- 100% waterproof, lightweight and flexible
- Steel toe impact protection
- PORON® XRD™ Metatarsal Guard is soft and flexible, but becomes rigid when struck for excellent metatarsal protection that exceeds ASTM standards
- Steel shank for additional arch support
- Upper is triple reinforced in the toe area and quadruple reinforced in the heel area for longer boot life and durability
- Durable, lightweight, rubber outsole with self-cleaning channels for optimal slip resistance
- Meets ASTM-F2413-11 M I/75 C/75 MT/75 EH

SKU	Description	Whole Men's Sizes	Whole Women's Sizes
CHS-META	Black, steel toe, metatarsal guard, 16 inch	5-14	6-13

Muck Chore Steel Toe

- Lightweight, self-insulating CR flex-foam bootie provides a snug fit to keep out cold temperatures and keep workers' feet warm
- Hand-layered construction is sealed for 100% waterproof reliability
- Steel toe impact protection
- Breathable air-mesh lining wicks away humidity and perspiration
- Removable EVA sock liner
- Diamond-textured toe and heel reinforcements resist scuffs and scratches
- Extra-wide kick-off lugs for easy hands-free removal
- Meets ASTM F2413-11 M I/75 C/75 EH

SKU	Description	Men's Whole Sizes
CHS-000A	Black, steel toe, 16 inch	5-14
CMS-000A	Black, steel toe, 12 inch	5-14





18835

18821

Servus CT™ Comfort Technology

- Seamless, PVC injection-molded footwear is 100% waterproof to ensure workers' feet stay dry and comfortable
- Scalloped top-line design to accommodate flexing and prevent irritating rubbing on legs for added comfort
- Unique Trac10™ outsole pattern is engineered for added traction and durability
- The molded contour heel cup and removable FOOT FORM contour cushion insoles reduce heel slippage and provide added support for all-day comfort
- Styles with steel toe meet ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes
18822	Black, plain toe, 14 inch	3-15
18821	Black, steel toe, 14 inch	3-15
18835	Yellow/Black, steel toe, 14 inch	3-15

*18822 & 18821 have GH rated outsole.



18801

Servus Iron Duke®

- Seamless, PVC injection molded footwear is 100% waterproof to ensure workers' feet stay dry and comfortable
- Flexible and durable upper allows for ease of movement for all-day worker comfort
- Reinforced construction at critical stress points provides a durable, long-wearing boot
- Deep angle cleat sole and heel help to grip slick surfaces and help to prevent slips and falls
- Excellent for food processing or cleanroom applications
- Meets ASTM F2413-11 M I/75 C/75 EH

SKU	Description	Men's Whole Sizes
18801	Black/Gray, steel toe, 15 inch	5-13

Servus XTP™ Xtra Traction Performance

- XTP™ is engineered with reinforced construction and an organic chemical-resistant formulation to provide superior protection in harsh environments
- The seamless, 3-stage, PVC injection-molded construction is 100% waterproof to keep feet comfortable and dry
- Removable FOOT FORM contour cushion insoles provide support for comfort and wick away moisture to keep workers' feet dry
- Extended steel shanks are thicker, longer and wider as well as curved and ribbed, to provide the best possible arch support for increased worker comfort
- TDT – dual compound outsole is optimally designed to provide a durable exterior for tough abrasion resistance, and a softer interior for comfort and excellent traction to help prevent slips and falls
- Kick-off lugs are higher and wider for ease in donning and doffing
- Styles with steel toe meet ASTM F2413-11 M I/75 C/75 EH

SKU	Description	Men's Whole Sizes
75108	Black/Red/Gray, plain toe, 15 inch	3-15
75109	Black/Yellow/Gray, steel toe, 15 inch	3-15



75108

75109



Servus PRO®

- Seamless, PVC, 3-stage injection-molded construction is 100% waterproof to keep workers' feet comfortable and dry
- Removable FOOT FORM contour cushion insoles provide support and wick away moisture to keep workers' feet dry
- Steel shank is longer, larger and positioned for optimal support to help prevent foot pain when standing all day
- TDT outsole compounds are formulated for longer wear reducing inventory and slip resistance to reduce the cost of injury
- Boot heights are graduated and proportional to sizing to ensure comfort and prevent chafing when walking
- 75101 meets ASTM F2413-11 M I/75 C/75 EH

SKU	Description	Men's Whole Sizes
75102	Gray/Red/Black, plain toe, 15 inch	5-15
75101	Gray/Yellow/Black, steel toe, 15 inch	5-15

All PVC footwear is made in the USA.



Servus PRO+™

- Seamless, 3-stage PVC injection-molded construction is 100% waterproof to keep workers' feet comfortable and dry
- Steel toe protection
- Removable FOOT FORM contour comfort insoles provide support for comfort and wick away moisture to keep workers' feet dry
- TDT outsole is engineered with dual compounds, providing a durable exterior for longer wear and a softer interior to increase surface contact, decreasing slip hazards and reducing injuries
- Tread design prohibits hydroplaning and provides better contact between the outsole and floor preventing slips and falls
- Meets ASTM F2413-11 M I/75 C/75

SKU	Description	Men's Whole Sizes
75105	Gray/Yellow/Beige, steel toe, 15 inch	5-15



Servus PRM™

- Seamless, injection-molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- Steel toe protection
- Flexible steel midsole provides comfortable under-foot puncture protection
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards
- Removable FOOT FORM contour cushion insoles provide all-day comfort and support
- Meets ASTM F2413-11 M I/75 C/75 PR EH

SKU	Description	Men's Whole Sizes
75145C	Black/Orange, steel toe and puncture protection, 15 inch	7-14





Servus Neoprene – Chevron Outsole

- 100% waterproof, seamless construction
- Unique dipping process makes boots soft and pliable for less leg fatigue
- Chevron outsoles provide excellent traction on liquid and lightly debris-filled surfaces
- 22215 and 22115 meet ASTM F2413-11 EH
- 22214 and 22105 meet ASTM F2413-11 M I/75 C/75 EH

SKU	Description	Men's Whole Sizes
22105	Steel Toe, 6 inch	3-15
22115	Plain Toe, 12 inch	4-14
22114	Steel Toe, 12 inch	3-15
22215	Plain Toe, 15 inch	4-14
22214	Steel Toe, 15 inch	3-15



Servus Neoprene – Neo-Grip Outsole

- 100% waterproof, seamless construction
- Unique dipping process makes boots soft and pliable for less leg fatigue
- Neo-Grip outsoles provide excellent traction on wet surfaces
- Removable insoles provide shock absorption and wick away moisture
- Styles 22248, 22148 and 22103 meet ASTM F2413-11 M I/75 C/75 EH
- Style 22249 meets ASTM F2413-11 EH

SKU	Description	Men's Whole Sizes
22103	Steel toe, 6 inch	6-13
22148	Steel toe, 12 inch	6-13
22249	Plain toe, 15 inch	6-13
22248	Steel toe, 15 inch	6-13



Servus Neoprene III – V-Wave™ Outsole, Hi-Pac

- 100% waterproof, seamless construction
- V-Wave™ outsole provides superior traction on surfaces with liquid and debris, reducing slips and falls
- Expandable gusset is more comfortable and accommodating for wider calves
- Removable insoles provide shock absorption and wick away moisture
- Meets ASTM F2413-11 M I/75 C/75 EH

SKU	Description	Men's Whole Sizes
22234	Steel Toe, 16 inch	3-15



XTRATUF® – Insulated, Chevron Outsole, Hi-Pac

- Seamless construction is 100% waterproof to keep workers' feet dry
- Built-in Polymeric foam insulation provides added warmth
- Chevron outsoles provide excellent traction to reduce injuries from slip or fall hazards
- Neoprene is highly resistant to many organic and inorganic acids, chemicals, and contaminants, prolonging the life of the boot and keeping workers free of harmful irritants
- Removable insoles and durable fabric linings
- Meets ASTM F2413-11 M I/75 C/75 EH

SKU	Description	Men's Whole Sizes
22273G	Steel Toe, Insulated, 16 inch	3-15



Ranger Flex-Gard™ Safety Pac

- Specialized compound prevents ozone deterioration
- SAFE-TOE steel toe protects against crush and impact hazards
- Metatarsal guard with high-abrasion overlays for longer service life
- SAFE-STEP puncture-resistant steel midsoles for maximum puncture protection
- Outsole is electrical hazard rated
- Ultra-composite shanks reinforce construction and lend support
- Removable FOOT FORM contour cushion insoles provide support and wick away moisture
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable, providing longer life to your footwear to help reduce purchasing spend
- Meets ASTM F2413-11 M I/75 C/75 Mt/75 PR

SKU	Description	Men's Whole Sizes
2149	Olive/Yellow/Black, steel toe, puncture and metatarsal guard, lace-up, 12 inch	6-13
2169	Olive/Yellow/Black, steel toe, puncture and metatarsal guard, buckle, 16 inch	6-13



Ranger TurtleBack™ Safety Pac

- Specialized rubber compound prevents ozone deterioration for wearer protection and longer life to your footwear
- SAFE-TOE steel toe protects against crush and impact hazards
- Anchored metatarsal guard provides the ultimate in compression and impact protection
- SAFE-STEP puncture-resistant steel midsoles for maximum puncture protection
- Outsole is electrical hazard rated
- Ultra-composite shanks reinforce construction and lend support
- Removable FOOT FORM contour cushion insoles provide support and wick away moisture
- Heavy Trac Tread™ sole and heel and knurled protective overlays are tough and durable, providing longer life to your footwear
- Meets ASTM F2413-11 M I/75 C/75 Mt/75 PR

SKU	Description	Men's Whole Sizes
R2145	Black/Yellow, steel toe, puncture and metatarsal guard, 16 inch	6-14



Ranger General Safety Footwear

- SAFE-TOE steel toe protects against crush and impact hazards
- Premium-grade rubber is ozone resistant
- Flexible, hand-layered construction
- Durable nylon linings for easy on/off
- Built-in cushion insoles help to reduce fatigue for all-day comfort
- Ultra-composite shanks reinforce construction and lend support
- 6145 features a Trac Tread™ sole and heel – excellent for rugged surfaces
- R6130 features a SURE-LOC™ sole and heel and has greater surface-to-surface contact, providing excellent slip resistance on indoor surfaces
- Meets ASTM F2413-11 M I/75 C/75 EH

SKU	Description	Men's Whole Sizes
R6130	Red, steel toe, 12 inch	6-13
6145	Red, steel toe, lace-up, 12 inch	6-14



OVERSHOES – ALL WEATHER



NEOS® Adventurer™ Hi-Overshoe*

- Durable 500-denier nylon upper with waterproof membrane protects footwear from harsh weather environments
- Perma sole offers good traction in tough weather conditions to reduce the risk of slip and falls
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes

SKU	Description	Sizes
ANN1	Black, 15 inch	XS-XXL

OVERSHOES – WINTER



NEOS® Navigator 5™ Expandable and Insulated*

- Durable 840-denier polyester upper with waterproof membrane protects footwear from harsh weather environments
- 4mm polyurethane foam insulation for added warmth.
- Aggressive Vibram® Ninja™ outsole offers superior traction on ice, snow and slush
- Overshoes are lightweight to prevent foot and leg fatigue
- Wide, easily opened gusset provides ease in putting on or taking off overshoes

SKU	Description	Sizes
N5P3	Gray, 15 inch, extends to 20 inch	XS-XXL

NEOS® Explorer™ STABILicers® – Insulated*

- Rugged 500-denier nylon upper with waterproof membrane to protect footwear from harsh winter environments
- 4mm polyurethane foam insulation for added warmth
- STABILicers® outsoles with 32 replaceable cleats, per pair, to provide excellent traction on ice and snow (NOT to be used on hard surfaces)
- 2.5mm polyurethane internal bootie
- Cleat wrench included with convenient internal pocket to keep wrench handy and available to change cleats on the job

SKU	Description	Sizes
EXSG	Black, 11 inch	XS-3XL



OVERSHOES – WINTER



NEOS® Navigator 5™ STABILicers® – Insulated*

- 840-denier polyester upper and 4mm polyurethane foam insulation add comfort and protection in harsh winter environments
- Waterproof membrane liner to keep feet dry and comfortable
- STABILicers® outsoles with 32 replaceable cleats, per pair, to provide excellent traction on ice and snow (NOT to be used on hard surfaces)
- Expandable gaiter top can roll out to increase boot height to 20 inches, providing added snow and wind protection
- 2.5mm polyurethane internal bootie
- Cleat wrench included with convenient internal pocket to keep wrench handy and available to change cleats on the job

SKU	Description	Sizes
N5P3S	Gray, 15 inch, extends to 20 inch	XS-3XL



NEOS® Voyager™ STABILicers®*

- Rugged 500-denier nylon upper with waterproof membrane for protection against harsh winter environments
- STABILicers® outsoles with 32 replaceable cleats, per pair, to provide excellent traction on ice and snow (NOT to be used on hard surfaces)
- 2.5mm polyurethane internal bootie
- Adjustable hook & loop closure cuff provides a snug fit
- VNS1HEEL features a security heel, ideal for snowy and/or icy ladders and stairs

SKU	Description	Sizes
VNS1	Black, 11 inch	XS-3XL
VNS1HEEL	Black, 11 inch	SM-3XL

*Optional 10mm removable EVA insole adds comfort and warmth, sold separately

