



Product Family

Miller Temporary Anchorage Connectors

Miller offers a variety of temporary anchorage connectors including carabiners, beam clamps/trolley, cross-arm straps, rebar hook anchors and more! Careful consideration should be given to selecting a proper anchorage for ultimate safety.

[Visit MillerFallProtection.com](http://MillerFallProtection.com) >

Honeywell
MILLER®

Product Numbers & Ordering Information

Product Numbers	Details
	17D-1/ Carabiner Twist-Lock Steel Carabiner; 1-inch Gate Opening; ANSI Z359-2007 Compliant
	17D-2/ Carabiner Twist-Lock Aluminum Carabiner; 1-inch Gate Opening
	17D-3/ Carabiner Triple-Action Twist Lock Aluminum Carabiner; 7/8" Gate Opening
	17D-4/ Carabiner Twist-Lock Steel Carabiner; 1-inch Gate Opening; Loose Captive-Eye Pin
	18D-1/ Carabiner Twist-Lock Steel Carabiner; 2-inch Gate Opening; ANSI Z359-2007 Compliant
	18D-1-001 Carabiner Twist-Lock Steel Captive-Eye Carabiner; 2-inch Gate Opening;
	18D-2/ Carabiner Twist-Lock Aluminum Carabiner; 2 1/4-inch Gate Opening

	18D-2/001	Carabiner Twist-Lock Aluminum Captive-Eye Carabiner; 2 1/4-inch Gate Opening
	417C/	Concrete D-Bolt Anchor D-Bolt Anchorage Connector with Concrete Expansion Bolt
	4117CBOLT/	Concrete Expansion Bolt Concrete expansion bolt only
	420/22IN	Push-Thru Eye Bolt Spring-action anchorage connector; Fits 3/4-inch diameter holes; Includes SofStop shock absorber
	420NS/	Push-Thru Eye Bolt Spring-action anchorage connector; Fits 3/4-inch diameter holes
	440/6FT	Cross-Arm Connector Cross-Arm Chain; 6-ft
	450/	Beam Clamp Steel anchor point that can be attached to horizontal I-beams, S-beams or W-beams. Accommodates beams with a maximum width of 9 inches.
	455/	Beam Clamp Steel anchor point that can be attached to horizontal I-beams, S-beams or W-beams. Accommodates beams with a maximum width of 12-1/2 inches.
	460/	Anchor Bracket Large Anchor Bracket; Includes: Anchorage Bracket Weldment, Eyebolt, Bolts, Washers, Lock Nuts
	470/	Wire Hook Stainless steel spring-loaded hook; Large opening slips over approved anchorages including railings, small I-beams, angle iron and scaffolding.
	475/	Extension Pole and Hook Spring-loaded hook; Installs fall arrest systems up to 20 ft. from ground level to angle iron, piping and related structures.
	475-1/	Extension Pole and Hook Hook only - for #475 [Extension pole and hook]
	475-2/	Extension Pole and Hook Extension Pole only - for #475 [Extension pole and hook]

	480/19INGN	Rebar Hook Anchor Rebar Hook and Webbing Anchor w/D-Ring; 19-Inch
	480/2FTGN	Rebar Hook Anchor Rebar Hook and Webbing Anchor w/D-Ring; 2-ft
	480/4FTGN	Rebar Hook Anchor Rebar Hook and Webbing Anchor w/D-Ring; 4-ft
	480K/19INBK	Rebar Hook Anchor Rebar Hook and Kevlar Webbing Anchor w/D-Ring; 19-Inch
	480-Z7/19INGN	Rebar Hook Anchor Rebar Hook and Webbing Anchor w/D-Ring; ANSI Z359-2007 Compliant; 19-Inch
	480-Z7/3FTGN	Rebar Hook Anchor Rebar Hook and Webbing Anchor w/D-Ring; ANSI Z359-2007 Compliant; 3-ft
	485/22INYL	Rebar Hook Anchor Rebar Hook Anchor w/SofStop and D-Ring; 22-Inch
	490/	P3 Anchorage Connector For Use on PERI TRIO Form Systems
	8180/13INGN	Scaffold Choker Scaffold Choker w/D-ring, 13"
	8180/17INGN	Scaffold Choker Scaffold Choker w/D-ring, 17"
	8180/22INGN	Scaffold Choker Scaffold Choker w/D-ring, 22"
	8183/10FTGN	Cross-Arm Strap 10-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/11FTGN	Cross-Arm Strap 11-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green

	8183/12FTGN	Cross-Arm Strap 12-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/13FTGN	Cross-Arm Strap 13-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/14FTGN	Cross-Arm Strap 14-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/15FTGN	Cross-Arm Strap 15-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/16FTGN	Cross-Arm Strap 16-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/18FTGN	Cross-Arm Strap 18-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/20FTGN	Cross-Arm Strap 20-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/22FTGN	Cross-Arm Strap 22-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/25FTGN	Cross-Arm Strap 25-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/28FTGN	Cross-Arm Strap 28-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/2FTGN	Cross-Arm Strap 2-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/30FTGN	Cross-Arm Strap 30-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/35FTGN	Cross-Arm Strap 35-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green

	8183/3FTGN	Cross-Arm Strap 3-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/40FTGN	Cross-Arm Strap 40-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/4FTGN	Cross-Arm Strap 4-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/50FT	Cross-Arm Strap 50-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/5FTGN	Cross-Arm Strap 5-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/65FTGN	Cross-Arm Strap 65-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/6FTGN	Cross-Arm Strap 6-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/7FTGN	Cross-Arm Strap 7-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/80FTGN	Cross-Arm Strap 80-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/8FTGN	Cross-Arm Strap 8-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183/9FTGN	Cross-Arm Strap 9-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, green
	8183D/2FT	Cross-Arm Strap 2-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, blue
	8183D/3FT	Cross-Arm Strap 3-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, blue

	8183D/4FT	Cross-Arm Strap 4-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, blue
	8183D/5FT	Cross-Arm Strap 5-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, blue
	8183D/6FT	Cross-Arm Strap 6-ft. length, 1 2-in. D-ring and 1 3-in. D-ring, blue
	8183WS/12FTGN	Cross-Arm Strap 12-ft. length, with sleeve and 2 D-rings, green
	8183WS/4FTGN	Cross-Arm Strap 4-ft. length, with sleeve and 2 D-rings, green
	8183WS/8FTGN	Cross-Arm Strap 8-ft. length, with sleeve and 2 D-rings, green
	8185/10FTGN	Cross-Arm Strap 10-ft. length, 1 2-in. D-ring and 1 loop, green
	8185/16FTGN	Cross-Arm Strap 16-ft. length, 1 2-in. D-ring and 1 loop, green
	8185/20FTGN	Cross-Arm Strap 20-ft. length, 1 2-in. D-ring and 1 loop, green
	8185/2FTGN	Cross-Arm Strap 2-ft. length, 1 2-in. D-ring and 1 loop, green
	8185/30FTGN	Cross-Arm Strap 30-ft. length, 1 2-in. D-ring and 1 loop, green
	8185/3FTGN	Cross-Arm Strap 3-ft. length, 1 2-in. D-ring and 1 loop, green
	8185/4FTGN	Cross-Arm Strap 4-ft. length, 1 2-in. D-ring and 1 loop, green

	8185/5FTGN	Cross-Arm Strap 5-ft. length, 1 2-in. D-ring and 1 loop, green
	8185/6FTGN	Cross-Arm Strap 6-ft. length, 1 2-in. D-ring and 1 loop, green
	8185C/10FTGN	Disposable Concrete Anchor Strap 10-ft. length, w/D-ring, green
	8185C/20FTGN	Disposable Concrete Anchor Strap 20-ft. length, w/D-ring, green
	8185C/2FTGN	Disposable Concrete Anchor Strap 2-ft. length, w/D-ring, green
	8185C/3FTGN	Disposable Concrete Anchor Strap 3-ft. length, w/D-ring, green
	8185C/4FTGN	Disposable Concrete Anchor Strap 4-ft. length, w/D-ring, green
	8185C/5FTGN	Disposable Concrete Anchor Strap 5-ft. length, w/D-ring, green
	8185C/6FTGN	Disposable Concrete Anchor Strap 6-ft. length, w/D-ring, green
	8185C/8FTGN	Disposable Concrete Anchor Strap 8-ft. length, w/D-ring, green
	8185CX/2FTGN	Disposable Concrete Anchor Strap 2-ft. length, w/web loop, green
	8185K/10FTBL	Kevlar Cross-Arm Strap 10-ft. length, 1 2-in. D-ring and 1 loop, blue
	8185K/2FTBK	Kevlar Cross-Arm Strap 2-ft. length, 1 2-in. D-ring and 1 loop, black

	8185K/3FTBK	Kevlar Cross-Arm Strap 3-ft. length, 1 2-in. D-ring and 1 loop, black
	8185K/3FTBL	Kevlar Cross-Arm Strap 3-ft. length, 1 2-in. D-ring and 1 loop, blue
	8185K/4FTBK	Kevlar Cross-Arm Strap 4-ft. length, 1 2-in. D-ring and 1 loop, black
	8185K/4FTBL	Kevlar Cross-Arm Strap 4-ft. length, 1 2-in. D-ring and 1 loop, blue
	8185K/5FTBK	Kevlar Cross-Arm Strap 5-ft. length, 1 2-in. D-ring and 1 loop, black
	8185K/6FTBK	Kevlar Cross-Arm Strap 6-ft. length, 1 2-in. D-ring and 1 loop, black
	8185K/6FTBK	Kevlar Cross-Arm Strap 6-ft. length, 1 2-in. D-ring and 1 loop, black
	8185K/6FTBL	Kevlar Cross-Arm Strap 6-ft. length, 1 2-in. D-ring and 1 loop, blue
	8186V/10FTV	Cable Anchorage Connector 10-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V/11FTV	Cable Anchorage Connector 11-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V/12FTV	Cable Anchorage Connector 12-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V/14FTV	Cable Anchorage Connector 14-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V/15FTV	Cable Anchorage Connector 15-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring

	8186V/20FTV	Cable Anchorage Connector 20-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V/3FTV	Cable Anchorage Connector 3-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V/4FTV	Cable Anchorage Connector 4-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V/6FTV	Cable Anchorage Connector 6-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V/7FTV	Cable Anchorage Connector 7-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V/8FTV	Cable Anchorage Connector 8-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V/9FTV	Cable Anchorage Connector 9-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8186V-Z7/6FTV	ANSI Z359-2007 Compliant Cable Anchorage Connector 6-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 locking snap hook and 1 3-in. O-ring
	8187G/3FTG	Cable Anchorage Connector 3-ft. length, 1/4-in. dia. galvanized wire rope, 1 locking snap hook and 1 3-in. O-ring
	8187G/6FTG	Cable Anchorage Connector 6-ft. length, 1/4-in. dia. galvanized wire rope, 1 locking snap hook and 1 3-in. O-ring
	8187G/8FTG	Cable Anchorage Connector 8-ft. length, 1/4-in. dia. galvanized wire rope, 1 locking snap hook and 1 3-in. O-ring
	8187V/10FTV	Cable Anchorage Connector 10-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/12FTV	Cable Anchorage Connector 12-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring

	8187V/15FTV	Cable Anchorage Connector 15-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/18FTV	Cable Anchorage Connector 18-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/20FTV	Cable Anchorage Connector 20-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/22FTV	Cable Anchorage Connector 22-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/24FTV	Cable Anchorage Connector 24-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/28FTV	Cable Anchorage Connector 28-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/30FTV	Cable Anchorage Connector 30-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/3FTV	Cable Anchorage Connector 3-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/4FTV	Cable Anchorage Connector 4-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/6FTV	Cable Anchorage Connector 6-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/7FTV	Cable Anchorage Connector 7-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	8187V/8FTV	Cable Anchorage Connector 8-ft. length, 1/4-in. dia. vinyl-coated wire rope, 1 captive eye carabiner and 1 3-in. O-ring
	9065/BK	Beam Trolley Lightweight Adjustable Beam Trolley [fits 3-inch to 4.5-inch wide beam flange]



9065-1/

Beam Trolley

Adapter Kit for 9065 [adapts #9065 Beam Trolley to fit 3-inch to 8.5-inch wide beam flange]



9065-2/

Beam Trolley

Adapter Kit for 9065 [adapts #9065 Beam Trolley to fit 3-inch to 12-inch wide beam flange]

Overview

Key Features

Miller offers a variety of temporary anchorage connectors including carabiners, beam clamps/trolley, cross-arm straps, rebar hook anchors and more! Careful consideration should be given to selecting a proper anchorage for ultimate safety.

Recommended Industries/Use

- Other
- Construction
- Steel and Metals

Hazards

- Confined Space
- Fall from height

Regulations

- Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Specification Sheets

- For full engineering specification sheets, go to Literature & Documents

Literature & Documents

SP392 17D-1 Carabiner Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43023/1033.aspx

SP392 - 17D-1 Carabiner Product Specification Sheet

SP393 18D-1 Carabiner Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43024/1033.aspx

SP392 - 18D-1 Carabiner Product Specification Sheet

SP423 Cross Arm Strap Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43025/1033.aspx

SP423 - Cross-Arm Strap Product Specification Sheet

SP429 HLL Cross Arm Strap Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43026/1033.aspx

SP429 - Horizontal Lifeline Cross-Arm Strap Product Specification Sheet

SP322 Concrete Anchor Strap Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43027/1033.aspx

SP322 - Disposable Concrete Anchorage Strap Product Specification Sheet

SP441 420 Push Thru Eye Bolt Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/43028/1033.aspx

SP441 - 420 Push-Thru Eye Bolt Product Specification Sheet

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperian.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperian.com

© Honeywell International Inc.