


2016 PRODUCT CATALOG





| 1 FLOOR BRUSHES AND HANDLES | PG 4 | 3 DECK AND SCRUB BRUSHES | PG |
|---|----------------|--|----|
| Professional Series Floor Brushes | 6 | Deck Brushes | |
| Professional Series Garage Brushes | 12 | Scrub Brushes | |
| Strip Brushes | 14 | Scrub Brushes with Handles | |
| Street Brooms | 15 | | |
| Handles and Accessories | 17 | 4 FLOOR AND DRIVEWAY SQUEEGEES | PG |
| 2 CONCRETE FINISHING, MASO AND ASPHALT BRUSHES | | Floor and Driveway Squeegees Non-Sparking | |
| Concrete Finishing Roofing Masonry | 22 25 26 | 5 JANITORIAL, CLEANING & FOOD SERVICE | PG |
| Blacktop & Sealcoat Applicators | 27 | Cornbrooms | |
| Blacktop & Sealcoat Applicators | 27 | Household Brooms | |
| Sealcoat & Asphalt Applicators | 28 | Counter Dusters Dust Pans Household/Misc Items | |

Toilet Bowl Brushes & Mops

Industrial Wet Mops



| 5 JANITORIAL CONTINUED | | 7 WIRE BRUSHES | 75 |
|--|----------|---|----|
| Wet Mop Handles Deck Mops | 52 53 | General Purpose Wire Scratch Brushes | 76 |
| Mop Buckets Hot-Dipped Galvanized Pails, Tubs, Cans | 53 54 | 8 PAINT SUNDRY | 79 |
| Dust Mops, Frames & Handles | 55 | Water Paint Paste White Wash | 80 |
| Dust Mop Handles | 56 | Paint Brushes | 82 |
| Wax Applicators & Handles | 57 | Roller Covers | 84 |
| Food Service | 58 | Roller Cover Kits | 86 |
| Window Brushes | 59 | Roller Frames | 87 |
| Window Squeegees | 60 | Paint Trays And Accessories | 88 |
| | | Sponges | 89 |
| 6 VEHICLE WASH | | Wallpaper Texture | 89 |
| AND AUTOMOTIVE | 61 | Crowsfoot Brushes | 90 |
| Vehicle Wash Brushes | 62 | | |
| Sidewall Brushes | 65 | 9 DISPLAYS AND OTHER | 04 |
| Fender and Utility Brushes | 66 | INFORMATION | 91 |
| Automotive/Detail Brushes | 69 | Display Sets and Racks | 92 |
| Automotive Parts and Spoke | 71 | Brush Fiber Information | 93 |
| Automotive Squeegees | 72 | | |
| Automotive Miscellaneous | 73 | | |

Dear Valued Customer:

Magnolia Brush Manufacturers, Ltd., now offers you two convenient ways to find information on our extensive product lines. Whether browsing our print catalog or visiting us online at www.magnoliabrush.com, you will find item numbers, pictures, and descriptions at your fingertips. Our website also offers the most up-to-date information, news, and events. As The Choice of the Professional since 1907, we proudly manufacture quality brooms and brushes for the professional tradesman.


Our commitment to quality craftsmanship began in 1907 in Houston, Texas, under the name Houston Brush Company. In 1918, the factory was moved to Dallas, Texas, and became known as Magnolia Brush Manufacturing Co., and began producing corn brooms, shoeshine brushes, GI scrub brushes, and horse brushes for the U.S. Army under a government contract.

In 1953, the company moved to its current location in Clarksville, Texas, becoming the first corporate industry in the area. Today, the company occupies more than 100,000 square feet of floor space and manufactures over 500 different items. Sales continue to grow and distribution is made in all 50 states of the U.S.A. and in some foreign countries.

Since its beginning, Magnolia Brush has been successful in achieving the goal of continued growth and profitability. The company's commitment to employee safety, product quality, competitive pricing, and superior customer service has allowed such success. We will continue to uphold our reputation as a leader in the industry by honoring this commitment.

Sincerely,

Magnolia Brush Manufacturers, Ltd. 800-248-2261 WWW.MAGNOLIABRUSH.COM









| PROFESSIONAL SERIES FLOOR BRUSHES | PAGE 6 |
|------------------------------------|---------|
| PROFESSIONAL SERIES GARAGE BRUSHES | PAGE 12 |
| STRIP BRUSHES | PAGE 14 |
| STREET BROOMS | PAGE 15 |
| HANDLES AND ACCESSORIES | PAGE 17 |

PROFESSIONAL SERIES FLOOR BRUSHES

Built to perform, built to last. Constructed of only the highest quality available Natural and/or Synthetic filaments and staple set into clear lacquered select hardwood half round or plastic blocks. Many are available in 3 Series, (Pro-Threaded, FX, and A-Line), packed in individual cartons and available with or without hardware and handles.

Light Green Flagged Tip Polystyrene

Recommended Use: Dry sweeping finest dust or grit on smooth floors. **CAUTION** DO NOT USE WITH OIL BASE SWEEPING COMPOUND.

| Item ID | Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace |
|------------|----------------|------------------------|------------------------|-------------------|------------------------|----------------|--------------------|-------------------|
| 618 | Threaded | 18 | 4 | Wood | 40 | 12 | M-60 | No |
| 624 | Threaded | 24 | 4 | Wood | 45 | 12 | M-60 | No |
| A-Line red | quires D-60 h | andle and | 99 brace | sold on pag | ge 20 | | | |
| 618-A | A-Line | 18 | 4 | Wood | 28 | 12 | No | No |
| 624-A | A-Line | 24 | 4 | Wood | 35 | 12 | No | No |
| 636-A | A-Line | 36 | 4 | Wood | 56 | 6 | No | No |
| | | | | | | | | |



100% Black Horsehair

Recommended Use: For sweeping smooth, dry floors, such as tile, linoleum, terrazzo, waxed and polished wood floors, etc.

| 718 | Threaded | 18 | 3 | Wood | 37 | 12 | M-60 | No |
|--------|----------|----|---|---------|----|----|------|-----|
| 724 | Threaded | 24 | 3 | Wood | 41 | 12 | M-60 | No |
| 736 | Threaded | 36 | 3 | Wood | 31 | 6 | M-60 | Yes |
| 724-PB | Threaded | 24 | 3 | Plastic | 26 | 12 | No | No |



Black Polypropylene and Horsehair Mixture

Recommended Use: For sweeping smooth, dry floors, such as tile, linoleum, terrazzo, waxed and polished wood floors, etc.

| 712-X | Threaded | 12 | 3 | Wood | 14 1/2 | 12 | No | No |
|----------|----------|----|---|---------|--------|----|------|----|
| 718-X | Threaded | 18 | 3 | Wood | 37 | 12 | M-60 | No |
| 724-X | Threaded | 24 | 3 | Wood | 41 | 12 | M-60 | No |
| 724-X-PB | Threaded | 24 | 3 | Plastic | 28 | 12 | No | No |



(724-PB)

Dark Grey Mixture of Horsehair and Tampico

Recommended Use: For dry sweeping smooth concrete floors, wood, tile, etc.

| 818 | Threaded | 18 | 3 | Wood | 37 | 12 | M-60 | No |
|-----|----------|----|---|------|----|----|------|-----|
| 824 | Threaded | 24 | 3 | Wood | 41 | 12 | M-60 | No |
| 836 | Threaded | 36 | 3 | Wood | 31 | 6 | M-60 | Yes |



NOTE: To order without handles, add "LH" behind Item ID when ordering.

800-248-2261 WWW.MAGNOLIABRUSH.COM

Selected Black Tampico Center/ Black Polystyrene and Horsehair Mixture Border

Recommended Use: For sweeping smooth concrete floors, wood, tile, etc.

| Item ID | Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace |
|---------|----------------|------------------------|------------------------|-------------------|------------------------|----------------|--------------------|-------------------|
| 918-X | Threaded | 18 | 3 | Wood | 37 | 12 | M-60 | No |
| 924-X | Threaded | 24 | 3 | Wood | 41 | 12 | M-60 | No |
| 930-X | Threaded | 30 | 3 | Wood | 27 1/2 | 6 | M-60 | Yes |



Recommended Use: For dry sweeping semi-smooth floors.


| 1012 | Threaded | 12 | 3 | Wood | 15 | 12 | No | No |
|-----------|----------------|---------------|------------|------------|-------------|---------|------|-----|
| 1014 | Threaded | 14 | 3 | Wood | 30 | 12 | M-60 | No |
| 1016 | Threaded | 16 | 3 | Wood | 32 | 12 | M-60 | No |
| 1018 | Threaded | 18 | 3 | Wood | 37 | 12 | M-60 | No |
| 1024 | Threaded | 24 | 3 | Wood | 42 | 12 | M-60 | No |
| 1030 | Threaded | 30 | 3 | Wood | 27 1/2 | 6 | M-60 | Yes |
| 1036 | Threaded | 36 | 3 | Wood | 31 | 6 | M-60 | Yes |
| 1818 | Threaded | 18 | 2 1/2 | Wood | 34 | 12 | A-60 | No |
| 1824 | Threaded | 24 | 2 1/2 | Wood | 41 | 12 | A-60 | No |
| A-Line re | equires D-60 b | oolt on style | e handle a | nd 99 brac | e sold on p | page 20 | | |
| 1018-A | A-Line | 18 | 3 | Wood | 24 | 12 | No | No |
| 1024-A | A-Line | 24 | 3 | Wood | 30 | 12 | No | No |
| 1036-A | A-Line | 36 | 3 | Wood | 28 | 6 | No | No |
| | | | | | | | | |



Course Brown Polystyrene Center/Black Polystyrene Border

Recommended Use: For wet or dry sweeping. The coarse plastic bristles in the center rows sweep the heavy debris while the finer plastic on the border sweep the finer dirt. Good on rough or smooth concrete, asphalt, wood, etc.

| 1118 | Threaded | 18 | 3 | Wood | 37 | 12 | M-60 | No | | |
|--|----------|----|---|------|--------|----|------|-----|--|--|
| 1124 | Threaded | 24 | 3 | Wood | 41 | 12 | M-60 | No | | |
| 1136 | Threaded | 36 | 3 | Wood | 27 1/2 | 6 | M-60 | Yes | | |
| A-Line requires D-60 bolt on style handle and 99 brace sold on page 20 | | | | | | | | | | |
| 1118-A | A-Line | 18 | 3 | Wood | 24 | 12 | No | No | | |
| 1124-A | A-Line | 24 | 3 | Wood | 30 | 12 | No | No | | |
| 1130-A | A-Line | 30 | 3 | Wood | 23 | 6 | No | No | | |
| 1136-A | A-Line | 36 | 3 | Wood | 28 | 6 | No | No | | |
| | | | | | | | | | | |



Eliminate handle breakage with the FX Line. FX-60 handle will flex instead of break.



Floor Brushes and Handles

PROFESSIONAL SERIES FLOOR BRUSHES

Yellow Polystyrene

Recommended Use: For wet or dry sweeping. This floor brush comes the closest to being the all-around floor brush. It will sweep fine dust or coarse debris.

| Item ID | Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace |
|------------|----------------|------------------------|------------------------|-------------------|------------------------|----------------|--------------------|-------------------|
| 1918 | Threaded | 18 | 3 | Wood | 37 | 12 | M-60 | No |
| 1924 | Threaded | 24 | 3 | Wood | 41 | 12 | M-60 | No |
| 1930 | Threaded | 30 | 3 | Wood | 55 | 6 | M-60 | Yes |
| 1936 | Threaded | 36 | 3 | Wood | 31 | 6 | M-60 | Yes |
| A-Line red | quires D-60 b | olt on style | handle ar | nd 99 brace | e sold on p | age 20 | | |
| 1924-A | A-Line | 24 | 3 | Wood | 30 | 12 | No | No |
| 1930-A | A-Line | 30 | 3 | Wood | 23 | 6 | No | No |
| | | | | | | | | |



(1924)

Black Polypropylene

Recommended Use: For wet or dry sweeping rough or semi-smooth concrete, wood, asphalt, etc.

| 2016 | Threaded | 16 | 3 | Wood | 32 | 12 | M-60 | No |
|------------|---------------|--------------|-------------|-------------|-------------|--------|------|-----|
| 2018 | Threaded | 18 | 3 | Wood | 37 | 12 | M-60 | No |
| 2024 | Threaded | 24 | 3 | Wood | 42 | 12 | M-60 | No |
| 2030 | Threaded | 30 | 3 | Wood | 27 1/2 | 6 | M-60 | Yes |
| 2036 | Threaded | 36 | 3 | Wood | 31 | 6 | M-60 | Yes |
| 2018-PB | Threaded | 18 | 3 | Plastic | 37 | 12 | M-60 | No |
| 2024-PB | Threaded | 24 | 3 | Plastic | 41 | 12 | M-60 | No |
| A-Line rec | quires D-60 b | olt on style | handle ar | nd 99 brace | e sold on p | age 20 | | |
| 2018-A | A-Line | 18 | 3 | Wood | 24 | 12 | No | No |
| 2024-A | A-Line | 24 | 3 | Wood | 30 | 12 | No | No |
| FX Series | requires FX-6 | 60 handle : | sold on pa | ge 20 | | | | |
| 2018-FX | Flex | 18 | 3 | Wood | 24 | 12 | No | No |
| 2024-FX | Flex | 24 | 3 | Wood | 28 | 12 | No | No |
| 2036-FX | Flex | 36 | 3 | Wood | 25 | 6 | No | No |
| Economy | Series – bulk | packed pi | rice does r | not include | handle | | | |
| 2024-SL | Threaded | 24 | 3 | Wood | 28 | 12 | No | No |
| | | | | | | | | |



Black Horsehair and Polypropylene Border/ **Black Polypropylene Center**

Recommended Use: For wet or dry sweeping. This brush will sweep fine or coarse debris on all types of surfaces.

| 2618 | Threaded | 18 | 3 | Wood | 37 | 12 | M-60 | No |
|------------|---------------|--------------|-------------|-------------|-------------|--------|------|-----|
| 2624 | Threaded | 24 | 3 | Wood | 47 | 12 | M-60 | No |
| 2630 | Threaded | 30 | 3 | Wood | 28 | 6 | M-60 | Yes |
| 2636 | Threaded | 36 | 3 | Wood | 31 | 6 | M-60 | Yes |
| A-Line red | quires D-60 b | olt on style | e handle ar | nd 99 brace | e sold on p | age 20 | | |
| 2618-A | A-Line | 18 | 3 | Wood | 24 | 12 | No | No |
| 2624-A | A-Line | 24 | 3 | Wood | 30 | 12 | No | No |
| | | | | | | | | |



100% Grey Horsehair

Recommended Use: This floor brush was designed especially for concrete finishers work. Very light in weight, long handle and soft horsehair make it the ideal tool for finishing concrete. Also for sweeping fine particles on smooth floors.

| Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace |
|----------------|--|---|--|--|---|---|---|
| Threaded | 12 | 2 1/2 | Wood | 14 | 12 | No | No |
| Threaded | 14 | 2 1/2 | Wood | 30 | 12 | M-72 | No |
| Threaded | 18 | 2 1/2 | Wood | 37 | 12 | M-72 | No |
| Threaded | 24 | 2 1/2 | Wood | 47 | 12 | M-72 | No |
| Threaded | 30 | 2 1/2 | Wood | 27 1/2 | 6 | M-72 | Yes |
| Threaded | 36 | 2 1/2 | Wood | 31 | 6 | M-72 | Yes |
| Threaded | 24 | 2 1/2 | Plastic | 26 | 12 | No | No |
| | Threaded Threaded Threaded Threaded Threaded Threaded Threaded | Handle TypeWidth (in)Threaded12Threaded14Threaded18Threaded24Threaded30Threaded36 | Handle Type Width (in) Length (in) Threaded 12 2 1/2 Threaded 14 2 1/2 Threaded 18 2 1/2 Threaded 24 2 1/2 Threaded 30 2 1/2 Threaded 36 2 1/2 | Handle TypeWidth (in)Length (in)Block MaterialThreaded122 1/2WoodThreaded142 1/2WoodThreaded182 1/2WoodThreaded242 1/2WoodThreaded302 1/2WoodThreaded362 1/2Wood | Handle Type Width (in) Length (in) Block Material (lbs) Wt. (lbs) Threaded 12 2 1/2 Wood 14 Threaded 14 2 1/2 Wood 30 Threaded 18 2 1/2 Wood 37 Threaded 24 2 1/2 Wood 47 Threaded 30 2 1/2 Wood 27 1/2 Threaded 36 2 1/2 Wood 31 | Handle Type Width (in) Length (in) Block Material (lbs) Wt. (lbs) Carton Qty. Threaded 12 2 1/2 Wood 14 12 Threaded 14 2 1/2 Wood 30 12 Threaded 18 2 1/2 Wood 37 12 Threaded 24 2 1/2 Wood 47 12 Threaded 30 2 1/2 Wood 27 1/2 6 Threaded 36 2 1/2 Wood 31 6 | Handle Type Width (in) Length (in) Block Material (lbs) Wt. (lbs) Carton Oty. Includes Handle Threaded 12 2 1/2 Wood 14 12 No Threaded 14 2 1/2 Wood 30 12 M-72 Threaded 18 2 1/2 Wood 37 12 M-72 Threaded 24 2 1/2 Wood 47 12 M-72 Threaded 30 2 1/2 Wood 27 1/2 6 M-72 Threaded 36 2 1/2 Wood 31 6 M-72 |



Coarse Brown Polystyrene Center/ Silver Flagged Tip Polystyrene Border

Recommended Use: The coarse plastic center rows sweep the coarse dirt while the fine flagged-tip plastic sweeps the fine dust and dirt. For dry sweeping smooth or rough floors that have heavy dust and dirt accumulations. NOT FOR USE WITH OIL BASED SWEEPING COMPOUNDS.

| 3518 | Threaded | 18 | 3 | Wood | 36 | 12 | M-60 | No | | |
|--|----------|----------------|------------|-------------|---------------|---------|----------|----------|--|--|
| 3524 | Threaded | 24 | 3 | Wood | 48 | 12 | M-60 | No | | |
| 3530 | Threaded | 30 | 3 | Wood | 30 | 6 | M-60 | Yes | | |
| 3536 | Threaded | 36 | 3 | Wood | 35 | 6 | M-60 | Yes | | |
| A-Line requires D-60 bolt on style handle and 99 brace sold on page 20 | | | | | | | | | | |
| | 7 | Total Off Styl | c mamarc a | 110 00 0100 | .e 3010 011 j | Juge 20 | | | | |
| 3518-A | A-Line | 18 | 3 | Wood | 24 | 12 | No | No | | |
| 3518-A 3524-A | · | | | | | | No No | No No | | |
| | A-Line | 18 | 3 | Wood | 24 | 12 | | | | |



a-line brush anatomy 1

- No. D60 Handle (see page 20)
- 2 Red Connector (see page 20)
- (3) No. 99 Brace (see page 20)
- 4 No. 98 Scraper (see page 20)



PROFESSIONAL SERIES FLOOR BRUSHES

Silver Flagged Tip Polystyrene

Recommended Use: For sweeping smooth, highly polished floors, varnished wood or smooth concrete. Will sweep finest dust or grit.

CAUTION DO NOT USE WITH OIL BASE SWEEPING COMPOUND.

| Item ID | Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace | |
|---|----------------|------------------------|------------------------|-------------------|------------------------|----------------|--------------------|-------------------|--|
| 3714 | Threaded | 14 | 3 | Wood | 31 | 12 | M-60 | No | |
| 3718 | Threaded | 18 | 3 | Wood | 36 | 12 | M-60 | No | |
| 3724 | Threaded | 24 | 3 | Wood | 38 | 12 | M-60 | No | |
| 3730 | Threaded | 30 | 3 | Wood | 27 1/2 | 6 | M-60 | Yes | |
| 3736 | Threaded | 36 | 3 | Wood | 31 | 6 | M-60 | Yes | |
| 3718-PB | Threaded | 18 | 3 | Plastic | 32 | 12 | M-60 | No | |
| 3724-PB | Threaded | 24 | 3 | Plastic | 41 | 12 | M-60 | No | |
| A-Line req | uires D-60 b | olt on style | handle ar | nd 99 brace | sold on p | age 20 | | | |
| 3718-A | A-Line | 18 | 3 | Wood | 24 | 12 | No | No | |
| 3724-A | A-Line | 24 | 3 | Wood | 30 | 12 | No | No | |
| 3730-A | A-Line | 30 | 3 | Wood | 23 | 6 | No | No | |
| 3736-A | A-Line | 36 | 3 | Wood | 28 | 6 | No | No | |
| 3742-A | A-Line | 42 | 3 | Wood | 18 | 4 | No | No | |
| FX Series | requires FX-6 | 60 handle : | sold on pa | ge 20 | | | | | |
| 3718-FX | Flex | 18 | 3 | Wood | 24 | 12 | No | No | |
| 3724-FX | Flex | 24 | 3 | Wood | 25 | 12 | No | No | |
| 3736-FX | Flex | 36 | 3 | Wood | 25 | 6 | No | No | |
| Economy Version – bulk packed price does not include handle | | | | | | | | | |
| 3724-SL | Threaded | 24 | 3 | Wood | 23 | 12 | No | No | |





(3724-PB)

Dark Red Coarse Plastic Mixed with Fine Black Plastic

Recommended Use: An all-around brush for sweeping concrete, wood, asphalt composition, etc. Coarse plastic sweeps heavy dirt, fine plastic sweeps fine dirt.

| 5618 | Threaded | 18 | 3 | Wood | 37 | 12 | M-60 | No |
|------------|---------------|-------------|------------|------------|-------------|--------|------|-----|
| 5624 | Threaded | 24 | 3 | Wood | 41 | 12 | M-60 | No |
| 5630 | Threaded | 30 | 3 | Wood | 27 1/2 | 6 | M-60 | Yes |
| 5636 | Threaded | 36 | 3 | Wood | 31 | 6 | M-60 | Yes |
| A-Line red | quires D-60 b | olt on styl | e handle a | nd 99 brac | e sold on p | age 20 | | |
| 5618-A | A-Line | 18 | 3 | Wood | 24 | 12 | No | No |
| 5624-A | A-Line | 24 | 3 | Wood | 29 | 12 | No | No |
| | | | | | | | | |





ECONOMY PET LINE FLOOR AND GARAGE BRUSHES

Fiber is staple set in a lacquered hardwood block.

Grey Flagged PET Outer Rows/ Medium Gauge PET Inner Rows – Floor Brush

| Item ID | Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace |
|---------|-------------|------------------|---------------------|----------------|---------------------|-------------|--------------------|-------------------|
| 3818-SL | Threaded | 18 | 3 | Wood | 27 | 12 | No | No |
| 3824-SL | Threaded | 24 | 3 | Wood | 30 | 12 | No | No |
| 3836-SL | Threaded | 36 | 3 | Wood | 23 | 6 | No | No |

Accepts either the 97 or 99-SL handle brace sold on page 20

Green Flagged PET – Floor Brush

| 3918-SL | Threaded | 18 | 3 | Wood | 27 | 12 | No | No |
|---------|----------|----|---|------|----|----|----|----|
| 3924-SL | Threaded | 24 | 3 | Wood | 30 | 12 | No | No |
| 3936-SL | Threaded | 30 | 3 | Wood | 23 | 6 | No | No |

Accepts either the 97 or 99-SL handle brace sold on page 20

Brown PET Filament – Garage Brush

| 2218-SL | Threaded | 18 | 3 | Wood | 24 | 12 | No | No |
|---------|----------|----|---|------|----|----|----|----|
| 2224-SL | Threaded | 24 | 3 | Wood | 30 | 12 | No | No |
| 2236-SL | Threaded | 36 | 3 | Wood | 23 | 6 | No | No |

Accepts either the 97 or 99-SL handle brace sold on page 20



PROFESSIONAL SERIES GARAGE BRUSHES

Magnolia Quality Garage Brushes are staple set in a clear lacquered hardwood or plastic blocks. Made from the highest quality material available Magnolia garage brushes are build to last. Packed in individual cartons.

Polypalm Plastic

Recommended Use: For wet or dry sweeping rough concrete or asphalt floors such as creamery and packing house floors. Will not soften when exposed to water, oils or grease.

| Item ID | Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace |
|---------|----------------|------------------------|------------------------|-------------------|------------------------|----------------|--------------------|-------------------|
| 1218 | Threaded | 18 | 4 | Wood | 45 | 12 | B-60 | No |
| 1224 | Threaded | 24 | 4 | Wood | 49 | 12 | B-60 | No |
| 1230 | Threaded | 30 | 4 | Wood | 30 | 6 | B-60 | Yes |
| 1236 | Threaded | 36 | 4 | Wood | 36 | 6 | B-60 | Yes |



(1224)

Prime Stiff Palmyra

Recommended Use: For wet or dry sweeping under rough conditions such as wet and greasy concrete floor, packing houses, construction sites, etc.

| 1416 | Threaded | 16 | 4 | Wood | 38 | 12 | B-60 | No | | |
|--|---------------|-----------|---------|------|----|----|------|-----|--|--|
| 1418 | Threaded | 18 | 4 | Wood | 43 | 12 | B-60 | No | | |
| 1424 | Threaded | 24 | 4 | Wood | 50 | 12 | B-60 | No | | |
| 1430 | Threaded | 30 | 4 | Wood | 30 | 6 | B-60 | Yes | | |
| 1436 | Threaded | 36 | 4 | Wood | 36 | 6 | B-60 | Yes | | |
| A-Line requires D-60 handle and 99 brace sold on page 20 | | | | | | | | | | |
| 1418-A | A-Line | 18 | 4 | Wood | 24 | 12 | No | No | | |
| 1424-A | A-Line | 24 | 4 | Wood | 30 | 12 | No | No | | |
| 1436-A | A-Line | 36 | 4 | Wood | 25 | 6 | No | No | | |
| Economy | Version of ab | ove, bulk | packed. | | | | | | | |
| 1418-SL | Threaded | 18 | 4 | Wood | 34 | 12 | A-60 | No | | |
| 1424-SL | Threaded | 24 | 4 | Wood | 43 | 12 | A-60 | No | | |
| 1430-SL | Threaded | 30 | 4 | Wood | 42 | 12 | A-60 | No | | |
| 1436-SL | Threaded | 36 | 4 | Wood | 54 | 12 | A-60 | No | | |
| | | | | | | | | | | |



Black Horsehair and Plastic Mix Border/ Steel wire and Black Tampico Center

Recommended Use: For dry sweeping rough or smooth concrete and asphalt paved floors such as machine shops and parking lots.

| 1718 | Threaded | 18 | 3 | Wood | 41 | 12 | B-60 | No | | |
|--|----------|----|---|------|----|----|------|-----|--|--|
| 1724 | Threaded | 24 | 3 | Wood | 48 | 12 | B-60 | No | | |
| 1736 | Threaded | 36 | 3 | Wood | 30 | 6 | B-60 | Yes | | |
| A-Line requires D-60 handle and 99 brace sold on page 20 | | | | | | | | | | |
| 1718-A | A-Line | 18 | 3 | Wood | 24 | 12 | No | No | | |
| 1724-A | A-Line | 24 | 3 | Wood | 30 | 12 | No | No | | |
| | | | | | | | | | | |

NOTE: To order without handles, add "LH" behind Item ID when ordering.

800-248-2261 WWW.MAGNOLIABRUSH.COM

All Steel Wire Center with Black Tampico Border

Recommended Use: For dry sweeping rough or smooth concrete and asphalt paved floors such as machine shops and parking lots.

| Item ID | Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace | | |
|--|----------------|------------------------|------------------------|-------------------|------------------------|----------------|--------------------|-------------------|--|--|
| 1718-W | Threaded | 18 | 3 | Wood | 45 | 12 | B-60 | No | | |
| 1724-W | Threaded | 24 | 3 | Wood | 54 | 12 | B-60 | No | | |
| A-Line requires D-60 handle and 99 brace sold on page 20 | | | | | | | | | | |
| 1724-AW | A-Line | 24 | 3 | Wood | 36 1/2 | 12 | No | No | | |

(1724-W)

Coarse Brown Polystyrene

Recommended Use: For wet or dry sweeping rough concrete or asphalt floors such as driveways, construction sites, etc. Will not soften when exposed to water, oils or greases.

| 2216 | Threaded | 16 | 3 | Wood | 40 | 12 | B-60 | No |
|------------|---------------|-------------|------------|-------------|--------|----|------|-----|
| 2218 | Threaded | 18 | 3 | Wood | 45 | 12 | B-60 | No |
| 2224 | Threaded | 24 | 3 | Wood | 54 | 12 | B-60 | No |
| 2230 | Threaded | 30 | 3 | Wood | 32 1/2 | 6 | B-60 | Yes |
| 2236 | Threaded | 36 | 3 | Wood | 37 1/2 | 6 | B-60 | Yes |
| 2218-PB | Threaded | 18 | 3 | Plastic | 40 | 12 | B-60 | No |
| 2224-PB | Threaded | 24 | 3 | Plastic | 45 | 12 | B-60 | No |
| A-Line rec | guires D-60 h | andle and | 99 brace s | sold on pag | je 20 | | | |
| 2218-A | A-Line | 18 | 3 | Wood | 24 | 12 | No | No |
| 2224-A | A-Line | 24 | 3 | Wood | 30 | 12 | No | No |
| 2230-A | A-Line | 30 | 3 | Wood | 23 | 6 | No | No |
| 2236-A | A-Line | 36 | 3 | Wood | 28 | 6 | No | No |
| 2242-A | A-Line | 42 | 3 | Wood | 20 | 4 | No | No |
| FX Series | requires FX-6 | 60 handle : | sold on pa | ge 20 | | | | |
| 2218-FX | Flex | 18 | 3 | Wood | 27 | 12 | No | No |
| 2224-FX | Flex | 24 | 3 | Wood | 36 | 12 | No | No |
| 2236-FX | Flex | 36 | 3 | Wood | 29 | 6 | No | No |
| | | | | | | | | |



Stiff Black Polypropylene

Recommended Use: For wet or dry sweeping rough concrete or asphalt floors, such as in construction industry, parking garages, grain elevators, etc. Will not soften when exposed to water, oils or greases.

| 2418 | Threaded | 18 | 4 | Wood | 48 | 12 | B-60 | No | |
|--|------------------|----|---|------|----------|----|----------|----------|--|
| 2424 | Threaded | 24 | 4 | Wood | 54 | 12 | B-60 | No | |
| A-Line requires D-60 handle and 99 brace sold on page 20 | | | | | | | | | |
| | | | | | | | | | |
| 2418-A | A-Line | 18 | 4 | Wood | 24 | 12 | No | No | |
| 2418-A 2424-A | A-Line A-Line | 18 | 4 | Wood | 24 30 | 12 | No No | No No | |





Floor Brushes and Handles

PROFESSIONAL SERIES GARAGE BRUSHES

Stiff Green Polypropylene

Recommended Use: For wet or dry sweeping rough concrete or asphalt floors, such as in construction industry, parking garages, grain elevators, etc. Will not soften when exposed to water, oils or greases.

| Item ID | Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace |
|-----------|----------------|------------------------|------------------------|-------------------|------------------------|----------------|--------------------|-------------------|
| 5518 | Threaded | 18 | 3 3/4 | Wood | 45 | 12 | B-60 | No |
| 5524 | Threaded | 24 | 3 3/4 | Wood | 54 | 12 | B-60 | No |
| FX Series | requires FX-6 | 60 handle | sold on pa | ge 20 | | | | |
| 5518-FX | Flex | 18 | 3 3/4 | Wood | 27 | 12 | No | No |
| 5524-FX | Flex | 24 | 3 3/4 | Wood | 36 | 12 | No | No |
| 5536-FX | Flex | 36 | 3 3/4 | Wood | 27 | 6 | No | No |
| | | | | | | | | |



Floor Brushes and Handles

STRIP BRUSHES

Strip Brushes contain synthetic fiber locked in a heavy gauge rust resistant steel channel. Bolt-on steel handle (SB-60) adds to durability. Lightweight and easy to use with the efficiency of a regular broom for indoor or outdoor use.

Medium Stiffness

| Item ID | Description | Handle Type | Brush Width (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace |
|---------|-------------|----------------|------------------------|------------------------|------------------------|----------------|--------------------|-------------------|
| 7018 | Red/Black | SB-60 | 18 | 3 | 35 | 12 | Yes | n/a |
| 7024 | Red/Black | SB-60 | 24 | 3 | 40 | 12 | Yes | n/a |

Coarse Stiffness

| 7218 | Brown/Tan | SB-60 | 18 | 3 | 35 | 12 | Yes | n/a |
|------|-----------|-------|----|---|----|----|-----|-----|
| 7224 | Brown/Tan | SB-60 | 24 | 3 | 40 | 12 | Yes | n/a |

(77 LINE STRIP BRUSHES)



STREET BROOMS

Magnolia Quality Street Brooms are staple set in a smooth sanded hardwood block and made from some of the highest quality material available. Built for use in rugged conditions and made to last. Durable long lasting plastic will outlast natural fiber. Will not absorb odors, mildew, rot or discolor. Will not absorb water and rinses clean. Wide flare on ends allows close sweeping to curbs. Bulk Packed.

Heavy Gauge White Polypropylene

Recommended Use: For wet or dry sweeping where a rugged broom is required on rough surfaces such as concrete or asphalt street gutters.

| Item ID | Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace |
|------------|----------------|------------------------|------------------------|-------------------|------------------------|----------------|--------------------|-------------------|
| 1314 | Tapered | 14 | 4 1/4 | Wood | 14 | 6 | No | No |
| 1316 | Tapered | 16 | 4 1/4 | Wood | 15 1/2 | 6 | No | No |
| 1318 | Tapered | 18 | 4 1/4 | Wood | 17 | 6 | No | No |
| 1324 | Tapered | 24 | 4 1/4 | Wood | 20 1/2 | 6 | No | No |
| A-Line red | quires D-60 | handle an | d 99 brace | , sold on po | age 20 | | | |
| 1316-A | A-Line | 16 | 4 1/4 | Wood | 15 | 6 | No | No |
| 1318-A | A-Line | 18 | 4 1/4 | Wood | 17 | 6 | No | No |

Extra Stiff White Polypropylene

| 1316-HD | Tapered | 16 | 4 1/4 | Wood | 15 1/2 | 6 | No | No | |
|---------|---------|----|-------|------|--------|---|----|----|--|

Heavy Gauge Blue Polypropylene

| 1318-B | Tapered | 18 | 4 1/4 | Wood | 18 1/4 | 6 | No | No | |
|--------|---------|----|-------|------|--------|---|----|----|--|
| 1324-B | Tapered | 24 | 4 1/4 | Wood | 21 1/2 | 6 | No | No | |

Brown Plastic (Economy Line)

| 1316-BL-SL Tapered 16 5 Wood 15 1/4 6 No | No |
|--|-----|
| 10 DE DE 1 Tapered 10 5 Wood 15 1/4 0 No | 140 |

OSHA Orange Polypropylene

| 1316-0 | Tapered | 16 | 5 | Wood | 15 | 6 | No | No |
|---|-----------------|----|---|------|--------|---|----|----|
| 1318-O | Tapered | 18 | 5 | Wood | 16 1/2 | 6 | No | No |
| 1324-0 | Tapered | 24 | 5 | Wood | 20 | 6 | No | No |
| FX Series requires FX-60 handle sold on page 20 | | | | | | | | |
| 1316-O-FX | Flex | 16 | 5 | Wood | 20 | 6 | No | No |
| Economy | V ersion | | | | | | | |
| 1316-O-SL | Tapered | 16 | 5 | Wood | 17 | 6 | No | No |
| | | | | | | | | |









(1316-0)



Floor Brushes and Handles

STREET BROOMS

Brown Polypropylene

Recommended Use: For wet or dry sweeping in barns, street sweeping, highway work, etc.

| Item ID | Handle Type | Brush Width (in) | Trim Length (in) | Block Material | Carton Wt. (lbs) | Carton Qty. | Includes Handle | Includes Brace |
|---------|----------------|------------------------|------------------------|-------------------|------------------------|----------------|--------------------|-------------------|
| 1614 | Tapered | 14 | 5 | Wood | 15 | 6 | No | No |
| 1616 | Tapered | 16 | 5 | Wood | 17 1/4 | 6 | No | No |
| 1618 | Tapered | 18 | 5 | Wood | 19 | 6 | No | No |
| 1624 | Tapered | 24 | 5 | Wood | 23 | 6 | No | No |

PolyBass - Polypropylene

Recommended Use: For wet or dry sweeping in dairy barns, street sweeping, highway work, etc.

| 1616-P Tapered 16 6 1/4 Wood 17 1/4 6 | No | No |
|---------------------------------------|----|----|
|---------------------------------------|----|----|



(1616-P)

Blue Polystyrene – Heavy Gauge

Recommended Use: For wet or dry sweeping where a heavy duty broom is required such as rock or gravel spreading, roofing work and heavy farm use.

| 6418 | Tapered | 18 | 4 1/4 | Wood | 17 1/2 | 6 | No | No |
|------------|--------------|------------|------------|---------|--------|---|----|----|
| 6424 | Tapered | 24 | 4 1/4 | Wood | 23 1/2 | 6 | No | No |
| A-Line req | uires D-60 d | and 99 bro | ce sold or | page 20 | | | | |
| 6418-A | A-Line | 18 | 4 1/4 | Wood | 17 1/2 | 6 | No | No |
| 6424-A | A-Line | 24 | 4 1/4 | Wood | 23 1/2 | 6 | No | No |
| 6418-FX | Flex | 18 | 4 1/4 | Wood | 17 1/2 | 6 | No | No |
| 6424-FX | Flex | 24 | 4 1/4 | Wood | 23 1/2 | 6 | No | No |



Palmyra Stalk

Recommended Use: For wet or dry sweeping in dairy barns, street sweeping, highway work, etc.

| 1514-P | Tapered | 14 | 6 1/4 | Wood | 17 | 6 | No | No |
|-----------|---------|----|-------|------|--------|---|----|----|
| 1516-P | Tapered | 16 | 6 1/4 | Wood | 18 1/4 | 6 | No | No |
| 1518-P | Tapered | 18 | 6 1/4 | Wood | 19 1/2 | 6 | No | No |
| 1524-P | Tapered | 24 | 6 1/4 | Wood | 24 1/2 | 6 | No | No |
| Economy | Version | | | | | | | |
| 1516-P-SL | Tapered | 16 | 6 1/4 | Wood | 18 1/4 | 6 | No | No |
| | | | | | | | | |



Carbon Steel Wire

Recommended Use: For thorough sweeping of asphalt and concrete before applying black-top sealant and for sweeping loose pea gravel and dirt from roofs before retarring.

| 3916 | Tapered | 16 | 3 3/4 | Wood | 23 | 6 | No | No |
|------|---------|----|-------|-------|----|---|-----|----|
| 3910 | Tapereu | 10 | 3 3/4 | vvoou | 23 | O | INO | No |
| | | | | | | | | |



800-248-2261 WWW.MAGNOLIABRUSH.COM



(3916)

HANDLES AND ACCESSORIES

Magnolia Brush Handles are available in a wide variety of sizes, lengths and tip configurations to suit all types of professional applications. Handles are selected from the highest quality materials and made for a wide range of uses.

WOOD HANDLES

Wood Threaded Handle

Selected hardwood with clear lacquered finish. One end rounded and other end threaded to fit standard floor brush blocks.

| Item ID | Size (ft) | Diameter (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-----------|------------------|---------------------|-------------|
| A-8 | 8 (in) | 15/16 | 13/4 | 12** |
| A-12 | 1 | 15/16 | 2 1/4 | 12** |
| A-18 | 1 1/2 | 15/16 | 3 3/4 | 12** |
| A-24 | 2 | 15/16 | 5 | 12** |
| A-36 | 3 | 15/16 | 7 1/2 | 12** |
| A-48 | 4 | 15/16 | 10 | 12 |
| A-54 | 4 1/2 | 15/16 | 12 | 12 |
| A-60 | 5 | 15/16 | 13 | 12 |
| A-72 | 6 | 15/16 | 15 | 12 |
| BW-60* | 5 | 1 1/8 | 19 | 12 |
| BW-120* | 10 | 1 1/8 | 30 | 12** |

Low-Cost Paint Roller Handles

| LC-48-12 | 4 | 15/16 | 10 | 12** |
|----------|----|-------|-------|------|
| LC-60-12 | 5 | 15/16 | 13 | 12** |
| LC-72-12 | 6 | 15/16 | 15 | 12** |
| LC-48-24 | 4 | 15/16 | 19 | 24** |
| LC-60-24 | 5 | 15/16 | 25 | 24** |
| LC-72-24 | 6 | 15/16 | 29 | 24** |
| A-3PH | 42 | 15/16 | 8 1/4 | 12 |



Metal Threaded Handles

Selected hardwood with clear lacquered finish. One end rounded and other end equipped with crimped-on metal thread to fit standard floor brush blocks.

| Item ID | Size (ft) | Diameter (in) | Carton Wt. (Ibs) | Carton Qty. |
|---------|-----------|------------------|---------------------|-------------|
| M-48 | 4 | 15/16 | 10 | 12 |
| M-54 | 4 1/2 | 15/16 | 12 | 12 |
| M-60 | 5 | 15/16 | 13 | 12 |
| M-72 | 6 | 15/16 | 15 | 12 |
| B-60 | 5 | 1 1/8 | 19 | 12 |
| B-72 | 6 | 1 1/8 | 23 | 12 |
| B-96* | 8 | 1 1/8 | 31 | 12** |
| B-120* | 10 | 1 1/8 | 36 | 12** |
| B-144* | 12 | 1 1/8 | 23 | 6** |
| | | | | |

Tapered Handles

Made of No. 1 straight-grain hardwood smoothly sanded with one end rounded and other end tapered. For use with our Street Brooms or any brush that requires a tapered handle.

| C-12 | 1 | 1 1/8 | 4 | 12* |
|-------------------|-------|-------|-------|------|
| C-18 | 1 1/2 | 1 1/8 | 6 | 12** |
| C-24 | 2 | 1 1/8 | 8 | 12** |
| C-36 | 3 | 1 1/8 | 11 | 12** |
| C-48 | 4 | 1 1/8 | 16 | 12** |
| C-54 | 4 1/2 | 1 1/8 | 18 | 12 |
| C-60 | 5 | 1 1/8 | 19 | 12 |
| C-72 | 6 | 1 1/8 | 22 | 12 |
| C-96 | 8 | 1 1/8 | 28 | 12** |
| C-120 | 10 | 1 1/8 | 30 | 12** |
| C-144 | 12 | 1 1/8 | 34 | 6** |
| T-12+ | 1 | 15/16 | 2 1/2 | 12** |
| T-18 ⁺ | 1 1/2 | 15/16 | 3 3/4 | 12** |
| T-48+ | 4 | 15/16 | 10 | 12** |
| T-54 ⁺ | 4 1/2 | 15/16 | 11 | 12** |
| T-60+ | 5 | 15/16 | 13 | 12 |
| | | | | |

^{*}Lacquered



Floor Brushes and Handles

HANDLES AND ACCESSORIES

WOOD HANDLES (CONTINUED)

Wood Handles with Acid Resistant Tip

Selected hardwood with clear lacquered finish. One end rounded and other end equipped with U-90 unbreakable nylon tip.

| Item ID | Size (ft) | Diameter (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-----------|------------------|---------------------|-------------|
| U-48 | 4 | 15/16 | 10 | 12** |
| U-60 | 5 | 15/16 | 13 | 12** |
| U-72 | 6 | 15/16 | 15 | 12** |
| BU-60 | 5 | 1 1/8 | 19 | 12** |
| BU-72 | 6 | 1 1/8 | 23 | 12** |

Selected straight-grained hardwood with clear lacquered finish. One end rounded and other end equipped with No. F-93 acid-resistant glass filled nylon tip.

| AF-60 | 5 | 15/16 | 13 | 12** |
|--------|---|-------|----|------|
| AF-72 | 6 | 15/16 | 15 | 12** |
| AF-96* | 8 | 15/16 | 21 | 12** |

Selected straight-grained hardwood with clear lacquered finish. One end rounded and other end is equipped with No. R-90 polypropylene threaded tip.

| BR-60 | 5 | 1 1/8 | 18 1/2 | 12** |
|--------|---|-------|--------|------|
| BR-72 | 6 | 1 1/8 | 22 | 12** |
| BR-96* | 8 | 1 1/8 | 31 | 12** |

^{*} Not lacquered

Selected straight-grained hardwood with clear lacquered finish. One end rounded and other end is equipped with K-93 polyethylene threaded tip.

| AK-60 | 5 | 15/16 | 13 | 12** |
|-------|---|-------|----|------|
| AK-72 | 6 | 15/16 | 15 | 12** |

Fiberglass Handles

One end is equipped with acid-resistant thread, other end has vinyl cap. One inch diameter handle has structural core center. Will not warp or rot. Special surfacing material prevents splintering. Non-conductive, acid resistant, meets all sanitary code requirements.

| FG-60 | 5 | 1 | 14 | 12** |
|------------|-------|---|--------|------|
| FG-72 | 6 | 1 | 17 | 12** |
| Economy Ve | rsion | | | |
| EC-FG60 | 5 | 1 | 14 1/4 | 12 |
| EC-FG72 | 6 | 1 | 17 1/4 | 12 |

800-248-2261 WWW.MAGNOLIABRUSH.COM



Plastic Coated Steel Handle

Black vinyl coated steel handle with swivel hang up cap. Hex head acme thread metal tip made from zinc die cast.

| Item ID | Size (ft) | Diameter | Carton Wt. (lbs) | Carton Qty. |
|---------|-----------|----------|---------------------|-------------|
| J-60 | 5 | 15/16 | 15 | 12** |

Steel Handle

One piece steel handle with baked enamel finish provides protection against corrosion. The heavy gauge steel provides extra strength and durability.

| AS-60 | 5 | 7/8 | 16 | 12 |
|-------|---|-----|----|----|

All Steel Strip Brush Handle

Zinc plated tubular steel handle with bolt-on metal connector. For use with Magnolia Brush strip brushes.

| SB-60 | 5 | 15/16 | 19 | 12 |
|-------|---|-------|----|----|

Metal Handle — Plastic Coated

Light weight metal handle. Has a plastic hang up cap and standard plastic thread tip.

| AB-30 | 2 1/2 | 7/8 | 3 | 12** |
|-------|-------|-----|-------|------|
| AB-48 | 4 | 7/8 | 4 1/2 | 12** |

^{**}Paper wrapped banded bundle

FLOW-THRU HANDLES

Tubular steel with baked enamel finish. Handle is designed for heavy-duty use. Standard thread on one end and other end is equipped with water hose coupling.

| Item ID | Size (ft) | Diameter (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-----------|------------------|---------------------|----------------|
| F-60 | 5 | 7/8 | 16 | 12 |

Two piece aluminum flow-thru extension handle. 1" outer tube, 3/4" slider tube with plastic acme thread. Extends 3' to 5'. Removable plastic cut off valve. Foam handle grips provide for sure handling.

| FEH-60 | 3-5 | 7/8 | 11 1/2 | 12 |
|--------|-----|-----|--------|----|

EXTENSION HANDLES

Turn Loc EXCELLENT VALUE!

Steel handle with baked enamel finish featuring two-piece construction that telescopes and locks in place anywhere you choose. Freely adjustable. Comes equipped with extra strong Mylar thread.

Two section handle: 1" outer tube and 7/8" inner tube.

| Turn-Loc 24 | 2 1/2 - 4 | 1 | 5 | 6 |
|-------------|---------------|---|---|---|
| Turn-Loc 36 | 3 1/2 - 6 1/2 | 1 | 7 | 6 |

Pro-Lock

Aluminum extension handle styled for the professional for dependable service under heavy usage.

Three section heavy duty handle with fluted $1\,1/4$ " outer tube with $1\,1/8$ " and 1"slider tubes with die cast metal threaded end.

| | | | | | _ |
|--------------|--------|-------|----|---|---|
| Pro-Lock 618 | 6 - 18 | 1 1/4 | 17 | 6 | |

Pro-Handle

Professional style aluminum extension handle featuring a nylon collet and chuck for a strong smooth locking action. This handle is designed for the professional giving years of trouble free service.

Two section handle w/fluted 1" outer tuber and 7/8" inner tube

| Pro-Handle 24 | 2 - 4 | 1 | 6 1/2 | 6 |
|----------------|--------|---|--------|---|
| Pro-Handle 48 | 4 - 8 | 1 | 7 1/2 | 6 |
| Pro-Handle 612 | 6 - 12 | 1 | 10 1/2 | 6 |
| Pro-Handle 816 | 8 - 16 | 1 | 13 | 6 |
| Pro-Handle 824 | 8 - 24 | 1 | 20 | 6 |
| | | | | |



Twist Loc

Do-it-yourself aluminum extension handle featuring a two piece construction that telescopes smoothly and locks in place with a quick turn of the slider tube in either direction. Comes equipped with Mylar thread.

NOT SUGGESTED FOR THE PROFESSIONAL.

Two section handle: 1" outer tuber with 7/8" inner tube.

| Item ID | Size (ft) | Diameter | Carton Wt. (lbs) | Carton Qty. |
|---------------|-----------|----------|---------------------|-------------|
| Twist-Loc 24 | 2 - 4 | 1 | 4 1/2 | 6 |
| Twist-Loc 48 | 4 - 8 | 1 | 8 | 6 |
| Twist-Loc 612 | 6 - 12 | 1 | 10 | 6 |

Super-Loc

Fiberglass handle designed with aluminum slider tube. Tab lock design provides lock and ease of operation. Comes equipped with heavy duty cast metal thread.

| Super-Loc 24 | 2 - 4 | 1 1/4 | 8 | 6 |
|---------------|--------|-------|--------|---|
| Super-Loc 48 | 4 - 8 | 1 1/4 | 12 1/2 | 6 |
| Super-Loc 612 | 6 - 12 | 1 1/4 | 18 | 6 |

Cam-Loc

Fiberglass extension handle with twist cam lock features a two piece construction that easily locks with a twist of the wrist. Comes with a standard 3/4" acme thread made of heavy duty aluminum alloy. Safer to use around electrical hazards.

| Cam-Loc 48 | 4 - 8 | 12 1/2 | 6 |
|-------------|--------|--------|---|
| Cam-Loc 612 | 6 - 12 | 17 1/2 | 6 |

Floor Brushes and Handles

HANDLES AND ACCESSORIES

MISCELLANEOUS HANDLES

A-Series Connector Handle and Accessories

Malleable metal connector installed on best grade clear lacquered hardwood handle. Red tipped. For use with all A-Line series floor sweeps.

| Item ID | Size (ft) | Diameter | Carton Wt. (lbs) | Carton Qty. |
|---------|-----------|----------|---------------------|-------------|
| D-60 | 5 | 1 1/8 | 19 | 12** |

Flex Sweep Handle

Special molded tough flexible connector makes this handle virtually unbreakable and eliminates the need for a brace. For use with all FX Line Floor Sweeps.

| FX-60 | 5 | 1 1/8 | 11 | 6** |
|-------|---|-------|----|-----|

^{**}Paper wrapped banded bundle

HANDLE ACCESSORIES AND REPLACEMENT PARTS

Red Malleable Metal Connector

Connector Replacement for D-60 Handle

| Item ID | Туре | Carton Wt. (lbs) | Carton Qty. | |
|---------|--------------------|------------------|-------------|--|
| D-60-C | Metal Connector | 3 1/2 | 12 | |

Compact Handle Brace

| 97 | Compact Brace | 1 1/2 | 12 |
|----|---------------|-------|----|

Heavy Duty Handle Braces

Heavy-duty handle brace complete with all hardware. Fits all Floor and Garage Brushes. (does not fit 38, 39 and 22-SL Lines)

| 99 | Aluminum | 3 | 12 |
|------|-----------|---|----|
| 99-S | All Steel | 3 | 12 |

Handle Brace for 38-SL, 39-SL and 22-SL Floor and Garage Brushes

| 99-SL | Aluminum | 3 | 12 |
|-------|----------|---|----|

Heavy Duty Steel Scrapers

A handy tool to attach to a garage brush for scraping loose mud, heavy grease, gum, etc.

| 98 | Steel Scraper | 4 3/4 | 12 |
|----|------------------------------|-------|----|
| 96 | Full Length Steel Scraper | 3 | 12 |



Replacement Threads

These replacement threads are easily installed over square cut ends of wooden handles. Add nail or screw for added strength. Acid Resistant

For use with 15/16" handles

| Item ID | Туре | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------------|---------------------|-------------|
| F-93 | 15/16" Glass Filled Nylon | 3/4 | 12 |
| K-93 | 15/16" Polyethylene | 3/4 | 12 |
| U-90* | 15/16" Nylon | 3/4 | 12 |
| _ | 11.44/0111 | | |

For use with 11/8" handles

| R-90 11/8" Polypropylene | 1 | 12 | |
|--------------------------|---|----|--|
|--------------------------|---|----|--|

^{*} Not acid resistant


For use with 1" Fiberglass handles

| FG-90 1" Polypropylene | 1/2 | 12 |
|------------------------|-----|----|
|------------------------|-----|----|

Tapered to Threaded Handle Adaptor

| WTP Adaptor | Tapered to Threaded Converter | 3/4 | 12 | |
|----------------|----------------------------------|-----|----|--|
|----------------|----------------------------------|-----|----|--|





| CONCRETE FINISHING | PAGE 22 |
|-----------------------------------|---------|
| ROOFING | PAGE 25 |
| MASONRY | PAGE 26 |
| BLACKTOP AND SEALCOAT APPLICATORS | PAGE 27 |
| BLACKTOP APPLICATORS | PAGE 27 |
| SEALCOAT AND ASPHALT APPLICATORS | PAGE 28 |

CONCRETE FINISHING

Made for even the most meticulous professional, Concrete Finishing Brushes from Magnolia Brush are manufactured to our stringent design specifications and made to last. Constructed of the highest quality materials these brushes are available for applying all types of finishes to many different applications large and small.

CONCRETE FINISHING – FLAT BLOCK

Staple set in clear lacquered hardwood block with one threaded (TH) handle hole. Three rows of filling material. These brushes are used for applying finishes on newly poured concrete. Block accepts threaded handle (sold separately) and includes a hang up hole and two brace holes (brace sold separately).

| Black Polypropylene | | | | | | | | | |
|---------------------|------------------------|-------------------------|-------------------|------------------------|----------------|--------------------|---------------------|---------------|--|
| Item ID | Description | Block Length (in) | Finish Type | Trim Length (in) | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty | |
| 2118 | Black Polypropylene | 18 | Medium to Fine | 3 | TH | No | 8 1/4 | 6 | |
| 2124 | Black Polypropylene | 24 | Medium to Fine | 3 | TH | No | 11 | 6 | |
| 2136 | Black Polypropylene | 36 | Medium to Fine | 3 | TH | No | 17 | 6 | |
| 2148 | Black Polypropylene | 48 | Medium to Fine | 3 | TH | No | 22 1/2 | 6 | |
| 2518 | Black Polypropylene | 18 | Coarse | 2 1/4 | TH | No | 8 | 6 | |
| 2524 | Black Polypropylene | 24 | Coarse | 2 1/4 | TH | No | 10 1/2 | 6 | |
| Black | Horsehair | | | | | | | | |
| 2124-H | Horsehair | 24 | Fine | 2 1/2 | TH | No | 11 | 6 | |
| 2136-H | Horsehair | 36 | Fine | 2 1/2 | TH | No | 16 | 6 | |
| 21/18_H | Horsobair | 18 | Fine | 2 1/2 | TH | No | 22 1/2 | 6 | |

| 2124-H | Horsehair | 24 | Fine | 2 1/2 | TH | No | 11 | 6 |
|--------|-----------|----|------|-------|----|----|--------|---|
| 2136-H | Horsehair | 36 | Fine | 2 1/2 | TH | No | 16 | 6 |
| 2148-H | Horsehair | 48 | Fine | 2 1/2 | TH | No | 22 1/2 | 6 |

Yellow Styrene

| 2124-Y | Yellow Styrene | 24 | Fine | 3 | TH | No | 11 | 6 |
|--------|----------------|----|------|---|----|----|----|---|
| 2136-Y | Yellow Styrene | 36 | Fine | 3 | TH | No | 17 | 6 |
| 2148-Y | Yellow Styrene | 48 | Fine | 3 | TH | No | 23 | 6 |

Brown Styrene

| 2124-22 | Brown Styrene | 24 | Coarse | 3 | TH | No | 11 | 6 |
|---------|---------------|----|--------|---|----|----|--------|---|
| 2136-22 | Brown Styrene | 36 | Coarse | 3 | TH | No | 17 | 6 |
| 2148-22 | Brown Styrene | 48 | Coarse | 3 | TH | No | 22 1/2 | 6 |

Green Nylon

| 2124-N | Green Nylon | 24 | Fine | 2 1/2 | TH | No | 11 | 6 | |
|--------|-------------|----|------|-------|----|----|--------|---|--|
| | | | | | | | 47 | | |
| 2136-N | Green Nylon | 36 | Fine | 2 1/2 | IH | No | 1/ | 6 | |
| 2148-N | Green Nylon | 48 | Fine | 2 1/2 | TH | No | 22 1/2 | 6 | |



(TOP TO BOTTOM: 21-N, 21, 25, 21-22, 21-H, 21-Y)

CONCRETE FINISHING - FLOOR BRUSH TYPE BLOCK

Grey Horsehair

Soft Grey Horsehair. Staple set in clear lacquered hardwood block.

Recommended Use: This brush was designed especially for concrete finishers work. Very light in weight. The 72 inch handle and soft grey horsehair make it the ideal tool for applying a fine brushed finish on concrete.

| Item ID | Description | Block Length (in) | Finish Type | Trim Length (in) | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|---------|----------------|-------------------------|----------------|------------------------|----------------|--------------------|------------------------|----------------|
| 2912 | Grey Horsehair | 12 | Fine | 2 1/2 | TH | No | 14 | 12 |
| 2914 | Grey Horsehair | 14 | Fine | 2 1/2 | TH | M-72 | 30 | 12 |
| 2918 | Grey Horsehair | 18 | Fine | 2 1/2 | TH | M-72 | 37 | 12 |
| 2924 | Grey Horsehair | 24 | Fine | 2 1/2 | TH | M-72 | 47 | 12 |
| 2930* | Grey Horsehair | 30 | Fine | 2 1/2 | TH | M-72 | 27 1/2 | 6 |
| 2936* | Grey Horsehair | 36 | Fine | 2 1/2 | TH | M-72 | 31 | 6 |
| 2924-PB | Grey Horsehair | 24 | Fine | 2 1/2 | TH | No | 26 | 12 |
| | | | | | | | | |

^{*} Includes 99 Brace

Green Nylon

Floor Brush type block with green nylon staple set in foam plastic block with two threaded handle holes. Foam threads will not strip. 99 brace recommended, not included.

| 3324-N | Green 6.12 Nylon (unflagged) | 24 | Fine to Medium | 2 1/2 | TH | No | 26 3/4 | 6 | |
|--------|------------------------------------|----|-------------------|-------|----|----|--------|---|--|



CONCRETE FINISHING – WITH ADJUSTABLE HANDLE SOCKET

Black Styrene

Fiber is staple set in a smooth new and improved marine grade plywood block which resists warping. It was designed with the center row of material coming straight down and the outside rows angled in to create a pointed effect. This light weight brush reduces fatigue while the adjustable handle socket offers flexibility for many jobs such as applying a brushed finish on newly poured concrete. Packed 2 per individual carton / 6 per master carton.

| Item ID | Description | Block Length (in) | Finish Type | Trim Length (in) | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------|-------------------------|----------------|------------------------|----------------|--------------------|------------------------|----------------|
| 5724 | Black Styrene | 24 | Fine | 3 | TH | No* | 9 | 6 |
| 5730 | Black Styrene | 30 | Fine | 3 | TH | No* | 12 | 6 |
| 5736 | Black Styrene | 36 | Fine | 3 | TH | No* | 13 | 6 |

^{*}Includes one threaded handle adaptor

Nylon Concrete Finishing Brushes

4 inch nylon trim staple set in a 1" \times 3/4" marine plywood block that resists warping. T-Bar bracket for bull float handle attachment (not included). Designed to lay almost flat for a very smooth finish.

| Item ID | Description | Block Length (in) | Finish Type | Trim Length (in) | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|-------------------------|----------------|------------------------|----------------|--------------------|------------------------|----------------|
| 5836 | Black Nylon | 36 | Fine | 4 | | No* | 16 | 6 |
| 5848 | Black Nylon | 48 | Fine | 4 | | No* | 18 | 6 |

^{*}T-bar bracket for bull float handle attachment.



(5724)



(5836



Concrete Finishing, Masonry and Asphalt Brushes

CONCRETE FINISHING

CONCRETE FINISHING HARDWARE

Socket Adaptor and Saddle Assembly for the 57 Line

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. |
|-----------------|----------------|------------------|-------------|
| 5700-B | Socket Adaptor | 1/4 | 1 |
| Saddle Assembly | | 1/4 | 1 |



Aluminum bracket for No. 21, No. 25 and No. 59 Line concrete finishing brushes. Parts are made of malleable aluminum, highly resistant to breakage.

| 5823-B A | Aluminum Bracket | 6 | 12 |
|----------|------------------|---|----|
|----------|------------------|---|----|

Aluminum Adaptor

Aluminum adapter bolts on No. 5823B and allows the brush to be adjusted to any desirable angle. No. 5822H fits a standard brush handle thread, or bull float handle with thread adapter.

| 5822-H | Aluminum Adapter | 3 | 12 |
|--------|------------------|---|----|





(5700-B) (SADDLE ASSEMBLY)





(5822-H)

HAND-HELD CONCRETE FINISHING

Flat Block

Fiber is staple set in clear lacquered hardwood block. Ideal brush for applying a fine brush finish on small area concrete jobs.

Recommended Use: Perfect for curbs, gutters and steps

| Item ID | Description | Block Size (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------|-----------------|------------------|------------------|----------------|
| 190 | Horsehair | 12 | 2 | 8 | 12 |
| 190-P | Polypropylene | 12 | 3 1/4 | 8 | 12 |

Hand-Held with Molded Handle

Fiber is staple set in a 12" x 1 4" hardwood block with handle.

Recommended Use: Curbs, gutters, steps and other small detail projects

| 520 | Black Polypropylene | 12 | 3 | 6 1/2 | 6 |
|-----|---------------------------|----|---|-------|---|
| 521 | Yellow Polystyrene | 12 | 3 | 6 1/2 | 6 |
| 522 | Horsehair/Poly | 12 | 3 | 6 1/2 | 6 |
| 523 | Horsehair | 12 | 3 | 7 | 6 |
| 524 | Tampafil Polypropylene | 12 | 2 | 6 1/2 | 6 |





(523, 522, 520, 521)

Floor Brush Style Block with Float Handle

Fiber is staple set in a 12" Hardwood Block. Includes Float Handle.

| 712-X-FH | Black Horsehair/ Polypropylene | | 3 | 10 1/4 | 6 |
|----------|-----------------------------------|----|-------|--------|---|
| 2912-FH | Grey Horsehair | 12 | 2 1/2 | 10 | 6 |
| | Float Handle | | | 1/4 | 1 |



(712-X-FH AND 2912-FH)

800-248-2261 WWW.MAGNOLIABRUSH.COM

ROOFING

Designed specifically with the expert in mind these brushes are reliable and long lasting giving the pro the quality and performance they have come to expect from Magnolia Brush. Made of selected White Tampico, or other fiber.

Roofing Brushes

Fiber is staple set in smooth sanded wax tumbled hardwood block. Requires tapered (TA) or threaded (TH) handle, not included.

Recommended Use: Applying sealants to roofs.

| Item ID | Description | Block Length (in) | Block Width (in) | Trim Length (in) | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------------|-------------------------|------------------------|------------------------|----------------|--------------------|------------------------|----------------|
| 192 | Cream Polypropylene | 7 | 2 1/2 | 2 1/2 | TA | No | 8 | 12 |
| 195 | Tampafil Polypropylene | 7 | 2 1/2 | 2 | TA | No | 7 | 12 |
| 195-T | Tampafil Polypropylene | 7 | 2 1/2 | 2 | TH | No | 7 | 12 |
| 196 | White Tampico | 7 | 2 1/2 | 2 1/2 | TA | No | 8 | 12 |
| 196-T | White Tampico | 7 | 2 1/2 | 2 1/2 | TH | No | 8 | 12 |
| 7324 | White Tampico | 10 | 2 1/2 | 3 | TA | No | 15 | 12 |





(191)

3 and 4 Knot Roofers

Tampico Fiber. Knots are securely attached in a hardwood block with one tapered (TA) handle hole. Handle not included.

| 191 | Tampico | 6 1/4 | 1 3/4 | 4 1/8 | TA | No | 12 1/2 | 12 |
|-----|---------|-------|-------|-------|----|----|--------|----|
| 194 | Tampico | 8 1/4 | 1 3/4 | 4 1/8 | TA | No | 15 1/4 | 12 |

Roof and Tar

Filling Material is staple set in smooth sanded hardwood block with one tapered (TA) handle hole

Recommended Use: For spreading hot or cold tar and low viscosity roof sealants.

| 193 | White Tampico | 6 1/4 | 3 | TA | No | 10 | 12 |
|-------|---------------|-------|---|----|----|----|----|
| 193-U | Union Fiber | 6 1/4 | 3 | TA | No | 10 | 12 |

(193 AND 193-U)

Tar Dauber

White Tampico Fiber staple set in hardwood block.

| 2-D | White Tampico | 16 1/2 | 2 5/8 | N/A | Attached | 11 | 12 |
|-----|---------------|--------|-------|-----|----------|----|----|

Heavy Duty Mason Acid

White Tampico, densely filled, staple set in a smooth sanded hardwood block with two tapered handle holes. Acid resistant. Handle not included. 5x17 rows of fiber.

| 177 White Tampico 7 1/2 2 3/4 2 1/2 TA No 14 1/4 | 12 |
|--|----|
|--|----|



(177)

(2-D)



MASONRY

Heavily filled with natural White tampico or other fiber in a hardwood block, our masonry brushes are the professional's choice.

Mason Acid

Heavily filled White Tampico Fiber staple set in wax tumbled hardwood block. Available with a threaded (TH) or tapered (TA) handle hole (no hole on 178). Handle not included. 7x18 rows of fiber.

| Item ID | Description | Block Length (in) | Block Width (in) | Trim Length (in) | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------|-------------------------|------------------------|------------------------|----------------|--------------------|------------------------|----------------|
| 178* | White Tampico | 8 1/4 | 3 | 1 1/4 | n/a | n/a | 10 | 12 |
| 179 | White Tampico | 8 1/4 | 3 | 1 1/4 | TA | No | 10 | 12 |
| 179-T | White Tampico | 8 1/4 | 3 | 1 1/4 | TH | No | 10 | 12 |

^{*} No handle hole

Pebble Dash

Crimped yellow plastic, staple set in a waterproof, smooth sanded, plywood block. Equipped with a 7½ inch handle.

Recommended Use: applying stucco finish to walls

| Item ID | Description | Block Size (in) | Trim Length (in) | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|------------|--------------------|--------------------|------------------------|----------------|--------------------|------------------------|----------------|
| 559 | Yellow Polystyrene | 5 7/8 x 3 1/8 | 5 1/4 | Wood | Yes, attached | 12 | 12 |

Stucco

Center rows filled with Cream Plastic and border rows filled with Red Plastic. Staple set in clear lacquered hardwood block with two threaded (TH) handle holes. **Recommended Use:** applying stucco finish to walls

| 2710 | Cream Polypropylene and Red Polystyrene | 10 | 2 1/2 | TH | M-48 | 23 | 12 |
|------|---|----|-------|----|------|----|----|
| 2714 | Cream Polypropylene and Red Polystyrene | 14 | 2 1/2 | TH | M-48 | 23 | 6 |

Tile Setters Brush

Selected White Tampico fiber staple set in smooth sanded hardwood block with two tapered (TA) handle holes.

| 199 | White Tampico | 8 | 2 1/2 | TA | No | 12 | 12 |
|-----|---------------|---|-------|----|----|----|----|

Plater's Brush

White Tampico Fiber staple set in smooth sanded and waxed hardwood block with curved handle. Ideal for cleaning all surfaces before plating.

| 19-S White Tampico 13 3/4 x 1 3/16 1 N/A Attached 5 12 | 19-S | White Tampico | 13 3/4 x 1 3/16 | 1 | N/A | Attached | 5 | 12 | |
|--|------|---------------|-----------------|---|-----|----------|---|----|--|
|--|------|---------------|-----------------|---|-----|----------|---|----|--|







(559)







BLACKTOP AND SEALCOAT APPLICATORS

WOODBACKED SQUEEGEE BLACKTOP APPLICATORS

Black Squeegee Rubber. Securely fastened in smooth sanded hardwood block. **Recommended Use:** For non-sparking use in squeegeeing excess oil and chemicals from tank cars and for squeegee spreading of asphalt roof coating.

| Item ID | Size (in) | Description | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|---------|-----------|--------------|----------------|--------------------|---------------------|----------------|
| 4318 | 18 | Black Rubber | TA | No | 17 | 12 |
| 4324 | 24 | Black Rubber | TA | No | 22 | 12 |



(4318)

Black notched squeegee rubber securely fastened in a smooth sanded hardwood block. Notch size: 1/4" x 3/16". Notches are 1" apart.

Recommended Use: To apply modified adhesive into wind rows for roofing applications and other related jobs.

| 4318-K | 18 | Black Notched | TA | No | 17 | 12 | |
|--------|----|---------------|----|----|----|----|--|
| 4324-K | 24 | Black Notched | TA | No | 22 | 12 | |



(4318-K)

(4312-S)

BLACKTOP APPLICATORS

BLACKTOP SQUEEGEE AND BRUSH COATERS

Filling material is staple set in a smooth sanded hardwood block with one threaded handle hole and squeegee. First, brush the dressing into the cracks and holes, then use the squeegee to spread the excess dressing to next untreated area.

Recommended Use: The brush and squeegee combination permits a fast and economical distribution of black-top dressing on driveways, streets, roofs and parking areas.

| Item ID | Size (in) | Description | Trim Length (in) | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|----------|-----------|-----------------------|---------------------|----------------|--------------------|------------------------|----------------|
| 4312-S | 12 | White Tampico | 2 | TH | No | 11 | 12 |
| 4312-SP | 12 | Palmyra | 2 | TH | No | 11 | 12 |
| 4316-S | 16 | Palmyra | 2 | TH | No | 15 | 12 |
| 4318-S | 18 | Cream Polyproplene | 2 | TH | No | 14 | 12 |
| 4318-PS | 18 | Palmyra | 2 | TH | No | 16 | 12 |
| 5324-PL* | 24 | Cream Polyproplene | 2 | TH | No | 22 | 12 |
| 5336-PL* | 36 | Cream Polyproplene | 2 | TH | No | 32 | 12 |





(5430)

(5324)

*no squeegee

Black Nylon staple set in a smooth sanded hardwood block. TP Bracket attachment for use with a tapered handle (sold separately).

Recommended Use: Applying sealant and blacktop material.

| 5430 36 Black Nylon | 2 3/8 | TA | No | 14 | 6 | |
|---------------------|-------|----|----|----|---|--|
|---------------------|-------|----|----|----|---|--|



SEALCOAT AND ASPHALT APPLICATORS

Quality sealcoat applicators designed to push or pull asphalt sealant on the surface. Heavy duty for professional applications. Heavy duty threaded handle adaptor is designed to assemble and remove quickly for easy clean up, storage or replacement (MB012A) sold separately.

| Item ID | Size (in) | Description | Trim Length (in) | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|---------|-----------|-------------------------------|---------------------|----------------|--------------------|------------------------|----------------|
| MB024P | 24 | Black Plastic | 2 | TH | No | 5 1/2 | 6 |
| MB036P | 36 | Black Plastic | 2 | TH | No | 8 3/4 | 6 |
| MB048P | 48 | Black Plastic | 2 | TH | No | 10 1/4 | 6 |
| MB024T | 24 | White Tampico | 2 1/2 | TH | No | 6 | 6 |
| MB036T | 36 | White Tampico | 2 1/2 | TH | No | 9 1/4 | 6 |
| MB048T | 48 | White Tampico | 2 1/2 | TH | No | 12 1/4 | 6 |
| MB024H | 24 | Black Horsehair | 2 3/4 | TH | No | 6 | 6 |
| MB036H | 36 | Black Horsehair | 2 3/4 | TH | No | 9 1/4 | 6 |
| MB048H | 48 | Black Horsehair | 2 3/4 | TH | No | 11 1/2 | 6 |
| MB024S | 24 | Black Neoprene Squeegee | 2 1/2 | TH | No | 10 1/4 | 6 |
| MB036S | 36 | Black Neoprene Squeegee | 2 1/2 | TH | No | 15 1/4 | 6 |
| MB048S | 48 | Black Neoprene Squeegee | 2 1/2 | TH | No | 20 | 6 |



| MB012A | Threaded handle adaptor for use with MB0 line Sealcoat applicators. | 7 1/2 | 6 |
|--------|---|-------|---|
| | applicators. | | |





800-248-2261 WWW.MAGNOLIABRUSH.COM



DECK BRUSHES

Magnolia Brush deck brushes are heavily filled with fiber staple set in sanded hardwood blocks with one tapered (TA) and one threaded (TH) handle hole (unless otherwise noted).

Palmyra

Stiff Palmyra fiber.

| Item ID | Block Size (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. | Handle | Price includes Handle |
|-----------------|-----------------------|-------------------|------------------|-------------|----------|--------------------------|
| 109 | 9 | 1 5/8 | 12 | 12 | TA | No |
| 110 | 10 | 2 | 12 | 12 | TH or TA | No |
| 112 | 12 | 2 | 16 | 12 | TH or TA | No |
| 114 | 14 | 2 | 18 | 12 | TH or TA | No |
| Economy Li | ne | | | | | |
| 110-SL | 10 | 2 | 12 | 12 | TH or TA | No |
| 114-SL | 14 | 2 | 18 | 12 | TH or TA | No |
| With Squee | gee | | | | | |
| 110-S | 10 | 2 | 17 | 12 | TH or TA | No |
| 112-S | 12 | 2 | 18 | 12 | TH or TA | No |
| 114-S | 14 | 2 | 22 | 12 | TH or TA | No |
| 209 | ed White Tampico Fibe | 1 5/8 | 12 | 12 | TA | No |
| 210 | 10 | 2 | 15 | 12 | TH or TA | No |
| 212 | 12 | 2 | 16 | 12 | TH or TA | No |
| | lypropylene | | | | | |
| Filled with hig | gh quality ACID RESIS | TANT polypropylen | e. | | | |
| 310 | 10 | 2 | 15 | 12 | TH or TA | No |
| 312 | 12 | 2 | 16 | 12 | TH or TA | No |
| 314 | 14 | 2 | 18 | 12 | TH or TA | No |
| Economy Li | ne | | | | | |
| 310-SI | 10 | 2 | 12 | 12 | TH or TA | No |



Yellow Polypropylene

| Item ID | Block Size (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. | Handle | Price includes Handle |
|---------|--------------------|------------------------|---------------------|----------------|----------|--------------------------|
| 310-Y | 10 | 2 | 15 | 12 | TH or TA | No |
| 312-Y | 12 | 2 | 16 | 12 | TH or TA | No |
| 314-Y | 14 | 2 | 18 | 12 | TH or TA | No |

(610)

Blue Crimped Polypropylene – Extra Stiff Acid Proof

| 610 | 10 | 13/4 | 12 | 12 | TH or TA | No |
|-----|----|------|----|----|----------|----|
| 612 | 12 | 13/4 | 16 | 12 | TH or TA | No |

Carbon Steel

.014 gauge steel wire

| 412-S | 12 | 2 | 22 | 12 | TH or TA | No | |
|--------|----|---|----|----|----------|----|--|
| 418-S | 18 | 2 | 33 | 6 | TH or TA | No | |
| 418-SA | 18 | 2 | 33 | 6 | D-60 | No | |



(310-Y)

Bi-Level

Unique block design ($10" \times 17/8" \times 3"$) allows for a special two-position bristle trim which makes this an ideal cleaning tool.

| 186 | Blue Crimped Polypropylene (stiff) | 13/4 | 16 | 12 | TH | No | |
|-----|--|------|----|----|----|----|--|

Multi-Level Scrub Brushes

Stiff Red Polypropylene staple set in an 7 3/4" Black Poly Flow-Through Block. Accepts threaded and/or flow-thru handle. (sold separately) 11.25" Overall Length **Recommended Use:** Ideal for scrubbing a variety of surfaces. Dual stiff bristles remove caked on debris from floors, decks, baseboards, etc. Not recommended for delicate surfaces.

| Item ID | Description | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. | Handle | Price includes Handle |
|---------|----------------------------|--------------------|---------------------|----------------|--------|--------------------------|
| 187 | Red Stiff Polypropylene | 2 1/2 (1 3/4 side) | 9 | 6 | TH | No |





Floor Scrub Brush

Fiber staple set in a 10 inch plastic block. Side bristles allow for cleaning along baseboards.

| 188 | Yellow Stiff Polypropylene | 2 1/8 (1 1/2 side) | 9 1/2 | 6 | Threaded | No |
|-----|-------------------------------|--------------------|-------|---|----------|----|





Corner Brush

Black polypropylene staple set in foam plastic block with two threaded handle holes. Solvent resistant

Recommended Use: Scrubbing baseboards and cleaning corners. V-shape design allows for cleaning those hard to reach areas.

| 189 5 1/2 | 1 3/4 | 11 | 6 | Threaded | No | |
|-----------|-------|----|---|----------|----|--|
|-----------|-------|----|---|----------|----|--|



SCRUB BRUSHES

Whether the job is large or small, we have the perfect brush for all scrubbing applications. A wide variety of scrub brushes designed with the professional in mind, these brushes are built with the highest quality fiber and made to last.

Pointed Scrubs

Magnolia Pointed Scrub brushes made with filling fiber staple set in a plastic block with hole for easy hanging and storage.

| Item ID | Fiber | Block Length (in) | Block Width (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|------------------------|-------------------------|------------------------|------------------------|---------------------|-------------|
| 160 | Clear Polypropylene | 9 | 2 1/4 | 1 | 5 | 12 |
| 161 | White Tampico | 9 | 2 1/4 | 1 | 6 | 12 |
| 162 | Palmyra | 9 | 2 1/4 | 1 | 6 | 12 |



Utility Scrub

All purpose utility hand held scrub brush made of white tampico staple set in a wax tumbled hardwood block.

| 166 White Tampico 6 1/4 | 1 1/2 | 5 1/2 | 12 | |
|-------------------------|-------|-------|----|--|
|-------------------------|-------|-------|----|--|



(166)

Handle Scrubs

Crimped White Polypropylene staple set in one piece plastic block with raised handle to prevent hands from being dipped into cleaning solution.

| 167 | White Polypropylene | 6 1/2 | 2 1/4 | 1 1/8 | 4 1/2 | 12 | |
|-------|------------------------|-------|-------|-------|-------|----|--|
| 167-R | White Polypropylene | 6 1/2 | 2 1/4 | 1 | 6 | 24 | |



(167)

Oblong Scrub Brushes

Oblong Hand Scrub brushes made with filling material staple set in a wax tumbled hardwood block.

| 170 | White Tampico | 7 1/4 | 2 1/4 | 1 | 10 | 24 |
|-----|------------------------|-------|-------|-------|----|----|
| 171 | Palmyra | 7 1/4 | 2 1/4 | 1 | 9 | 24 |
| 172 | White Tampico | 8 | 2 3/4 | 1 1/8 | 7 | 12 |
| 173 | Palmyra | 8 | 2 3/4 | 1 1/8 | 7 | 12 |
| 174 | Clear Polypropylene | 8 | 2 3/4 | 1 1/8 | 7 | 12 |



(170, 171, 172, 173, 174)

Hand and Nail Brushes

Hand and Nail Brushes are made with either White Tampico or White Plastic staple set in a waxed hardwood block.

Recommended Use: For cleaning hands at job sites, home or work areas.

| Item ID | Fiber | Block Length (in) | Block Width (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|----------------------|-------------------------|------------------------|------------------------|---------------------|-------------|
| 176 | White Tampico | 4 3/4 | 1 1/4 | 5/8 | 5 | 36 |
| 176-P | White Polystyrene | 4 3/4 | 1 1/4 | 5/8 | 5 | 36 |

Plastic block filled with an outer row of green poly and center rows of white poly. Comfortable handle grip makes this brush user friendly. Great for facilities where hand and nail cleanliness is required.

| 175 | Green/White Polypropylene | 4 1/8 | 1 1/2 | 7/8 | 3 | 24 | |
|-----|------------------------------|-------|-------|-----|---|----|--|



Scrub and Upholstery brushes are made with filling material is staple set in a foam plastic block. Extreme flare is convenient for scrubbing hard-to-reach places.

| 180 | Cream Polystyrene | 6 | 2 | 13/8 | 5 | 12 |
|--------|----------------------|---|---|------|---|----|
| 181 | White Tampico | 6 | 2 | 13/8 | 5 | 12 |
| 180-HH | Horsehair | 6 | 2 | 1 | 5 | 12 |

Carpet Pile Brush

Lightweight, heavy duty pile and napping brush. Three rows of stiff black nylon in a 1 1/4" x 1" x 18" lacquered hardwood block with a zinc coated tapered handle socket.

| 4020 | Stiff Black Nylon | 18 | 1 1/4 | 13/4 | 12 1/2 | 6 |
|------|-------------------|----|-------|------|--------|---|







(175)






(4020)



SCRUB BRUSHES WITH HANDLES



Lacquered Block

Fiber is staple set in clear lacquered hardwood block.


Recommended For This brush has been designed for use with chemical rug or carpet cleaners and is unaffected by them. Its bristles will remain stiff and are long-wearing.

| Item ID | Description | Block Length (in) | Block Width (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. | Includes Handle |
|---------|---------------|-------------------|------------------|------------------|------------------|-------------|-----------------|
| 4015 | Polypropylene | 8 | 2 1/2 | 2 | 17 | 12 | A-48 |

Wax Tumbled Block

Fiber is staple set in smooth wax tumbled hardwood block with one threaded handle hole.

| 4016 | Palmyra | 8 | 2 1/2 | 2 | 17 | 12 | A-48 |
|--------|---------------|---|-------|---|----|----|------|
| 4016-S | Palmyra | 8 | 2 | 1 | 16 | 12 | A-48 |
| 4017-P | Cream Plastic | 8 | 2 | 1 | 16 | 12 | A-48 |
| 4017 | White Tampico | 8 | 2 | 1 | 17 | 12 | A-48 |



FLOOR AND DRIVEWAY SQUEEGEES NON-SPARKING PAGE 36

FOAM SQUEEGEES PAGE 30

SQUEEGEE BRACKETS AND HANDLES PAGE 40

FLOOR AND DRIVEWAY SQUEEGEES NON-SPARKING

Squeegee frame is made of 1" angle aluminum to which a 2" wide x 1/4" thick strip of high-grade flexible black squeegee rubber or neoprene is attached with cadmium plated screws. These squeegees are available with two different types of handle assembly. The numbers followed by "TP" or "TPN" are equipped with a tapered handle socket. Steel bracketed handle is included in the price and weight of the 41 Line, 41N Line, 46 Line and 46N Line squeegees.



Straight with Handle

| Item ID | Width (in) | Туре | Blade Material | Carton Wt. (lbs) | Carton Qty | Handle Type | Includes Handle |
|------------|---------------|----------|-------------------|------------------------|---------------|----------------|--------------------|
| 4118 | 18 | Straight | Black Rubber | 16 | 6 | 4100 | Yes |
| 4124 | 24 | Straight | Black Rubber | 18 | 6 | 4100 | Yes |
| 4130 | 30 | Straight | Black Rubber | 22 | 6 | 4100 | Yes |
| 4136 | 36 | Straight | Black Rubber | 23 | 6 | 4100 | Yes |
| 4118-N | 18 | Straight | Neoprene | 16 | 6 | 4100 | Yes |
| 4124-N | 24 | Straight | Neoprene | 18 | 6 | 4100 | Yes |
| 4130-N | 30 | Straight | Neoprene | 22 | 6 | 4100 | Yes |
| 4136-N | 36 | Straight | Neoprene | 23 | 6 | 4100 | Yes |

Straight with All Steel Handle

| 4118-S | 18 | Straight | Black Rubber | 16 | 6 | 4100-S | Yes |
|--------|----|----------|-----------------|----|---|--------|-----|
| 4124-S | 24 | Straight | Black Rubber | 18 | 6 | 4100-S | Yes |
| 4130-S | 30 | Straight | Black Rubber | 22 | 6 | 4100-S | Yes |
| 4136-S | 36 | Straight | Black Rubber | 23 | 6 | 4100-S | Yes |

Straight - Tapered

| Item ID | Width (in) | Туре | Blade Material | Carton Wt. (lbs) | Carton Qty | Handle Type | Includes Handle |
|----------|---------------|----------|-------------------|---------------------|---------------|----------------|--------------------|
| 4118-TP | 18 | Straight | Black Rubber | 11 | 6 | TA | No |
| 4124-TP | 24 | Straight | Black Rubber | 13 | 6 | TA | No |
| 4130-TP | 30 | Straight | Black Rubber | 16 | 6 | TA | No |
| 4136-TP | 36 | Straight | Black Rubber | 19 | 6 | TA | No |
| 4118-TPN | 18 | Straight | Neoprene | 11 | 6 | TA | No |
| 4124-TPN | 24 | Straight | Neoprene | 13 | 6 | TA | No |
| 4130-TPN | 30 | Straight | Neoprene | 16 | 6 | TA | No |
| 4136-TPN | 36 | Straight | Neoprene | 19 | 6 | TA | No |

Curved with All Steel Handle

| 4618-S | 18 | Curved | Black Rubber | 16 | 6 | 4100-S Yes |
|--------|----|--------|-----------------|----|---|------------|
| 4624-S | 24 | Curved | Black Rubber | 18 | 6 | 4100-S Yes |
| 4630-S | 30 | Curved | Black Rubber | 22 | 6 | 4100-S Yes |
| 4636-S | 36 | Curved | Black Rubber | 23 | 6 | 4100-S Yes |



Curved – Tapered

| Item ID | Width (in) | Туре | Blade Material | Carton Wt. (lbs) | | Handle Type | Includes Handle |
|----------|---------------|--------|-------------------|---------------------|---|----------------|--------------------|
| 4618-TP | 18 | Curved | Black Rubber | 11 | 6 | TA | No |
| 4624-TP | 24 | Curved | Black Rubber | 13 | 6 | TA | No |
| 4630-TP | 30 | Curved | Black Rubber | 16 | 6 | TA | No |
| 4636-TP | 36 | Curved | Black Rubber | 19 | 6 | TA | No |
| 4618-TPN | 18 | Curved | Neoprene | 11 | 6 | TA | No |
| 4624-TPN | 24 | Curved | Neoprene | 13 | 6 | TA | No |
| 4630-TPN | 30 | Curved | Neoprene | 16 | 6 | TA | No |
| 4636-TPN | 36 | Curved | Neoprene | 19 | 6 | TA | No |

Curved with Handle

| 4618 | 18 | Curved | Black Rubber | 16 | 6 | 4100 | Yes |
|--------|----|--------|-----------------|----|---|------|-----|
| 4624 | 24 | Curved | Black Rubber | 18 | 6 | 4100 | Yes |
| 4630 | 30 | Curved | Black Rubber | 22 | 6 | 4100 | Yes |
| 4636 | 36 | Curved | Black Rubber | 23 | 6 | 4100 | Yes |
| 4618-N | 18 | Curved | Neoprene | 16 | 6 | 4100 | Yes |
| 4624-N | 24 | Curved | Neoprene | 18 | 6 | 4100 | Yes |
| 4630-N | 30 | Curved | Neoprene | 22 | 6 | 4100 | Yes |
| 4636-N | 36 | Curved | Neoprene | 23 | 6 | 4100 | Yes |
| | | | | | | | |

All Steel

Economy Line all steel floor squeegees with tapered handle socket.

| Item ID | Width (in) | Туре | Blade Material | Carton Wt. (lbs) | | Handle Type | Includes Handle |
|------------|---------------|-----------------------|-------------------|---------------------|---|----------------|--------------------|
| EC 4118-TP | 18 | Straight ALL STEEL | Black Rubber | 13 1/2 | 6 | TA | No |
| EC 4124-TP | 24 | Straight ALL STEEL | | 16 1/2 | 6 | TA | No |
| EC 4130-TP | 30 | Straight ALL STEEL | | 20 3/4 | 6 | TA | No |
| EC 4136-TP | 36 | Straight ALL STEEL | | 24 1/2 | 6 | TA | No |
| EC 4618-TP | 18 | Curved ALL STEEL | Black Rubber | 12 3/4 | 6 | TA | No |
| EC 4624-TP | 24 | Curved ALL STEEL | Black Rubber | 15 1/2 | 6 | TA | No |
| EC 4630-TP | 30 | Curved ALL STEEL | Black Rubber | 19 | 6 | TA | No |
| EC 4636-TP | 36 | Curved ALL STEEL | Black Rubber | 22 1/2 | 6 | TA | No |

Replacement Blades for all 41 and 46 line squeegees

| Item ID | Width (in) | Blade Material | Carton Wt. (lbs) | Carton Qty. |
|---------|------------|-------------------|---------------------|----------------|
| 4218 | 18 | Black Rubber | 8 | 12 |
| 4224 | 24 | Black Rubber | 11 | 12 |
| 4230 | 30 | Black Rubber | 13 | 12 |
| 4236 | 36 | Black Rubber | 16 | 12 |
| 4218-N | 18 | Neoprene | 8 | 12 |
| 4224-N | 24 | Neoprene | 11 | 12 |
| 4230-N | 30 | Neoprene | 13 | 12 |
| 4236-N | 36 | Neoprene | 16 | 12 |

Floor and Driveway Squeegees

NON-SPARKING

Double Blade Sponge

Easily dries any surface. Recommended for quarry tile, grouted floors and food service industry. Good squeegee for uneven floors.

| Item ID | Width (in) | Туре | Blade Material | Carton Wt. (lbs) | Carton Qty. | Handle Type | Includes Handle |
|-----------|---------------|---------------------|-------------------|------------------------|----------------|----------------|--------------------|
| 8224 | 24 | Double Edge Foam | Black | 7 1/4 | 4 | Tapered | No |
| 8230 | 30 | Double Edge Foam | | 9 | 4 | Tapered | No |
| 8236 | 36 | Double Edge Foam | | 10 1/4 | 4 | Tapered | No |
| Replaceme | nt Blades | | | | | | |
| 8224-R | 24 | | | 13/4 | 12 | | |
| 8230-R | 30 | | | 2 1/2 | 12 | | |
| 8236-R | 36 | | | 2 3/4 | 12 | | |



(8224)

Serrated Edge Floor

Designed with 1/4" wide by 3/16" deep serrations for applying epoxy based floor sealers, concrete resurfacing compounds and roofing material. Serrations provide uniform spreading of material. Red rubber blade is 1/4" thick by $1\,3/4$ " wide.

| Item ID | Width (in) | Туре | Blade Material | Carton Wt. (lbs) | Carton Qty. | Handle Type | Includes Handle |
|-----------|---------------|------------------|-------------------|------------------------|----------------|----------------|--------------------|
| 8418 | 18 | Serrated Edge | Red Rubber | 9 3/4 | 6 | Tapered | No |
| 8424 | 24 | Serrated Edge | Red Rubber | 12 1/4 | 6 | Tapered | No |
| 8430 | 30 | Serrated Edge | Red Rubber | 14 3/4 | 6 | Tapered | No |
| 8436 | 36 | Serrated Edge | Red Rubber | 17 1/2 | 6 | Tapered | No |
| Replaceme | ent Blades | | | | | | |
| 8418-R | 18 | | | 5 | 12 | | |
| 8424-R | 24 | | | 6 3/4 | 12 | | |
| 8430-R | 30 | | | 8 1/4 | 12 | | |
| 8436-R | 36 | | | 10 | 12 | | |




(8424)




Soft Foam Rubber/Double Edge - Steel Frame

Squeegee for tough work. Ideal for workshops and large areas. Galvanized steel frame with a splash guard and reinforced handle socket. Available in black natural rubber and in oil resistant neoprene. Will accept standard 15/16" diameter handle, tapered or square cut. Non refillable.

| Item ID | Width (in) | Blade Material | Carton Wt. (lbs) | Carton Qty. | Handle Type | Includes Handle |
|---------|---------------|----------------------|------------------------|----------------|------------------------------|--------------------|
| 8722 | 22 | Black Foam Rubber | 12 | 10 | 15/16" Tapered or Square Cut | No |
| 8730 | 30 | Black Foam Rubber | 16 | 10 | 15/16" Tapered or Square Cut | No |
| 8822 | 22 | Red Neoprene | 13 | 10 | 15/16" Tapered or Square Cut | No |
| 8830 | 30 | Red Neoprene | 17 | 10 | 15/16" Tapered or Square Cut | No |







Floor and Driveway Squeegees

NON-SPARKING

Soft Foam Rubber/Double Edge - Economy

An excellent all purpose squeegee. Perfect squeegee for cleaning kitchens, patios and decks, garages, basements and sidewalks. Galvanized metal frame. Non refillable.

| Item ID | Width (in) | Blade Material | Carton Wt. (lbs) | Carton Qty. (lbs) | Handle Type | Includes Handle |
|---------|---------------|----------------------|------------------------|----------------------|------------------------------|--------------------|
| 8618 | 18 | Black Foam Rubber | 6 | 10 | 15/16" Tapered or Square Cut | No |
| 8622 | 22 | Black Foam Rubber | 8 | 10 | 15/16" Tapered or Square Cut | No |



Soft Foam Rubber/Double Edge Plastic Frame

Squeegee for areas where metal is not preferred. White plastic frame is ideal for non-sparking environments and will not scratch delicate floors.

| Item ID | Width (in) | Blade Material | Carton Wt. (lbs) | Carton Qty. (lbs) | Handle Type | Includes Handle |
|---------|---------------|----------------------|------------------------|----------------------|------------------------------|--------------------|
| 8918 | 18 | Black Foam Rubber | 5 1/2 | 10 | 15/16" Tapered or Square Cut | No |
| 8922 | 22 | Black Foam Rubber | 6 1/2 | 10 | 15/16" Tapered or Square Cut | No |
| 9022 | 22 | Red Neoprene | 7 1/4 | 10 | 15/16" Tapered or Square Cut | No |





(9022)

Steel Bracket Handle and Hardware

For use with 41, 41-N, 46 and 46-N squeegees. This handle is included in the pricing of these squeegees but can also be ordered separately.

| Item ID | Туре | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------------------------|------------------|-------------|
| 4100 | 60" Handle for 41 and 46 Line | 11 | 6 |
| 4100-B | Bracket for 41 and 46 Line | 3 | 6 |



All Steel Squeegee Handle

Can be used with the 41 and 46 line squeegees. For use in the food processing industry, or wherever wood products are not permissible. Overall length is 63 inches.

| Item ID Type | | Blade Material | Carton Wt. (lbs) | Carton Qty. |
|--------------|------------------|----------------|------------------|-------------|
| 4100-S | All Steel Handle | 15/16" × 60" | 11 | 6 |



(4100 AND 4100-S)



CORNBROOMS

Corn Brooms from Magnolia Brush are made from natural corn and fiber. Designed for professional performance and durability. Available in several styles and sizes to suit all applications.

Warehouse Brooms

Made of best quality selected broom corn and fibre. Sewed 4 times and reinforced with a wire band. Made on a heavy-duty handle. **Recommended Use:** This broom was designed for sweeping smooth and rough surfaces having moderate to heavy dirt accumulations.

| Item ID | Size Overall (in) | Handle Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------------|-------------------|-----------------------|---------------------|-------------|
| 15032-Bundled | 37 1/4 | 55 | 16 | 6** |
| 15032 | 37 1/4 | 55 | 16 | 12 |
| 5036-Bundled | 37 1/4 | 56 1/4 | 18 | 6** |
| 5036 | 37 1/4 | 56 1/4 | 36 | 12 |

100% Selected Broom Corn

| 5032-Bundled | 38 | 57 | 16 | 6** |
|--------------|----|----|----|-----|
| 5032 | 38 | 57 | 32 | 12 |

Warehouse Broom with No Wire

Made of best quality selected broom corn and fibre. Sewed 5 times and wound with rayon fiber cord. Made on a heavy duty handle.

Recommended Use: Designed for use in prison systems and other situations where wire wrapped brooms are not allowed.

| 5032-NW- Bundled | 38 | 57 | 18 | 6** | |
|------------------|----|----|----|-----|--|
|------------------|----|----|----|-----|--|

Janitor Brooms

Made of best quality selected broom corn and fibre. Sewed 5 times. Broom cap has velvet trim. Handle has a black lacquered finish.

Recommended Use: For sweeping smooth and rough floors having moderate dirt accumulations.

| 15026-Bundled | 37 3/4 | 56 1/4 | 15 | 6** |
|---------------|--------|--------|----|-----|
| 15026 | 37 3/4 | 56 1/4 | 30 | 12 |

100% Selected Broom Corn

| 5026-Bundled | 38 1/2 | 56 1/2 | 14 | 6** | |
|--------------|--------|--------|----|-----|--|
| 5026 | 38 1/2 | 56 1/2 | 28 | 12 | |

^{**}Paper wrapped bundle





Good-Value Broom

Made of best quality broom corn and fiber. Sewed 5 times. Handle has a clear lacquered finish. This broom was designed for high quality and low price.

| Item ID | Size Overall (in) | Handle Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------------|-------------------|-----------------------|---------------------|-------------|
| 15017-Bundled | 37 3/4 | 55 1/8 | 12 | 6** |
| 15017 | 37 3/4 | 55 1/8 | 24 | 12 |
| 15018-Bundled | 38 | 55 1/4 | 9 | 6** |
| 15018 | 38 | 55 1/4 | 18 | 12 |

Heavy-Duty Contractor's Broom

Made of best quality selected broom corn with Palmyra stalk center. Sewed 4 times and reinforced with a wire band. Made on a 11/8" diameter clear-lacquered handle.

Recommended Use: This broom is ideal for use in the construction trade for sweeping moderate to heavy debris.

| 5038-Bundled | 38 | 56 1/2 | 18 | 6** |
|--------------|----|--------|----|-----|
| 5038 | 38 | 56 1/2 | 36 | 12 |

All Corn Household

Made of best quality broom corn. Fan shaped, sewed 4 times. Handle has a clear lacquered finish.

| 5017-Bundled | 38 1/4 | 55 | 8 1/2 | 6** |
|--------------|--------|----|-------|-----|
| 5017 | 38 1/4 | 55 | 17 | 12 |

All Corn Parlor

Made of best quality selected fine grade broom corn. Sewed 5 times. This broom designed for industrial or household use.

Recommended Use: Sweeping surfaces with light to moderate dirt accumulations.

| 5019-Bundled | 38 1/4 | 56 | 10 | 6** |
|--------------|--------|----|----|-----|
| 5019 | 38 1/4 | 56 | 22 | 12 |

^{**}Paper wrapped bundle





HOUSEHOLD BROOMS

Designed to easily keep facilities clean and tidy. Offered in a wide range of styles and sizes our household brooms are designed for ease of use for many different applications.

Underseat Brush

Light green feather-tip plastic is staple set in a clear-lacquered block. The improved unique handle is angled to insure efficiency in sweeping and is lightweight to reduce fatigue. Rubberized handle grip assures precise control as well as easy storage with hang-up hole.

Recommended Use: Designed for efficiency and ease in maintenance this brush facilitates easy sweeping under seats in buses, café booths, tables, etc.

| Item I | D Description | Trim Length (in) | Block Size (in) | Carton Wt. (lbs) | Carton Qty. |
|--------|-----------------|---------------------|-----------------|---------------------|-------------|
| 2709 | Brush and Handl | е 3 | 9 | 25 1/2 | 12 |
| 2709- | H Handle Only | | | 16 | 12 |
| | | | | | |



Light green feather-tip plastic. Staple set in clear lacquered hardwood block. **Recommended Use:** For indoor sweeping fine dust on polished or rough floors in home and office, or in hair salons.

| Item ID | Description | Trim Length (in) | Block Size (in) | Overall Length (in) | Handle Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|------------------------|------------------------|--------------------|---------------------------|--------------------------|---------------------|----------------|
| 3010 | Feather Tip Plastic | 4 | 9 1/8 | 53 | 48 | 22 | 12 |

Two Position Handle Upright Brooms

A choice of two handle positions make this broom the most convenient for cleaning small spaces or sweeping into a dust pan. Use the upright position for sweeping debris into a dustpan or general sweeping. Use the angled position for sweeping walls and corners. Includes handle.



| 470-DS | Blue Flagged Polypropylene | 4 | 6 | 35 | 30 | 4 3/4 | 12 |
|---------|-------------------------------|---|---|----|----|--------|----|
| 471-DS | Black Polypropylene | 5 | 6 | 36 | 30 | 5 1/4 | 12 |
| Househo | old Brooms | | | | | | |
| 472-DS | Blue Flagged Polypropylene | 4 | 9 | 53 | 48 | 8 | 12 |
| 473-DS | Black Polypropylene | 5 | 9 | 54 | 48 | 8 1/2 | 12 |
| Warehou | use Brooms | | | | | | |
| 474-DS | Blue Flagged Polypropylene | 7 | 9 | 56 | 48 | 10 3/4 | 12 |
| 475-DS | Black Polypropylene | 7 | 9 | 56 | 48 | 10 | 12 |
| | | | | | | | |





(3010)



(470-DS)



Outdoor and Patio

Fiber staple set in a smooth sanded hardwood block with one threaded handle hole. **Recommended Use:** Wet or dry sweeping driveways, patios, most snow, rubbish and leaves. Includes handle.

| Item ID | Description | Trim Length (in) | Block Size (in) | Overall Length (in) | Handle Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------------------|------------------------|--------------------|---------------------------|--------------------------|---------------------|----------------|
| 3214 | Brown Coarse Plastic | 3 | 14 | 52 | 48 | 12 | 6 |
| 3014 | Palmyra | 3 | 14 | 52 | 48 | 12 | 6 |

Metal Cap

Fiber is securely fastened in a metal cap that is secured to a 1" diameter, smooth sanded, hardwood handle. The broom is reinforced with one metal band. **Recommended Use:** These brooms are designed for heavy-duty use and recommended for wet or dry sweeping in factories, bottling plants, warehouses, etc.

| Item ID | Description | Size Overall (in) | Handle Length (in) | Carton Wt. (lbs) | Carton Qty. |
|------------|---------------|----------------------|-----------------------|---------------------|----------------|
| 6010 | Palmyra Stalk | 54 | 39 3/4 | 30 | 12 |
| 6011 | Polypropylene | 52 1/2 | 39 3/4 | 30 | 12 |

Lobby or Maids

| 461 | Dust Pan Broom All Corn – 2 Sew | 31 1/2 | 21 | 6 | 12** |
|-----|---------------------------------|--------|--------|-------|------|
| 462 | Lobby All Corn - 3 Sew | 38 1/2 | 26 1/4 | 7 | 12** |
| 466 | Lobby Plastic - 3 Sew | 39 | 26 | 9 1/2 | 12** |
| 467 | Lobby Mixed Fiber - 3 Sew | 39 | 26 3/4 | 7 1/2 | 12** |

Angle Brooms

Flagged cream colored plastic is secured in an angled plastic cap. 12" angled sweeping surface enables you to sweep hard to reach corners and crevices. 48" metal handle.

| 463 | Flagged Black Plastic | 55 | 48 | 19 1/2 | 12 |
|-------|------------------------------|-------------------|--------------|---------------|------------|
| Greer | n Flanded Plastic secured in | n a hlack nlastic | c can 12" ar | naled sweenir | na surface |

Green Flagged Plastic secured in a black plastic cap. 12" angled sweeping surface. 48" Black Metal handle.

| 465 | Green Flagged Plastic | 55 | 48 | 15 | 12 |
|-------|---------------------------|-----------------|-----------|---------------|-----|
| Cream | Flagged Plastic in angled | plastic Cap. 9" | angled sw | eeping surfac | ce. |
| 464 | Cream Flagged Plastic | 53 | 48 | 13 1/2 | 12 |

Whisk Brooms

Sewed two times, cad. plated ring cap. These are the best quality whisk brooms for home, automobile and office.

| Item ID | Description | Size Overall (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|----------------|-------------------|------------------|-------------|
| 226 | Palmyra | 8 1/2 | 3 1/2 | 12 |
| 227 | Yellow Plastic | 11 | 5 | 12 |
| 228 | Broom Corn | 11 | 4 | 12 |
| 229 | Broom Corn | 15 | 5 1/4 | 12 |

Whisks

Fiber is staple set in a 9 1/4" hardwood wood block with hang up hole.

Recommended Use: Dusting, sweeping small areas, into dustpans etc.

| Item ID | Description | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|------------------------------|------------------|------------------|-------------|
| 223 | Black Tampico | 2 | 3 1/4 | 12 |
| 224 | Plastic (Assorted Colors) | 2 | 3 1/4 | 12 |











(463, 464, 465)







(224-GREEN)

COUNTER DUSTERS

Designed for the professional, there is a Magnolia Brush duster available for nearly all applications. Dusters are built to last and make quick clean-up of counters and other areas in need of a quick sweep.



Wood Block

Filling material is staple set in clear lacquered hardwood block. Hang up hole in handle. **Recommended Use:** Dusting and cleaning counters and work areas.

| Item ID | Description | Size Overall (in) | Brush Face (in) | Block Type | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|------------------------------|-------------------|-----------------|------------|------------------|------------------|-------------|
| 53 | Horsehair and Black Tampico | 13 1/2 | 9 | Wood | 2 1/2 | 8 | 12 |
| 54 | Black Horsehair | 13 1/2 | 9 | Wood | 2 1/2 | 10 | 12 |
| 54-X | Black Horsehair and Plastic | 13 1/2 | 9 | Wood | 2 1/2 | 9 3/4 | 12 |
| 55 | Silver Flagged Polypropylene | 13 1/2 | 9 | Wood | 2 | 9 | 12 |
| 56 | Silver Flagged Polypropylene | 13 1/2 | 9 | Wood | 2 1/2 | 9 3/4 | 12 |
| 58 | Black Tampico | 13 1/2 | 9 | Wood | 2 | 7 | 12 |
| 59 | Grey Tampico | 13 1/2 | 9 | Wood | 2 1/2 | 9 3/4 | 12 |
| 60 | White Polypropylene | 13 1/2 | 9 | Wood | 2 1/4 | 9 1/2 | 12 |

Plastic Block

Fiber is staple set in a foam plastic block with hang up hole. Meets Sanitary Code Requirements.

| Item ID | Description | Size Overall (in) | Brush Face (in) | Block Type | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|------------|------------------------|----------------------|--------------------|---------------|------------------------|---------------------|----------------|
| 57 | Green Flagged Nylon | 13 1/2 | 8 | Plastic | 2 1/2 | 8 | 12 |
| 61 | White Polypropylene | 13 1/2 | 8 | Plastic | 2 1/4 | 8 3/4 | 12 |



(61 AND 57)



Heavy Duty Mill

Brown plastic is staple set in clear lacquered hardwood block. Filling material is set in block without side flare. Brush is heavily filled in front end where heavy wear is encountered

Recommended Use: Cleaning metal chips from lathes, milling machines, etc. in machine shops.

| Item ID | Description | Size Overall (in) | Brush Face (in) | Block Type | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------|----------------------|--------------------|---------------|------------------------|------------------------|----------------|
| 52 | Brown Plastic | 13 | 8 | Wood | 1 3/4 | 7 1/2 | 12 |

Ceiling Duster

Black Poly bristles set in foam plastic block with one threaded handle hole. Ideal for cleaning cob-webs and other debris from ceilings and walls. Handle Sold Separately.

| 500 | Black Poly | 4 3/4 | 9 3/4 | Plastic | 2 1/2 | 5 1/2 | 6 |
|-----|------------|-------|--------|---------|-------|-------|---|
| | | | across | | | | |

Ostrich Feather

Genuine Ostrich Feathers are the only feathers that collect and hold dust until shaken or washed. Extra soft, will not crack or break. Used by professional cleaners for a thorough and efficient dusting job.

| Item ID | Description | Size Overall (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|----------------|-------------------|------------------|-------------|
| 3550 | Feather Duster | 12 | 2 | 12 |
| 3553 | Feather Duster | 24 | 4 | 12 |





(3550 AND 3553)

DUST PANS









(#7 DUSTPAN)

(#17 DUSTPAN)

(#9 DUSTPAN)

Plastic

Grey plastic janitor dust pan is durable, light-weight, non-marking and will not rust or dent. Hang up hole in handle for storage.

| Item ID | Description | Width (in) | Carton Wt. (lbs) | Carton Qty. | |
|------------|--------------|---------------|---------------------|----------------|--|
| #3 Dustpan | Grey Plastic | 12 | 9 | 12 | |

Plastic Lobby Dust Pan

Heavy-duty one-piece plastic pan with lightweight handle. Easy use pivoting bucket can be locked down for busy areas.

| Item ID | Description | (in) | (lbs) | Qty. | |
|-------------|---------------|--------|-------|------|--|
| #17 Dustpan | Black Plastic | 11 3/4 | 15 | 6 | |

17" width holds more debris than regular dust pans. All aluminum pan and handle won't rust or corrode; lighter than steel. Includes ridges for added strength and durability, lay flat edges leaves less mess on the floor. Heavy gauge aluminum tube handle, plastic coated.

| #9 Dustpan | Aluminum | 17 | 15 | 12 |
|------------|----------|----|----|----|

Metal Dust Pans

Black metal janitor dust pan is 20 gauge steel. Baked enamel finish is durable with beveled edge. Corrugated ribs add to strength.

| #6 Dustpan | Black Metal | 12 | 15 | 12 |
|------------|-------------|----|----|----|
| #7 Dustpan | Black Metal | 16 | 27 | 12 |

HOUSEHOLD/MISCELLANEOUS ITEMS





Bottle Brush

White Nylon twisted in white-coated wire set into a polypropylene handle with hang up hole. Brush shape enables access for hard to reach areas when cleaning.

| Item ID | Description | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------------|------------------|----------------|
| 302 | White Nylon | 1 3/4 | 1 1/4 | 12 |


Vegetable Scrub Brush

White Tampico fiber twisted in galvanized wire and set into wood handle with handy hang-up hole. Recommended for washing vegetables.

| Item ID | Description | Overall Length (in) | Brush Length | Carton Wt. (lbs) | Carton Qty |
|------------|---------------|------------------------|-----------------|---------------------|---------------|
| 168 | White Tampico | 8 | 3" × 3" | 2 | 12 |

Janitorial, Cleaning and Food Service

HOUSEHOLD/MISCELLANEOUS ITEMS





Coffee Urn Gauge Glass Brush

Stiff Horsehair Fiber. Twisted wire construction. Rust proof wire. Overall length: 24" Brush length: 5.625" x .625" diameter.

| Item ID | Description | Width | Overall Length (in) | Brush Length | Carton Wt. (lbs) | Carton Qty. |
|------------|--------------------|-------|---------------------------|-----------------|------------------------|----------------|
| 546 | Stiff Horsehair | 5 5/8 | 24 | 5 5/8 | 2 | 12 |

Refrigerator Coil Brush

Excellent brush for cleaning refrigerator coils. Natural plastic is wire twisted on a 4 1/2" clear lacquered wood handle with hang up hole. Brush face is 3/4" diameter at end and 1 3/4" diameter at the front. Brush length is 12" and overall length is 27 1/2".

| 550 | White Plastic | 3/4 - 1 3/4 | 27 1/2 | 12 | 4 | 12 | |
|-----|------------------|----------------|--------|----|---|----|--|

Tube Brushes

Black nylon twisted in wire.

Recommended Use: Ideal for internal cleaning in industrial laboratory and food services.

| Item ID | Description | Width | Overall Length (in) | Carton Wt. (lbs) | Carton Qty. |
|------------|-------------|-------|------------------------|---------------------|----------------|
| 540 | Black Nylon | 5/8 | 18 | 1 | 12 |
| 541 | Black Nylon | 3/4 | 18 | 1 | 12 |
| 542 | Black Nylon | 1 | 18 | 1 | 12 |
| 544 | Black Nylon | 1 | 30 | 1 1/2 | 12 |
| 545 | Black Nylon | 7/8 | 16 | 1 3/4 | 12 |
| | | | | | |

BBQ Brushes and Mops

String cotton wound on a wooden dowel. Ideal for applying bar-b-que sauces, or can be used in cleaning cooking utensils.

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. |
|---------|----------------|------------------|-------------|
| 130 | Cotton BBQ Mop | 2 | 12 |

SHORT HANDLE

Crimped Brass Wire. Staple set in a smooth wax tumbled hardwood block with leather hang-up thong.

| Item ID | Description | Trim Length (in) | Width | Overall Length (in) | Carton Wt. (lbs) | Carton Qty. |
|------------|------------------|------------------------|-------|---------------------------|------------------------|----------------|
| 4042 | Crimped Brass | 5/8 | 2 5/8 | 8 7/8 | 5 1/2 | 12 |

LONG HANDLE

Same as above except: No hang-up thong.

| 4043 | Crimped Brass | 5/8 | 2 1/2 | 17 3/4 | 8 | 12 | |
|------|------------------|-----|-------|--------|---|----|--|

Crimped brass wire staple set in heavy duty black foam plastic block with stainless steel scraper and hang up hole.

| 4044 | Crimped Brass | 1/2 | 3 | 19 3/4 | 8 | 12 |
|------|------------------|-----|---|--------|---|----|

Janitorial, Cleaning and Food Service

HOUSEHOLD/MISCELLANEOUS ITEMS









(L TO R: 260, 261, 300, 301)

(148 AND 149)

TILE AND GROUT

Swivel Tile and Grout

Stiff poly bristles designed to get into grout lines. Swiveling motions allow easy access to hard to reach places. Required threaded handle, not included.

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------|------------------|-------------|
| 4000 | Stiff Polypropylene | 4 1/4 | 12 |

Swivel Scrub

Stiff poly bristles and swivel design designed to get into grooves in places unreachable by automatic floor scrubbing machines. Required threaded handle, not included.

Small Tile and Grout

Polypropylene block with scraper and hang up hole. Angled handle allows for easy cleaning in tight spaces. Block is filled with black polypropylene.

| Item ID | Description | Trim Length (in) | Overall Length (in) | Carton Wt. (lbs) | Carton Qty. |
|------------|------------------------|---------------------|------------------------|------------------------|----------------|
| 260 | Black Polypropylene | 3/4 | 8 | 1 1/4 | 24 |

Stainless Steel Scrubber

Heavy duty scouring pad made from 300 series stainless steel. Contains 18% chromium and 8% nickel. Used to remove baked on foods, rust and paint on pots, pans, utensils, ovens, grills and griddles. The heavy ribbon design allows faster and easier clean up.

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. |
|---------|--------------------------|------------------|-------------|
| 304-PB | Stainless Steel Scrubber | 1 3/4 | 12 |

Stove Brush

Polypropylene block filled with crimped brass wire with hang up hole. Used for cleaning grills and stove tops. Curved handle allows access into hard to reach places.

| Item ID | Description | Trim Length (in) | Overall Length (in) | Wt. (lbs) | Carton Qty. |
|------------|---------------|---------------------|------------------------|--------------|----------------|
| 261 | Crimped Brass | 3/4 | 8 | 1 1/4 | 24 |

Dish and Sink Brush

Ideal brush for the kitchen to remove scraps and to scrub leftovers from dishes and cookware. Polypropylene block with scraper and hang up hole, filled with white polypropylene fiber.

| 300 | White | 7/8 | 8 1/4 | 1/4 | 24 |
|-----|---------------|-----|-------|-----|----|
| | Polypropylene | | | | |

Pot and Pan Brush

Polypropylene block with scraper and hang up hole. Filled with crimped brass wire. Ideal for cleaning pots and pans with burned-on foods.

| | 301 | Crimped Brass | 7/8 | 8 1/8 | 4 | 24 |
|--|-----|---------------|-----|-------|---|----|
|--|-----|---------------|-----|-------|---|----|

PLUNGERS

Popular style used in most homes for effective plunging. Handle included.

| Item ID | Description | Head Diameter | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------------|---------------------|-------------|
| 148 | Red | 5 5/8 | 9 | 12 |

Heavy Duty

Bell shape — designed for tough jobs. Handle included.

| 4.40 | D | E E (0 | 44.4/0 | 40 |
|------|-------|--------|--------|----|
| 149 | Black | 5 5/8 | 11 1/2 | 12 |
| | | | | |

TOILET BOWL BRUSHES AND MOPS



(L TO R: 155-WC, 156, 157, 158, 151-N, 152-P, 150, 150-WC)

Bowl Brushes - European Style

Polypropylene Fiber. Staple set in a polypropylene handle. New angle design reaches every section of bowl. Comfortable, easy to use. Brush is not affected by bowl cleaners. Rinses clean. Will not mar or scratch any surface. Hang up hole.

| Item ID | Description | Overall Length | Handle Type | Brush Head | Wt. (lbs) | Carton Qty. |
|------------|-------------------------------------|-------------------|----------------|-----------------------|--------------|----------------|
| 155 | Black and White Poly | 14 | Plastic | 3 1/2" x 3 3/4" | 10 | 24 |
| 155-WC | Black and White Poly with Cup | 14 | Plastic | 3 1/2" × 3 3/4" | 14 | 24 |

Bowl Brushes - Standard

Heavily-filled fiber twisted in plated wire on clear lacquered hardwood handle with hang up hole.

| Item ID | Description | | Handle Length | | Brush Head | Carton Wt. (lbs) | Carton Qty |
|------------|------------------------|--------|------------------|---------|------------------|---------------------|---------------|
| 156 | White Tampico | 18 | 12 | Wood | 4" x 5" | 7 | 24 |
| 157 | Union Fiber | 21 | 16 | Wood | 4" x 5" | 6 | 12 |
| 158 | White Tampico | 21 | 16 | Wood | 4" x 5" | 6 1/4 | 12 |
| 159 | White Polypropylene | 21 1/2 | 16 | Wood | 5 1/2 x 4 1/2 | 6 | 12 |
| 151-N | Black Nylon | 21 | 15 | Wood | 5 1/2 x 4 1/2 | 6 | 12 |
| 152-P | Plastic | 16 | 11 3/4 | Plastic | 4 x 5 | 6 | 20 |

Bowl Mops

Fluffy white acid-resistant yarn is firmly attached to a 12 inch plastic handle with hang up hole. The continuous filament yarn is extremely long lasting.

| Item ID | Description | | Handle Type | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------------------------|----|----------------|---------------------|----------------|
| 150 | Acrylic Yarn | 12 | Plastic | 13 | 100 |
| 150-WC | Acrylic Yarn, includes cup | 12 | Plastic | 18 | 100 |

MOP BUCKETS

Mop Buckets

Yellow mop bucket with wringer designed for durability. Bucket is corrosion resistant. No cracks or crevices to collect dirt. Wringer is resistant to cleaning chemicals. Comes with standard 3" ball bearing casters.

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. | |
|---------|-------------|------------------|-------------|--|
| 6035-3 | 35 qt | 20 | 1 | |
| 6023-3 | 23 qt | 9 | 1 | |

Wet Floor Sign

Yellow plastic sign with black & red lettering. Convenient hinged upper portion provides a carry handle and allows for easy opening and closing.

| Wet Floor Sign | 12 3/4 x 26 | 21 | 10 | |
|----------------|-------------|----|----|--|



(6023-3, 6035-3, WET FLOOR SIGN)



WET MOP HANDLES

Jaws Mate

Durable molded plastic wet mop holder. Use a twist action to secure the mop head. Most sizes of both industrial and household mops can easily be installed with both jaws opening.

| Item ID | Diameter | Handle Length | Carton Wt. (lbs) | Carton Qty. |
|---------|----------|------------------|---------------------|-------------|
| 88 | 15/16 | 60 | 9 | 6** |
| 88-M | 15/16 | 60 | 18 1/2 | 12 |
| 88-FG | 1 | 60 | 22 | 12 |

Mop Mate

Quick change mop holder made of high impact plastic, resistant to chemicals and corrosion. Comes with a side gate and includes a collet connector for easy handle assembly and self-locking thumb nut to prevent mop from working loose while in use. Wider opening for easier insertion of mop head and the gripper teeth help to hold in place.

| Item ID | Diameter | Handle Length | Overall Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|----------|------------------|------------------------|---------------------|----------------|
| 90 | 1 | 54 | 60 7/8 | 9 | 6** |
| 90-M | 1 | 60 | 65 | 18 | 12 |
| 90-FG | 1 | 60 | 65 1/4 | 23 | 12 |

Mop Handles

Quick-change type. Heavily zinc plated steel construction securely fastened to a No. 1 grade 11/8" diameter, 54" handle. Standard wing nut construction with channel-type cross bar that detaches from one side to allow quick change of mop head.

| Item ID | Diameter | Handle Length | Carton Wt. (lbs) | Carton Qty. | |
|--|-------------------|------------------|---------------------|-------------|--|
| Size of h | ead: 7" for 20 to | 32 oz. mop hea | ds. | | |
| 91 | 1 1/8 | 54 | 15 | 6** | |
| Size of head: 6 ² for 12 to 24 oz. mop heads. | | | | | |
| 92 | 15/16 | 48 | 9 | 6** | |


Spring Grip Mop Handle

This wet mop handle is for use with a wide variety of mops. Spring action securely locks head in place. Made of 1/4" wire and zinc plated for rust resistance. Available on a 1" \times 54" wood handle.

| Item ID | Diameter | Handle Length | Carton Wt. (lbs) | Carton Qty. |
|---------|----------|------------------|---------------------|-------------|
| 93 | 1 | 54 | 12 | 6** |

Sta-Flat Handle

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------------------------------|------------------|-------------|
| SF-54 | 1" x 54" Handle for Sta-Flat mop | 18 | 12** |



DECK MOPS

Deck Mops

Made of 4 ply absorbent white cotton yarns. Head is securely fastened to clear lacquered handle. Head is covered with a plastic sleeve.

| Item ID | Description | Ind. Weight* | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------|-----------------|---------------------|-------------|
| 12-M | 7/8" x 48" Handle | 10 oz | 8 | 6** |
| 16-M | 15/16" x 48" Handle | 14 oz | 9 | 6** |
| 20-M | 15/16" x 54" Handle | 16 oz | 11 | 6** |
| 24-M | 1 1/8" x 54 Handle | 20 oz | 15 | 6** |
| 32-M | 1 1/8" x 54 Handle | 24 oz | 18 1/2 | 6** |

^{*}Ounces are approximate weights.



(24-M-NW)

No Wire - For Institutional Use

Made of 4 ply absorbent white cotton yarn. Head is securely fastened to a clear lacquered handle with rayon fiber cord. **Recommended Use:** Prison systems and other situations where wire wrapped mops are not allowed.

| Item ID | Ind. Weight* | Carton Wt. (lbs) | Carton Qty. |
|---------|--------------|------------------|-------------|
| 24-M-NW | 20 oz | 15 | 6** |
| 32-M-NW | 24 oz | 18 | 6** |

INDUSTRIAL WET MOPS

Industrial Grade Looped End Mop Heads

Extra durable, cotton, synthetic/acrylic blend. General purpose mop with looped ends and tail band. Good for all purpose cleaning. Launderable.

White

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------------|-------------|
| 4914 | Small | 10 | 12 |
| 4920 | Medium | 15 | 12 |
| 4924 | Large | 18 | 12 |
| 4932 | X-Large | 23 | 12 |
| Blue | | | |
| 4914-B | Small | 10 | 12 |
| 4920-B | Medium | 15 | 12 |
| 4924-B | Large | 18 | 12 |
| 4932-B | X-Large | 23 | 12 |
| | | | |





(L TO R: 47, 48, 49, 49-B)

Straight End Cotton and Rayon

Made of 4 ply highly absorbent, long wearing yarns. Mops are sewn 2 times. Band is $1\,1/4$ " wide.

Cotton

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------|------------------|-------------|
| 4716 | 16 oz Cotton | 12 | 12 |
| 4724 | 24 oz Cotton | 18 | 12 |
| 4732 | 32 oz Cotton | 24 | 12 |
| Rayon | | | |
| 4816 | 16 oz Cotton | 10 | 10 |
| 1010 | 16 02 COLLOTT | 12 | 12 |
| 4824 | 24 oz Cotton | 18 | 12 |
| | | | |

Sta-Flat

Made of 4 ply white yarn. Metal band secures metal screw in head of mop. Mop head protected by plastic sleeve.

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------------|-------------|
| 6224 | Cotton | 18 | 12 |
| 6232 | Cotton | 24 | 12 |



^{**}Shipped in bundles. No packaging.

HOT-DIPPED GALVANIZED PAILS, TUBS, CANS











Tubs

Hot-dipped galvanized round tubs. Durable and long-lasting foot and wash tubs. Superior quality to pre-galvanized tubs. Will not crack or leak.

| Item ID | Width Bottom | Width Top | Height | Volume (qt) | Carton Wt. (lbs) | Carton Qty. | |
|---------|-----------------|--------------|---------|----------------|------------------------|----------------|--|
| #A Tub* | 11 1/4" | 14" | 8 5/16" | 16.91 | 14 1/2 | 6 | |
| #1 Tub | 17 1/4" | 19 3/8" | 10 5/8" | 48.61 | 29 | 6 | |
| #2 Tub | 17 1/2" | 20" | 11" | 59.18 | 39 1/2 | 6 | |
| #3 Tub | 19 1/4" | 22" | 11" | 73.97 | 41 | 6 | |

^{*} Bail handle

Pails

Hot-dipped galvanized pail. Superior quality to pre-galvanized pails. Durable and long-lasting containers for liquids. Will not crack or leak.

| #4 Mini Pail | 4 5/8" | 6 1/4" | 5 1/2" | 2 | 7 1/2 | 12 |
|-----------------|---------|---------|---------|-------|--------|----|
| #8 Pail | 7 3/4" | 9 7/8" | 8 1/2" | 8 | 18 1/2 | 12 |
| #10 Pail | 8 1/2" | 10 1/4" | 9" | 10 | 21 | 12 |
| #12 Pail | 8 3/4" | 11 1/2" | 9 1/2" | 12 | 24 | 12 |
| #14 Pail | 9 1/4" | 11 1/2" | 9 1/2" | 14 | 29 | 12 |
| #20 Pail | 10 5/8" | 13 1/4" | 12 1/4" | 24.04 | 40 | 12 |

NOTE: Tubs, pails and trash cans shipped in bundles in quantities listed above. (No external packaging)

Mini Paint Pails

Electroplated metal paint pails. Ideal for use in the painting industry. Will accommodate the 4 inch paint brush.

| Item ID | Width Bottom (in) | Width Top (in) | Height (in) | Volume (qt) | Carton Wt. (lbs) | Carton Qty. |
|-----------------------|-------------------------|-------------------|----------------|----------------|------------------------|----------------|
| #2.5 Paint Pail | 6 1/8 | 7 1/4 | 4 7/8 | 2 1/2 | 21 3/4 | 36 |
| #5 Paint Pail | 7 3/8" | 8 1/2" | 6 1/4" | 5 | 19 1/2 | 24 |

Trash Cans

Pre-galvanized trash cans with lids. Durable, long lasting containers for refuse.

| 20 Gallon Trash Can | 14 3/4" | 17" | 22 5/8" | 20 (gallon) | 46 | 6 |
|------------------------------|---------|---------|---------|----------------|----|---|
| 30 Gallon Trash Can | 17" | 20 1/4" | 25 1/4" | 30 (gallon) | 50 | 6 |

Wash Boards

Galvanized wash boards in wood frame. Available in large size for washing and scrubbing and a small size suitable for crafts.

| Item ID | Overall Length | Overall Width | Galvan- ized Length | Galvani- zed Width | Carton Wt. (lbs) | Carton Qty |
|------------------------|-------------------|------------------|---------------------------|--------------------------|------------------------|---------------|
| Large Wash Board | 23 1/4 | 12 1/2 | 12 | 10 3/4 | 18 1/2 | 6 |
| Small Wash Board | 15 1/8 | 7 1/2 | 7 | 5 3/4 | 13 3/4 | 12 |

DUST MOPS, FRAMES AND HANDLES

Industrial Grade Looped End - Colored Cotton

Industrial quality colored looped end dust mops. Mop heads are made of absorbent cotton yarn evenly sewn on Sanforized duck. Convenient no rust zipper for easy changing of mop head.

| Item ID | Length (in) | Width (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------|---------------------|-------------|
| 5212 | 12 | 5 | 8 | 12 |
| 5218 | 18 | 5 | 17 | 12 |
| 5224 | 24 | 5 | 22 | 12 |
| 5236 | 36 | 5 | 30 | 12 |
| 5248 | 48 | 5 | 38 | 12 |
| 5260 | 60 | 5 | 49 | 12 |
| 5272 | 72 | 5 | 60 | 12 |

Industrial Grade Looped End – White Cotton

Mop heads are made of 4 ply, looped end white cotton yarn evenly sewn on Sanforized duck. Outside yarn is sewn on duck with two rows of lock stitching. Convenient zipper for easy changing of mop head.

| Item ID | Length (in) | Width (in) | Carton Wt. (lbs) | Carton Qty. |
|--------------|-------------|------------|---------------------|-------------|
| 5118 | 18 | 5 | 16 | 24 |
| 5124 | 24 | 5 | 20 | 24 |
| 5136 | 36 | 5 | 27 1/4 | 24 |
| 5148 | 48 | 5 | 34 | 24 |
| 5160 | 60 | 5 | 43 1/4 | 24 |
| 5172 | 72 | 5 | 55 | 24 |
| 5148 5160 | 48 | 5 | 34 43 1/4 | 24 |

Treated Dust Mops (Economy disposable)

Treated disposable dust mop heads are made of 4 ply cotton yarn. Yarn is sewn with 2 rows of stitching. Grey backing with double ties.

| EC-5118 | 18 | 5 | 6 3/4 | 12 |
|---------|----|---|--------|----|
| EC-5124 | 24 | 5 | 9 1/2 | 12 |
| EC-5136 | 36 | 5 | 13 | 12 |
| EC-5148 | 48 | 5 | 16 3/4 | 12 |



Dust Mop Frames

Frame is made of heavy-duty metal, welded construction, plated finish.

| Item ID | Length (in) | Width (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------|---------------------|-------------|
| 5112-F | 12 | 5 | 8 | 24 |
| 5118-F | 18 | 5 | 21 | 24 |
| 5124-F | 24 | 5 | 25 | 24 |
| 5136-F | 36 | 5 | 33 | 24 |
| 5148-F | 48 | 5 | 49 | 24 |
| 5160-F | 60 | 5 | 54 | 24 |
| 5172-F | 72 | 5 | 62 | 24 |
| | | | | |

Microfiber Dust Mops

Microfiber pad securely fastens to mop head with hook and loop fasteners, and picks up fine dust particles regular dust mops leave behind. Great for use on tile, wood, smooth concrete or linoleum floors. Easy to use in tight spaces, under tables, in corners, etc. Pads are machine washable. Includes AB-48 Handle.

| Item ID | Туре | Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|----------|-------------|---------------------|-------------|
| 5000 | Plastic | 16 | 10 | 12 |
| 5001 | Aluminum | 22 | 10 1/4 | 12 |
| Refills | | | | |
| 5000-R | | 16 | 1 3/4 | 12 |
| 5001-R | | 22 | 2 1/4 | 12 |





Janitorial, Cleaning and Food Service

DUST MOPS, FRAMES AND HANDLES





Wedge Mops

Cotton

Made of blended white cotton. Yarn is looped on a heavy canvas back. Light duty wedge frame made of metal with plastic connector. Requires standard acme thread handle.

| Item ID | Length (in) | Width (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------|---------------------|-------------|
| 5100 | 14 | 11 | 9 | 12 |
| Refill | | | | |
| 5100-R | 14 | 11 | 5 | 12 |

Acrylic

Made of single strand, yellow acrylic yarn on a flocked canvas back. Light duty wedge frame made of metal with plastic connector. Requires standard acme thread handle.

| 5101 | 15 | 12 | 5 | 12 | |
|--------|----|----|---|----|--|
| Refill | | | | | |
| 5101-R | 15 | 12 | 3 | 12 | |

DUST MOP HANDLES



Snap-On

Snap on handle for No. 51 & 52 Series Dust Mops and 5" frames. Plated metal connector, 360 degree action. Fits all 5" dust mops.

| Item ID | Diameter | Handle Length (in) | Overall Length (in) | Carton Weight | Carton Qty. |
|----------|----------|--------------------------|---------------------------|------------------|----------------|
| DM-60 | 1 | 54 | 57 1/2 | 21 | 12** |
| DM-60-M | 1 | 60 | 64 | 18 | 12 |
| DM-60-FG | 1 | 60 | 64 | 25 | 12 |

^{**}Packed in paper-wrapped bundle

800-248-2261 WWW.MAGNOLIABRUSH.COM



WAX APPLICATORS AND HANDLES









(2210-N)

(2310)

(2310-B)

Low Cost Synthetic Lambs Wool

Two piece clear lacquered hardwood block, plated bolts and wing nuts. Pad is made of synthetic lambs wool. Spreads wax uniformly. Wash pads in warm soapy water immediately after waxing floors. Pads may be used many times.

| Item ID | Width (in) | Туре | Carton Wt. (lbs) | Carton Qty. | Handle Type | Includes Handle |
|---------|---------------|-----------|------------------------|----------------|----------------|--------------------|
| 2210-N | 10 | Synthetic | 24 1/2 | 12 | W-48 | Yes |
| 2212-N | 12 | Synthetic | 26 | 12 | W-48 | Yes |
| 2216-N | 16 | Synthetic | 30 | 12 | W-48 | Yes |

Refills

Packed in individual Poly Bags. Also available Synthetic Lambs Wool 5 1/4" x approx. 55" on a knit backing.

| Item ID | Width (in) | Туре | Carton Wt. (Ibs) | Carton Qty. |
|---------|------------|-----------|---------------------|-------------|
| 2210-NR | 10 | Synthetic | 1 | 12 |
| 2212-NR | 12 | Synthetic | 1 1/4 | 12 |
| 2216-NR | 16 | Synthetic | 2 | 12 |

Blocks and Hardware

Block and hardware only, does not include handle.

| Item ID | Width (in) | Туре | Carton Wt. (lbs) | Carton Qty. | Includes Handle |
|------------|---------------|---------------------------|---------------------|----------------|--------------------|
| 2310-B | 10 | Block, Bolt, Wing Nuts | 12 | 12 | No |
| 2312-B | 12 | Block, Bolt, Wing Nuts | 15 | 12 | No |
| 2316-B | 16 | Block, Bolt, Wing Nuts | 22 | 12 | No |
| 2318-B | 18 | Block, Bolt, Wing Nuts | 25 | 12 | No |

100% Virgin Wool

100% Virgin Wool. 3/4" dense pile fabric on knit backing, latex coated to prevent shedding and withstand repeated washing. Fast drying and fluffs like new. Meets government specifications. Assembled with plated bolts and wing nuts. Clear lacquered block 2 3/4" wide. Lower block smooth tumbled 1/2" thick.

Recommended Use: For institutional and custodial service.

| Item ID | Width (in) | Туре | Carton Wt. (lbs) | Carton Qty. | Handle Type | Includes Handle |
|------------|---------------|---------------------|------------------------|----------------|----------------|--------------------|
| 2310 | 10 | 100% Virgin Wool | 25 1/2 | 12 | W-54 | Yes |
| 2312 | 12 | 100% Virgin Wool | 27 1/2 | 12 | W-54 | Yes |
| 2316 | 16 | 100% Virgin Wool | 33 1/4 | 12 | W-54 | Yes |
| 2318 | 18 | 100% Virgin Wool | 35 1/2 | 12 | W-54 | Yes |

Refills

Packed in individual Poly Bags. Also Available by the roll in 100% Lambs Wool 6" x approx. 55"

| Item ID | Width (in) | Туре | Carton Wt. (lbs) | Carton Qty. |
|---------|------------|------------------|---------------------|-------------|
| 3110 | 10 | 100% Virgin Wool | 13/4 | 12 |
| 3112 | 12 | 100% Virgin Wool | 2 | 12 |
| 3116 | 16 | 100% Virgin Wool | 2 1/2 | 12 |
| 3118 | 18 | 100% Virgin Wool | 2 3/4 | 12 |

Handles

Clear lacquered hardwood handles with short wood thread. Made for use only on Wax Applicators and Wax Strippers.

| Item ID | Width (in) | Туре | Carton Wt. (lbs) | Carton Qty. |
|---------|----------------|------------|---------------------|-------------|
| W-48 | 15/16 diameter | 48" Handle | 10 | 12** |
| W-54 | 15/16 diameter | 54" Handle | 12 | 12** |

^{**}Packed in paper-wrapped bundle



FOOD SERVICE

Bakery Oven Brush

Tampico fiber staple set in a hardwood block with handle. Used for cleaning bakery ovens.

| Item ID | Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------------|-------------|
| BB-36 | 36 | 9 | 6 |
| BB-51 | 51 | 12 | 6 |

Pastry Brush

Natural bristle epoxy set into a smooth turned wooden handle. Ideal for use as an auto detail brush or as a pastry brush for food preparation.

| Item ID | Length (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------------|------------------|-------------|
| 16 | 7 9/16 | 1 7/8 | 1 3/4 | 24 |

Industrial Grill Brush

Heavy Duty Industrial Grill Brush features a 48" hardwood handle with double sided brushes.

Recommended Use: Large Industrial Applications, Grills, Ovens, Grates etc.

| Item ID | Description | Trim Length (in) | Brush Block Size (in) | Overall Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------------------------|------------------------|--------------------------|------------------------|---------------------|----------------|
| GB-48 | Double Sided Wire Grill Brush | | | 48 | 6 | 2 |
| | Side 1 Tempered Flat Steel Wire | 1 1/4 | 7 1/4 x 3 5/8 | Wood | | |
| | Side 2 Round Carbon Steel Wire | 1 1/3 | 7 1/8 × 2 1/4 | Wood | | |



(16 AND GB-48)



(BB-36)

WINDOW BRUSHES



(L TO R: 1410, 1425-X, 1420, 1421)

Window Brushes

Magnolia Brush window brushes are made with fiber staple set in a clear lacquered hardwood block with tapered handle holes. Handles sold separately. Packed in individual cartons.

| Item ID | Description | Block Size (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. | Handle Type | Price includes Handle |
|---------|--------------------------------------|--------------------|------------------|---------------------|-------------|-------------|--------------------------|
| 1410 | Grey Flagged-Tip Polystyrene | 10 | 2 1/2 | 15 | 12 | Tapered | No |
| 1421 | Grey Flagged-Tip Polystyrene | 8 | 2 1/2 | 13 | 12 | Tapered | No |
| 1425-X | Black Horsehair and Polypropylene | 8 | 2 1/2 | 12 1/2 | 12 | Tapered | No |
| 1420 | White Tampico | 8 | 2 1/2 | 12 | 12* | Tapered | No |

^{*}Bulk packed

Silver Flagged-Tip Plastic. Staple set in clear lacquered hardwood block with plated steel handle connector. Any tapered handle will fit. Attached rubber squeegee made of high-quality rubber. Handles sold separately.

| 1422 Flagged Tip Plastic 8 2 1/2 7 1/2 6 Tapered No | |
|---|--|
|---|--|

Round Window Brushes

Filling material is staple set in a foam plastic block with one threaded hole in the top; one tapered hole and one threaded hole in the side. Threaded side hole will accept fountain handle.

Packed in Individual Cartons. Requires standard tapered or threaded handle sold separately.

| Item ID | Description | Block Size (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty | Handle Type | Price includes Handle |
|------------|--------------------------------|-----------------------|------------------------|------------------------|---------------|----------------|-----------------------------|
| 1426 | Black Horsehair | 4 1/2 | 2 1/2 | 12 | 12 | TH or TA | No |
| 1426-X | Horsehair and Polypropylene | 4 1/2 | 2 1/2 | 11 1/4 | 12 | TH or TA | No |
| 1427 | White Tampico | 4 1/2 | 2 1/2 | 11 1/4 | 12 | TH or TA | No |
| 1429 | Flagged Plastic | 4 1/2 | 2 1/2 | 11 | 12 | TH or TA | No |
| 1429-N | Green Flagged Nylex | 4 1/2 | 2 1/2 | 11 | 12 | TH or TA | No |
| 1428-XC | Horsehair and Polypropylene | 4 1/2 | 3 1/2 | 13 | 12 | TH or TA | No |



Magnolia Brush

WINDOW SQUEEGEES

Conventional

Frame is made of heavy gauge aluminum. Handle socket is cadmium-plated steel. Double squeegee rubbers. Squeegee rubber is red. Back-up rubber is black.

| Item ID | Size (in) | Carton Wt. (lbs) | Carton Qty. | Handle Type | Price includes Handle |
|---------|-----------|---------------------|-------------|-------------|--------------------------|
| 4406 | 6 | 4 1/2 | 12 | Tapered | No |
| 4410 | 10 | 5 1/2 | 12 | Tapered | No |
| 4412 | 12 | 6 | 12 | Tapered | No |
| 4416 | 16 | 7 | 12 | Tapered | No |
| 4418 | 18 | 7 1/2 | 12 | Tapered | No |
| | | | | | |



(4406)

Refills for 44 Line Window Squeegees

| Item ID | Size (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-----------|------------------|-------------|
| 4406-R | 6 | 1 | 12 |
| 4410-R | 10 | 1 1/2 | 12 |
| 4412-R | 12 | 2 | 12 |
| 4416-R | 16 | 2 1/2 | 12 |
| 4418-R | 18 | 2 3/4 | 12 |



(4412)

Low Cost

This is a serviceable squeegee for small store and home use. Frame is made of aluminum and handle socket is made of cadmium-plated steel. One piece, specially shaped, soft squeegee rubber.

| Item ID | Size (in) | Carton Wt. (lbs) | Carton Qty. | Handle Type | Price includes Handle |
|---------|-----------|---------------------|-------------|-------------|--------------------------|
| 4606 | 6 | 3 1/2 | 12 | Tapered | No |
| 4612 | 12 | 5 1/2 | 12 | Tapered | No |



NOTE: Handles sold on page 17.



VEHICLE WASH BRUSHES

Quality, Reliability and Value is what you get when making the smart choice for vehicle wash brushes. These brushes are made with the highest quality fiber and densely filling to give superior performance in all environments. Blocks equipped with either a threaded (TH), or both a threaded and tapered (TA) handle hole.

Special Product Caution Although these high-quality brushes are recommended for use on all types of vehicles, some finishes may be more susceptible to scratching than others; always test in an inconspicuous area before use.

8" Vehicle Wash Brushes

Filling material is staple set in foam plastic block with protective bumper. The 8" blocks have one threaded flow-thru handle hole. Handle sold separately. Packed in individual cartons.

| Item ID | Description | Block Length | Trim Length (in) | Bumper | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|---------|------------------------|-----------------|------------------------|--------|----------------|--------------------|------------------------|----------------|
| 3022 | Blue Flagged Nylon | 8 | 2 1/2 | Yes | TH | No | 10 | 12 |
| 3034 | Green Flagged Nylon | 8 | 2 1/2 | Yes | TH | No | 10 | 12 |



(3034 AND 3022)

Acid Resistant

Filling material is staple set in foam plastic block. The 8" block has one threaded flow-thru handle hole. Packed in individual cartons.

THESE BRUSHES ARE ACID-RESISTANT.

| 3023 | Flagged Blue Polystyrene | 8 | 3 | No | TH | No | 12 | 12 |
|--------|------------------------------|---|-------|-----|----|----|----|-----|
| 3024 | White Flagged Polystyrene | 8 | 2 1/2 | No | TH | No | 12 | 12 |
| 3028 | 100% Polished Tampico** | 9 | 3 | Yes | TH | No | 18 | 12 |
| 3035 | Tampafil Polypropylene** | 8 | 2 1/2 | No | TH | No | 10 | 12 |
| 3036 | Grey Flagged Polystyrene | 8 | 2 1/2 | No | TH | No | 12 | 12 |
| 3036-G | Green Flagged Polystyrene | 8 | 2 1/2 | No | TH | No | 11 | 12* |



(TOP – L TO R: 3024, 3036-G, 3023 BOTTOM – L TO R: 3035, 3036)

9" Vehicle Wash Brushes

Densely filled fiber. Staple set in $9" \times 25/8"$ foam plastic block with a protective bumper. Block has one threaded and one tapered handle hole. Handle sold separately.

| 3021 | Flagged Grey Polystyrene | 9 | 3 | Yes | TA or TH | No | 18 | 12 |
|-------|------------------------------|---|-------|-----|-------------|----|--------|----|
| 3026* | Dark Green Flagged Nylon | 9 | 2 1/2 | Yes | TA or TH | No | 16 1/2 | 12 |
| 3029 | White Flagged Polystyrene | 9 | 2 5/8 | Yes | TA or TH | No | 18 | 12 |



800-248-2261 WWW.MAGNOLIABRUSH.COM

^{*}Bulk packed one dozen per master carton.

^{**}NOT FOR USE ON VEHICLE EXTERIORS OR SURFACES SUBJECT TO SCRATCHING.

^{*}Not acid resistant

9" Vehicle Wash Brushes - Ultra Block

Staple set fiber in a 9" Ultra truck wash block with threaded flow-thru hole. Handle sold separately. Packed in individual cartons.

| Item ID | Description | Block Length | Trim Length (in) | Bumper | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------------------------|-----------------|------------------------|--------|----------------|--------------------|------------------------|----------------|
| 3045 | Yellow Flagged Polystyrene | 9 | 2 1/2 | Yes | TA or TH | No | 13 1/2 | 12 |
| 3046 | Red Flagged Nylon | 9 | 2 1/2 | Yes | TA or TH | No | 12 | 12 |
| 3047 | Black/White Flagged Polystyrene | 9 | 2 1/2 | Yes | TA or TH | No | 13 1/2 | 12 |



10" Vehicle Wash Brushes

Filling material is staple set in foam plastic block with protective bumper. The 10" blocks have one threaded flow-thru and one tapered handle hole. Handle sold separately. Packed in individual cartons.

| 3032 | Grey Flagged Polystyrene | 10 | 3 | Yes | TA or TH | No | 16 | 12 |
|-------------|-----------------------------|----|-------|-----|-------------|----|----|-----|
| 3033 | Green Flagged Nylon | 10 | 2 1/2 | Yes | TA or TH | No | 14 | 12 |
| 3038 | Blue Flagged Nylon | 10 | 2 1/2 | Yes | TA or TH | No | 14 | 12 |
| 3039 | Blue Flagged Polystyrene | 10 | 3 | Yes | TA or TH | No | 16 | 12 |
| 3040 | Black/White Polystyrene | 10 | 2 1/2 | Yes | TA or TH | No | 16 | 12* |
| 3040 W/B | Black/White Polystyrene | 10 | 2 1/2 | Yes | TA or TH | No | 16 | 12 |
| | | | | | | | | |



(L: 3038,3040-W/B, 3039 R: 3033, 3032)

No bumper – bulk packed.

Acid Resistant

Filling material is staple set in foam plastic block. The 10 inch blocks have one threaded flow-thru and one tapered handle hole. Handle sold separately. Packed in individual cartons. These brushes are Acid Resistant.

| 1411 | Grey Flagged Polystyrene | 10 | 2 1/2 | No | TA or TH | No | 16 | 12 |
|--------|---------------------------------|----|-------|----|-------------|----|----|-----|
| 1411-G | Green Flagged Polystyrene | 10 | 2 1/2 | No | TA or TH | No | 16 | 12* |
| 3037 | Tampafil** | 10 | 2 1/2 | No | TA or TH | No | 13 | 12 |





^{*}Bulk packed one dozen per master carton.

^{**}NOT FOR USE ON VEHICLE EXTERIORS OR SURFACES SUBJECT TO SCRATCHING.

Vehicle Wash and Automotive

VEHICLE WASH BRUSHES

Special Product Caution Although these high-quality brushes are recommended for use on all types of vehicles, some finishes may be more susceptible to scratching than others; always test in an inconspicuous area before use.

Wash Brushes - Floor Brush Style

Filling material is staple set in foam plastic block with two threaded handle holes. Will accommodate fountain handles, sold separately. 99 handle brace recommended for 18 and 24". Packed in individual cartons.

| Item ID | Description | Block Length | Trim Length (in) | Bumper | Handle Type | Includes Handle | Carton Wt. (lbs) | Carton Qty. |
|---------|-----------------------------|-----------------|------------------------|--------|----------------|--------------------|------------------------|----------------|
| 3314 | Grey Flagged Polystyrene | 14 | 2 1/2 | No | TH | No | 18 | 12 |
| 3314-N | Green Flagged Nylon | 14 | 2 1/2 | No | TH | No | 15 | 12 |
| 3418 | Blue Flagged Polystyrene | 18 | 3 | No | TH | No | 23 1/2 | 12 |
| 3318 | Grey Flagged Polystyrene | 18 | 2 1/2 | No | TH | No | 23 1/2 | 12 |
| 3318-N | Green Flagged Nylon | 18 | 2 1/2 | No | TH | No | 20 3/4 | 12 |
| 3324 | Gray Flagged Nylon | 24 | 2 1/2 | No | TH | No | 31 1/2 | 12 |



Bi-Level Vehicle Wash Brushes

Densely filled fiber is staple set in a foam plastic block with one threaded handle hole. This high quality brush is recommended for use on all types of vehicles — freight vans, trucks, boats, etc. Flow-thru hole for fountain type handle. Handles sold separately.

| 186-B | Blue Flagged Nylon* | 10 | 2 3/8 | No | TH | No | 16 | 12 |
|-------|----------------------------|----|-------|----|----|----|----|----|
| 186-G | Green Polystyrene | 10 | 2 | No | TH | No | 22 | 12 |
| 186-N | Green Nylon* | 10 | 2 3/8 | No | TH | No | 16 | 12 |
| 186-M | Black/White Polystyrene | 10 | 2 3/8 | No | TH | No | 24 | 12 |
| 186-R | Red Nylon | 10 | 2 3/8 | No | TH | No | 22 | 12 |
| | | | | | | | | |

5 Level Multi-Surface brush ideal for washing vehicles, boats and other surfaces. Fiber is staple set in an 7 3/4" Black Poly Flow-Through block that accepts a

scratching than others; always test in an inconspicuous area before use.

threaded handle. (sold separately) 11.25" Overall Length Although these brushes are recommended for use on all types of finishes, some may be more susceptible to














(188-N AND 188-M)



* Not acid resistant





(3050)

Hand Wash Brushes

Filling material is staple set in cream color foam plastic 12" x 2 1/2" block with hang up hole.

Recommended Use: Very popular for hand washing boats, yachts and autos.

| Item ID | Description | Block Length | Trim Length (in) | Bumper | Handle Type | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------------|-----------------|------------------------|--------|----------------|---------------------|----------------|
| 51-PN | Green Flagged Nylon | 12 | 2 1/2 | No | None | 14 | 12 |

The very best vehicle wash brush on the market. 100% Hog Bristle epoxy set in a 12" hardwood block with a 3" trim, no holes — hand held

| 3020 | Hog Bristle | 12 | 3 | No | None | 1 1// | 1 |
|------|--------------|----|---|-----|--------|--------|---|
| 3030 | riog bristie | 12 | J | INO | 140116 | 1 1/ 🕂 | 1 |

Truck Exhaust/Stack Cleaning Brush

White Tampico fiber staple set in a flexible circular plastic block, with standard threaded (TH) handle hole.

Recommended Use: This brush was designed for cleaning chrome plated exhaust stacks on diesel trucks. Good for cleaning overhead pipes in food processing plants.

| Item ID | Description | Block Length | _ | Bumper | | Includes Handle | | Carton Qty. |
|------------|------------------|-----------------|------|--------|----|--------------------|---|----------------|
| 600 | White Tampico | 9 | 13/4 | No | TH | No | 4 | 1 |

Wheel Wash Brush

Red nylon in a foam plastic block with one tapered (TA) and one flow-through threaded (TH) handle hole.

Recommended Use: Washing Wheels

| 700 Red Nylon | 5 | 2 1/2 | No | TH or | No | 10 | 12 |
|---------------|---|-------|----|-------|----|----|----|
| Wheel | | | | IA | | | |
| Brush | | | | | | | |

SIDEWALL BRUSHES

SIDEWALL BRUSHES

Hardwood Block

Filling material is staple set in smooth sanded wax tumbled hardwood block. **Recommended Use:** Cleaning tires.

| Item ID | Description | Trim Length (in) | Block Type | Block Length | Rows | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------------------|---------------|-----------------|-------|---------------------|----------------|
| 6-B | Brass Wire | 5/8 | Wood | 8 1/2 | 7 × 7 | 5 | 12 |
| 6-S | Steel Wire | 5/8 | Wood | 8 1/2 | 7 x 7 | 5 | 12 |
| 6-N | White Nylon | 5/8 | Wood | 8 1/2 | 7 × 7 | 4 | 12 |
| 6-T | Tampico | 5/8 | Wood | 8 1/2 | 7 x 7 | 4 1/2 | 12 |



(L TO R: 6-T, 6-N, 6-S, 6-T)

Foam Plastic Block

Filling material is staple set in polypropylene block.

Recommended Use: Cleaning tires and for stripping paint on home furniture refinishing.

| 66-B | Brass Wire | 13/16 | Polypropylene | 7 1/4 | 5 x 9 | 5 | 24 |
|------|-------------|-------|---------------|-------|-------|-------|----|
| 66-N | White Nylon | 13/16 | Polypropylene | 7 1/4 | 5 x 9 | 3 1/2 | 24 |



(66-B AND 66-N)



Vehicle Wash and Automotive

SIDEWALL BRUSHES

Foam Plastic Block

Filling material is staple set in foam plastic block that will not crack when left in tire cleaning solution

| Item ID | Description | Trim Length (in) | Block Type | Block Length | Rows | Carton Wt. (lbs) | Carton Qty. |
|-----------|-------------|------------------------|---------------|-----------------|-------|---------------------|----------------|
| 6-BP | Brass Wire | 5/8 | Foam Plastic | 8 1/2 | 8 x 7 | 4 | 12 |
| 6-NP | White Nylon | 5/8 | Foam Plastic | 8 1/2 | 8 x 7 | 3 | 12 |
| 6-SP | Steel Wire | 5/8 | Foam Plastic | 8 1/2 | 8 x 7 | 4 | 12 |
| Solid Pla | astic Block | | | | | | |
| 6-BNP | Black Nylon | 1 | Solid Plastic | 8 1/2 | 8 x 7 | 4 | 12 |
| | | | | | | | |



FENDER AND UTILITY BRUSHES

Made of the highest quality materials and available in a wide variety of fiber for all applications.

8" Blocks

Filling material is staple set in a wax tumbled 8" x 3" hardwood block with hang up hole in handle.

| Item ID | Description | Block Size (in) | Block Type | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|----------------------|--------------------|------------|------------------------|------------------------|----------------|
| 37 | Union Fiber | 8 | Wood | 2 | 7 | 12 |
| 40 | Palmyra | 8 | Wood | 2 | 7 1/4 | 12 |
| 40-SL* | Palmyra | 8 | Wood | 2 | 6 1/4 | 12 |
| 41 | White Tampico | 8 | Wood | 2 | 8 | 12 |
| 68 | Brown Plastic | 8 | Wood | 2 | 7 | 12 |
| 68-C | Yellow Plastic | 8 | Wood | 2 | 7 1/4 | 12 |
| 68-B | Crimped Blue Plastic | 8 | Wood | 1 3/4 | 7 | 12 |

Filling material is staple set in a high-tensile strength foam plastic block. Will not absorb water. Recommended for use where sanitation is required.

| 40-P | Palmyra | 8 | Foam Plastic | 2 | 6 | 12 |
|--------|---------------------------|---|--------------|------|---|----|
| 42 | Green Flagged Plastic | 8 | Foam Plastic | 2 | 7 | 12 |
| 75 | White Tampico | 8 | Foam Plastic | 2 | 6 | 12 |
| 76 | Tampafil (acid proof) | 8 | Foam Plastic | 2 | 6 | 12 |
| 76-SL* | Tampafil (acid proof) | 8 | Foam Plastic | 2 | 5 | 12 |
| 66 | Blue Plastic (acid proof) | 8 | Foam Plastic | 13/4 | 6 | 12 |

^{*}Economy version





(TOP ROW: 40-P, 76, 42 BOTTOM ROW: 75, 66, 76-SL)

8 1/2" Solid Plastic Blocks

Filling material is staple set in a polypropylene block. Will not break or crack. Will not absorb water. Angled handle prevents scraped knuckles.

Recommended for use in the food industry. Not recommended for use in acid solutions.

| Item ID | Description | Block Size (in) | Block Type | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------------------------|--------------------|------------|------------------------|------------------------|----------------|
| 68-TP | Tampico | 8 1/2 | Plastic | 2 | 7 | 12 |
| 68-P | Brown Plastic | 8 1/2 | Plastic | 2 | 6 1/2 | 12 |
| 68-CP | Yellow Plastic | 8 1/2 | Plastic | 2 | 6 1/2 | 12 |
| 68-WP | Clear Plastic | 8 1/2 | Plastic | 2 | 6 1/2 | 12 |
| 71-N | White Nylon | 8 1/2 | Plastic | 2 | 7 | 12 |
| 72 | Clear Poly | 8 1/2 | Plastic | 2 | 6 1/2 | 12 |
| 80 | Grey/White Flagged Plastic | 8 1/2 | Plastic | 2 | 6 1/2 | 12 |
| 82 | Green Nylex | 8 1/2 | Plastic | 2 | 6 1/2 | 12 |



(48 AND 49)

12" Wood Blocks

Filling material is staple set in a wax tumbled 12" x 3" hardwood block with hang up hole in handle.

| 48 | Palmyra | 12 | Wood | 2 | 8 1/4 | 12 |
|----|---------------|----|------|---|-------|----|
| 49 | White Tampico | 12 | Wood | 2 | 8 1/4 | 12 |

20" Blocks

Filling material is staple set in a wax tumbled $20" \times 3"$ hardwood block with hang up hole in handle.

| 39 | Union Fiber | 20 | Wood | 2 | 11 | 12 |
|--------|----------------------|----|------|-------|--------|----|
| 44 | Palmyra | 20 | Wood | 2 | 9 | 12 |
| 44-SL* | Palmyra | 20 | Wood | 2 | 9 | 12 |
| 45 | White Tampico | 20 | Wood | 2 | 10 | 12 |
| 70 | Brown Plastic | 20 | Wood | 2 | 10 1/4 | 12 |
| 70-C | Yellow Plastic | 20 | Wood | 2 | 10 | 12 |
| 70-B | Crimped Blue Plastic | 20 | Wood | 1 3/4 | 10 | 12 |
| | | | | | | |



Filling material is staple set in a polypropylene block. Will not break or crack. Will not absorb water. Angled handle prevents scraped knuckles.

Recommended for use in the food industry. Not recommended for use in acid solutions.

| 70-P | Brown Plastic | 20 | Plastic | 2 | 8 1/2 | 12 |
|-------|----------------|----|---------|---|-------|----|
| 70-CP | Yellow Plastic | 20 | Plastic | 2 | 8 1/2 | 12 |
| 70-WP | Clear Plastic | 20 | Plastic | 2 | 8 | 12 |
| 73-N | White Nylon | 20 | Plastic | 2 | 9 | 12 |



(L TO R: 70-B, 70-C, 44, 39, 70, 45)



(TOP TO BOTTOM: 70-P,70-WP,70-CP,73-N)





Filling material is staple set in a high-tensile strength foam plastic block. Will not absorb water.

Recommended for use where sanitation is required.

| Item ID | Description | Block Size (in) | Block Type | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------------------------|--------------------|--------------|------------------------|------------------------|----------------|
| 43 | Green Flagged Plastic | 20 | Foam Plastic | 2 | 10 | 12 |
| 77 | Tampafil (acid proof) | 20 | Foam Plastic | 2 | 10 | 12 |
| 78 | White Tampico (acid proof) | 20 | Foam Plastic | 2 | 10 | 12 |
| 81 | Grey/White Flagged Plastic | 20 | Foam Plastic | 2 | 10 | 12 |
| 83 | Green Nylex | 20 | Foam Plastic | 2 | 10 | 12 |
| 67 | Blue Plastic (acid proof) | 20 | Foam Plastic | 13/4 | 10 | 12 |
| | | | | | | |



Bent Handle

Grey & White Flagged Plastic is staple set in a 20" foam plastic handle bent at a slight angle to easily clean around wheels and fenders.

| 81-BH | Grey/White Flagged Plastic | 20 | Foam Plastic | 2 | 10 | 12 | |
|-------|-------------------------------|----|--------------|---|----|----|--|

Automobile and Floor Mat Brushes

Fiber is staple set in a polypropylene block with an upturned handle. Brush is trimmed flat.

Recommended for use in cleaning upholstery and floor mats.

| 65 | Stiff Brown Plastic | 8 1/2 | Plastic | 13/8 | 6 | 12 |
|-------|---------------------|-------|---------|-------|---|----|
| 65-HH | Horsehair | 8 1/2 | Plastic | 1 1/8 | 6 | 12 |



(65 AND 65-HH)

AUTOMOTIVE/DETAIL BRUSHES



Small Detail/Pastry

Natural bristle epoxy set into a smooth turned wooden handle. **Recommended Use:** Auto detail brush or as a pastry brush for food preparation

| Item ID | Description | Overall Length | Trim Length | Carton Wt. (lbs) | Carton Qty. |
|---------|--------------------|-------------------|----------------|---------------------|----------------|
| 16 | Natural Bristle | 7 9/16 | 17/8 | 13/4 | 24 |

Two Way Mini Detail

All natural bristle set in one end and black nylon set in opposite end of lacquered handle.

Recommended Use: Designed to clean dust in hard to reach or recessed areas, i.e. auto vents, keyboards, moldings, small crevices.

| Item ID | Description | Overall Length | Carton Wt. (lbs) | Carton Qty. |
|------------|---------------------------------|-------------------|---------------------|-------------|
| 296 | Natural Bristle/ Black Nylon | 6 1/2 | 3 | 72 |

Nylon Detail

| Item ID | Description | Overall Length | Trim Length | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|-------------------|----------------|---------------------|----------------|
| 298 | Black Nylon | 8 3/4 | 3/4 | 17/8 | 24 |

Detail/Stencil

Detail or stencil brush with black bristle epoxy set with metal ferrule.

| Item ID | Description | Trim Length | Carton Wt. (lbs) | Carton Qty. |
|------------|---------------|----------------|---------------------|-------------|
| DS-6 | Black Bristle | 1 1/2 | 1 1/2 | 12 |

Two Way Dash Brush

Made of Red Cotton yarn with a wire twist construction on one end set into a plastic ferrule and natural bristles glue set on the other end. Designed to clean dust in hard-to-reach recessed areas, ex: auto vents, keyboards, moldings, etc.

| Item ID | Description | Overall Length | Trim Length | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------------------|-------------------|----------------|---------------------|----------------|
| 299 | Natural Bristle/ Red Yarn | 11 1/2 | 13/8 | 2 | 20 |

Radiator / Tube

Black Horsehair. Straight-face wire handle.

| Item ID | Description | Overall Length | Carton Wt. (lbs) | Carton Qty. |
|------------|-----------------|-------------------|---------------------|-------------|
| 27 | Black Horsehair | 6 | 1 | 12 |

Black Flagged-Tip Polystyrene. Staple set in a plastic block with hang up hole in handle.

Recommended Use: Cleaning steam radiators and narrow, hard-to-reach places.

| Item ID | Description | Overall Length | Trim Length | Carton Wt. (lbs) | Carton Qty. |
|---------|----------------------|-------------------|----------------|---------------------|----------------|
| 28 | Black Polystyrene | 24 | 2 | 4 | 12 |

Handy Cleaning Brushes

Plastic Handle

| 270 | Stainless Steel | 7 | 1/2 | 1 1/2 | 36 |
|---------|--------------------|---|-----|-------|----|
| EC-270* | Stainless Steel | 7 | 1/2 | 3 | 48 |
| 271 | Brass | 7 | 1/2 | 1 1/2 | 36 |
| EC-271* | Brass | 7 | 1/2 | 3 | 48 |
| 272 | Nylon | 7 | 1/2 | 1 1/2 | 36 |
| EC-272* | Nylon | 7 | 1/2 | 3 | 48 |

^{*}Economy version

Wood Handle for Welding Industry

| 273 | Brass | 7 | 1/2 | 1 1/2 | 36 | |
|--------|--------------------|---|-----|-------|----|--|
| 274 | Stainless Steel | 7 | 1/2 | 1 1/2 | 36 | |
| EC-274 | Stainless Steel | 7 | 1/2 | 3 | 48 | |
| 276 | Nylon | 7 | 1/2 | 1 1/2 | 36 | |



Vehicle Wash and Automotive

AUTOMOTIVE/DETAIL BRUSHES













(L TO R: 280, 7-DOPE, 1A, 239-DT, 295, 290, 291)

Cleaning Brush Sets

| Item ID | Description | Overall Length | Diameter | Carton Wt. (lbs) | Carton Qty. |
|---------|--|-------------------|----------|---------------------|----------------|
| 280 | Brass, Nylon, Stainless Plastic Handle | 7 1/8 | 1/2 | 2 1/2 | 12 |
| 281 | Brass, Nylon, Stainless Wood Handle | 8 | 1/2 | 2 1/2 | 12 |

Dope/Cleaning Brush

| 7-Dope | Stiff Grey Horsehair | 7 | 1 1/8 | 1 1/2 | 36 | |
|--------|-------------------------|---|-------|-------|----|--|

Tin Handle Acid Brush

| 1-A | Stiff Black Horsehair | 6 | 3/4 | 2 1/4 | 144 |
|-----|--------------------------|---|-----|-------|-----|
| 2-A | Stiff Black Horsehair | 6 | 3/4 | 3 | 144 |
| 3-A | Stiff Black Horsehair | 6 | 5/8 | 3 1/2 | 144 |

Paintbrush Style Cleaning/Detail Brushes

| Item ID | Description | Overall Length | Diameter | Carton Wt. (lbs) | Carton Qty. |
|---------|--------------------|--------------------------------|----------|---------------------|----------------|
| 238 | Natural Bristle | 11/2" wide | 5/8 | 1 1/4 | 36 |
| 239 | Black Bristle | 11/2" wide | 3/4 | 2 | 24 |
| 239-DT | Grey Bristle | 1 1/2" wide Double Thick | 1 | 13/4 | 12 |

Vent Duster

| 295 | Natural Bristle | 6 | 17/8 brush head | 1 1/2 | 24 | |
|-------|--------------------|---|------------------------|-------|-----|--|
| 295-B | Natural Bristle | 6 | 1 7/8 brush head | 9 | 72* | |

^{*}Bulk packed no hang-up card

Type Inking/Auto Detail Multi Purpose

| 290 | Horsehair | 7 5/8 | 5/8 | 1 3/4 | 50 |
|-----|----------------|-------|-----------------|-------|----|
| 291 | White Nylon | 7 | 7/8 and 3/16 | 1 1/4 | 50 |

AUTOMOTIVE PARTS AND SPOKE

Gasoline Parts/ Detail

Brush part set in one inch diameter metal ferrule. Natural lacquered handle.

| Item ID | Description | Overall Length (in) | Bristle Length (in) | Handle Type | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------------|---------------------------|------------------------|----------------|------------------------|----------------|
| 10 | Stiff Multi-Color Tampico | 12 | 3 | Wood | 2 1/4 | 12 |
| 11 | Prostran | 12 | 3 | Wood | 4 1/2 | 24 |

Filling material is heat set in a polypropylene ferrule. Plastic handle with hang up hole.

| 12 | Polypropylene | 10 1/2 | 2 3/4 | Plastic | 2 1/2 | 24 |
|-----|-----------------|--------|-------|---------|-------|----|
| 13* | 100% Bristle | 12 | 3 | Plastic | 2 1/4 | 12 |
| 15 | Natural Bristle | 11 3/4 | 2 | Wood | 2 | 12 |

^{*} No hang up hole

Spoke Brushes

LARGE

White Tampico Fiber twisted in wire on plain sanded wood handle with hanger in end.

| 625 | White Tampico | 14 | 3" Diameter tapering to 11/4" | Wood | 5 | 12 | |
|-----|---------------|----|-------------------------------|------|---|----|--|

SMALL

Cream-color polypropylene twisted in wire on foam plastic handle.

| 626 | Cream Color | 10 1/2 | 6" Diameter | Foam | 2 1/2 | 12 |
|-----|---------------|--------|-----------------------|---------|-------|----|
| | Polypropylene | | tapering to 13/16" | Plastic | | |

Black poly bristle twisted in wire on molded handle.

| 627 | Soft Black Poly | 11 1/4 | 2 1/4" | Red Plastic | 13/4 | 12 |
|-----|-----------------|--------|-------------|-----------------|-------|----|
| 628 | Black Poly | 10 3/4 | 2" Diameter | Foam Plastic | 6 1/2 | 36 |

Black Polypropylene set in plastic coated twisted wire with a 6 inch red plastic handle.

| 629 | Black Poly | 12 | 2" tapering to 1" | Red Plastic | 2 | 12 |
|-----|------------|----|----------------------|----------------|---|----|





(625 AND 626)



(628)





AUTOMOTIVE SQUEEGEES

Vehicle Squeegees

8" Deluxe steel head with 20" wood handle. EPDM Rubber Blade. Heavy duty nylon net. Heavy duty sponge.

| Item ID | Overall Length | Handle Length | Head Length | Carton Wt. (lbs) | Carton Qty. |
|-------------------------------------|--------------------------|------------------------|-------------------|------------------------|--------------------------|
| 59053 | 24 | 20 | 8 | 11 | 12 |
| 8" Plastic head v | with 16" plastic handle. | Rust and scratch prod | of. | | |
| 59230 | 16 | 16 | 8 | 6 | 12 |
| 8" Deluxe Plasti plastic insert. | c Head with 20" heavy | duty plastic handle. E | EPDM Rubber Blade | . Heavy duty nylon net | . Heavy duty sponge with |
| 59263 | 21 1/2 | 20 | 8 | 9 | 12 |



AUTOMOTIVE MISCELLANEOUS









(L TO R: 142, 285, 400, QD-900, QD-816Y, QD-100)

Tire Changer Soap Mop

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|------------------|-------------|
| 142 | 11" overall | 1 1/2 | 24 |

17 Piece Spray Gun Cleaning Kit

Brushes can be used with all types of paint thinners and spray gun cleaning solvents. Ideal for cleaning all types of suction, Gravity feed, HVLP, Detail, Touch Up and Pressure Spray Guns as well as Air Brushes and Stripping Tools.

| 285 Spray Gun Cleaning Kit | 4 | 12 | |
|-------------------------------|---|----|--|
|-------------------------------|---|----|--|

Wash Mitts

Made of long lasting, soft synthetic fleece. Each mitt is individually packaged in a clear plastic bag.

Recommended Use: Ideal for washing and cleaning.

| 400 | 8" x 12" with cuff | 3 | 12 |
|-----|---------------------------------------|-------|----|
| 401 | 9" x 9" square, closed end no cuff | 3 | 12 |
| 402 | 8" x 12" mitt with cuff and thumb | 3 | 12 |
| 403 | 6" x 8" mitt with cuff | 1 1/2 | 12 |

PVA Imitation Chamois

Made of tough PVA material this product drys any surface without streaking or spotting and is safe for use on most surfaces. This material is resistant to most chemicals and absorbs water much faster than a regular towel or chamois and is resistant to odor, rot and mildew. Store moist in airtight bag or container. Machine wash if needed.

| QD-900 | 17" × 27" | 5 1/4 | 12 |
|--------|-----------|-------|----|
|--------|-----------|-------|----|

Microfiber Cloths

Made from very fine strands of microfiber, these high quality cloths will safely remove dust, dirt and grime without chemicals or detergents. Use damp to clean surfaces or dry for ordinary dusting. Cleans and polishes glass, chrome and brass. Dirt and dust are trapped in the microfiber and removed from the surface. Non-abrasive.

Recommended Use: Detailing automobiles. Use wherever you would normally use a paper towel or dust cloth. Care: Machine wash separately to avoid pick up lint from other items.

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. |
|---------|------------------|------------------|-------------|
| QD-816Y | 16" x 16" Yellow | 1 1/2 | 10 |
| QD-816B | 16" x 16" Blue | 1 1/2 | 10 |
| QD-824Y | 16" x 24" Yellow | 2 | 10 |
| QB-824B | 16 x 24" Blue | 2 | 10 |

Quick Dry Auto Squeegee

Super soft squeegee blade used for removing water from freshly washed vehicles. Rubber gripped handle aids in maneuverability.

| QD-100 | 12" | 3 1/3 | 12 |
|--------|-----|-------|----|



Vehicle Wash and Automotive

AUTOMOTIVE MISCELLANEOUS

Automotive Sponge

Mesh covering on one side for scrubbing and microfiber on the other for drying. **Recommended Use:** Ideal for cleaning windows, polishing car interiors, bodywork and trim.

| Item ID | Description | Carton Wt. (lbs) | Carton Qty. | |
|---------|----------------------|------------------|-------------|--|
| QD-500 | 9 3/4" × 5" × 2 1/2" | 3 3/4 | 24 | |



(QD-500)

Boot and Shoe Brush

Three piece solid injection molding with Black Polypropylene bristles in the base and Blue Polypropylene bristles in the sides. Tapered side bristles allow for easy removal of wet and dry debris from shoes and boots. Two pre-drilled holes with screws allow for easy attachment to most wooden surfaces.


| SB-1000 9" x 4 3/4" | 19 1/2 | 6 | |
|---------------------|--------|---|--|
|---------------------|--------|---|--|



(SB-1000)



800-248-2261 WWW.MAGNOLIABRUSH.COM



GENERAL PURPOSE WIRE SCRATCH BRUSHES

General Purpose Wire Scratch brushes are manufactured to withstand the tough uses of todays professional. Available in a variety of sizes, handles and fill options.

Shoe Handle Wire Brushes

Filling material staple set in a smooth wax tumbled hardwood block.

| Item ID | Description | Length (in) | Width (in) | Trim Length (in) | Rows | Carton Wt (lbs) | Carton Qty. |
|---------|---------------------------------|----------------|---------------|------------------------|--------|--------------------|----------------|
| 4-S | Round Carbon Steel | 10 | 1 | 1 1/8 | 4 x 16 | 4 1/2 | 12 |
| EC-4S | Round Carbon Steel (Economy) | 10 | 1 | 1 1/8 | 4 x 16 | 4 | 12 |
| 4-SB | Tempered Brass | 10 | 1 | 1 1/8 | 4 x 16 | 5 1/2 | 12 |
| 9-B | Polished Soft Brass | 10 | 1 | 1 1/8 | 4 x 16 | 5 | 12 |
| 9-S | Stainless Steel | 10 | 1 | 1 1/8 | 4 x 16 | 4 1/2 | 12 |
| EC-9S | Stainless Steel (Economy) | 10 | 1 | 1 1/8 | 4 x 16 | 4 | 12 |
| | | | | | | | |





| 4-SC | Round Carbon Steel | 10 | 1 | 1 1/8 | 4 x 16 | 6 | 12 |
|--------|---------------------------------|----|---|-------|--------|-------|----|
| EC-4SC | Round Carbon Steel (Economy) | 10 | 1 | 1 1/8 | 4 x 16 | 4 1/2 | 12 |



Curved Handle Wire Scratch

Filling material staple set in a smooth wax tumbled hardwood block.

| 1-S | Round Carbon Steel | 14 | 1 | 1 1/8 | 3 x 19 | 5 1/2 | 12 |
|--------|---------------------------------|----|-----|-------|--------|-------|----|
| EC-1S | Round Carbon Steel (Economy) | 14 | 1 | 1 1/8 | 3 x 19 | 3 | 12 |
| 7-S | Round Carbon Steel | 14 | 1 | 1 1/8 | 4 x 18 | 6 | 12 |
| 1-SS | Stainless Steel | 14 | 1 | 1 1/8 | 3 x 19 | 5 1/2 | 12 |
| EC-1SS | Stainless Steel (Economy) | 14 | 1 | 1 1/8 | 3 x 19 | 4 | 12 |
| 1-SB | Tempered Brass | 14 | 1 | 1 1/8 | 3 x 19 | 5 1/2 | 12 |
| 22-S | Round Carbon Steel | 13 | 1/2 | 1 | 2 x 19 | 4 | 12 |
| | | | | | | | |

With Scraper

| 1-SC | Round Carbon Steel | 14 | 1 | 1 1/8 | 3 x 19 | 6 | 12 |
|--------|--------------------|----|---|-------|--------|---|----|
| EC-1SC | Round Carbon Steel | 14 | 1 | 1 1/8 | 3 x 19 | 4 | 12 |
| 7-SC | Round Carbon Steel | 14 | 1 | 1 1/8 | 4 x 18 | 7 | 12 |



| 8-SC | Steel Wire | 11 1/2 | 1 1/2 | 1 9/16 | 4 x 11 | 8 | 12 |
|--------|---------------------------|--------|-------|--------|--------|-------|----|
| EC-8S | Steel Wire (Economy) | 11 1/2 | 1 1/2 | 1 5/16 | 4 x 10 | 5 | 12 |
| EC-8SS | Stainless Steel (Economy) | 11 1/2 | 1 1/2 | 1 5/16 | 4 x 10 | 5 | 12 |
| 8L-SC | Steel Wire | 20 | 1 1/2 | 1 9/16 | 4 x 11 | 9 3/4 | 12 |





800-248-2261 WWW.MAGNOLIABRUSH.COM

Steel Wire Floor Brushes

Black carbon steel wire, staple set in a smooth sanded hardwood block with tapered handle hole. Handle not included

| Item ID | Description | Length (in) | Width (in) | Trim Length (in) | Rows | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------------------|----------------|---------------|------------------------|--------|---------------------|----------------|
| 3814 | Black Carbon Steel Wire | 14 | 2 1/2 | 3 1/2 | 6 x 29 | 44 | 12 |

Flat, oil-tempered steel wire, staple set in a hardwood block with tapered handle hole. Handle not included.

| 2512 | Flat Steel Wire | 12 | 2 3/8 | 5 | 4 x 16 | 25 1/2 | 12 | |
|------|-----------------|----|-------|---|--------|--------|----|--|



Tempered flat steel wire, staple set in a smooth wax tumbled hardwood block.

| 101 | Flat Steel Wire | 7 3/4 | 2 5/8 | 1 1/4 | 5 x 10 | 10 | 12 |
|-----|-----------------|-------|-------|-------|--------|----|----|

Rockerback Wire Scratch

Tempered round carbon steel wire staple set in a wax tumbled hardwood block. Rocker back design permits extra pressure on rusty or corroded surfaces.

| 0.0 | | 7 4/4 | 0.4/0 | 4.410 | 0 04 | 4.0 | 10 |
|---------|------------------|-------|-------|-------|--------|-----|----|
| 3-S Roi | und Carbon Steel | 7 1/4 | 2 1/2 | 1 1/8 | 9 x 21 | 10 | 12 |

Straightback Wire Scratch

Round carbon steel wire, staple set in a smooth sanded hardwood block.

| 5-S | Round Carbon Steel | 7 1/8 | 2 1/4 | 13/4 | 6 x 19 | 9 | 12 |
|-------|--------------------|-------|-------|------|--------|---|----|
| 5-ST* | Round Carbon Steel | 7 1/8 | 2 1/4 | 13/4 | 6 x 19 | 9 | 12 |

^{*}With threaded handle hole

Painters' Scratch Brushes with Scraper

Round carbon steel wire, staple set in a wax tumbled hardwood block with 6" scraper and handle bracket attached. Handle sold separately.

Recommended Use: scaling and scraping old paint.

| 5-SC-7 | Round Carbon Steel | 7 1/8 | 2 1/4 | 1 9/16 | 6 x 19 | 14 | 12 |
|---------|-----------------------------|-------|-------|--------|--------|--------|----|
| 5-SC-15 | Round Carbon Steel | 15 | 2 1/4 | 1 9/16 | 6 x 38 | 10 1/2 | 6 |
| S-48 | Square Cut Handle for above | 48 | 1 1/8 | | | 15 | 12 |





(2512)





(3-S)



(5-S





GENERAL PURPOSE WIRE SCRATCH BRUSHES

Steel Wire Whisk

Round carbon steel wire, staple set in a smooth sanded hardwood block.

| Item ID | Description | Trim Length (in) | Rows | Carton Wt (lbs) | Carton Qty. |
|---------|-------------------------|---------------------|-------|-----------------|-------------|
| 2-S | Round Carbon Steel Wire | 2 5/8 | 4 x 8 | 3 1/4 | 12 |



All-Purpose Dual Fiber

Plastic block designed with scraper on one end and brush head on other. Filled with brass wire on tip -5/8" trim and polypropylene on bottom -3/4" trim. An ideal brush for washing, cleaning and scouring. Other uses: stripping and removal of paint. Brush face 23/4" x 11/4".

| Item ID | Description | Length (in) | Width (in) | Trim Length (in) | Rows | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|----------------|---------------|------------------------|-------|---------------------|----------------|
| 66-MP | Brass/Poly | 7 5/8 | 1 1/2 | 3/4 | 6 x 9 | 2 1/4 | 12 |



Asbestos Removal

White very stiff polypropylene, staple set in a smooth wax tumbled hardwood handle. This brush was designed for removal of asbestos fibers.

| Item ID | Description | Length (in) | Width (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------|----------------|------------|------------------------|---------------------|----------------|
| 1-SP | White Stiff Plastic | 14 | 1 | 5/8 | 4 3/4 | 12 |



Casting Brush

 $7\frac{1}{2}$ ' Flat Wire, 5×10 row, 4' trim, hardwood block

| Item ID | Description | Length (in) | Trim Length (in) | Rows | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|----------------|------------------------|--------|---------------------|----------------|
| 2510 | Flat Wire | 7 1/2 | 4 | 5 x 10 | 16 1/4 | 12 |



Looped Handle Wire

Made of carbon wire with a looped steel handle.

Recommended Use: industrial, automotive and construction applications.

| Item ID | Description | Length (in) | Width (in) | Trim Length (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|----------------|------------|------------------------|---------------------|----------------|
| 20-S | Carbon Wire | 5 3/8 | 13/8 | 1 1/2 | 1 1/3 | 12 |



800-248-2261 WWW.MAGNOLIABRUSH.COM



WATER PAINT PASTE WHITE WASH

Water paint, coater and applicator brushes made for the professional and available for all types of applications. Available in a variety of sizes, handles and fill options.

BEST GRADE TAMPICO

Water Paint Brush

Best Grade White Tampico fiber staple set in clear lacquered hardwood block with $6\frac{3}{4}$ inch red handle attached.

Recommended Use: This is a heavily filled brush recommended for the professional contractor.

| ltem Id | Description | Block Length | Block Width | Trim Length (in) | Handle Length | Rows | Carton Wt. (lbs) | Carton Qty. |
|------------|---------------|-----------------|----------------|---------------------|------------------|------|---------------------|----------------|
| 561 | White Tampico | 6 1/2 | 2 | 4 | 6 3/4 | 5 | 10 | 12 |

Best Grade White Tampico fiber staple set in wax tumbled hardwood block with attached handle

| 560 | White Tampico | 6 1/2 | 13/4 | 3 1/2 | 6 3/4 | 4 | 8 | 12 |
|-----|---------------|-------|------|-------|-------|---|---|----|
| 562 | White Tampico | 6 1/2 | 13/4 | 4 | 6 3/4 | 4 | 8 | 12 |
| 564 | White Tampico | 6 | 13/4 | 3 | 6 3/4 | 4 | 7 | 12 |



| 563 | White Tampico | 4 1/4 | 13// | 3 | 5 1/2 | 1 | 5 | 12 | _ |
|-----|---------------|-------|-------|---|-------|---|---|----|---|
| 505 | write fampico | 4 1/4 | 1 3/4 | 3 | 3 1/2 | 4 | 5 | 12 | |



| Item Id | Description | Block Length | Trim Length (in) | Handle Length | Rows | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------|-----------------|---------------------|------------------|------|---------------------|----------------|
| 566 | White Tampico | 6 | 3 1/4 | 6 3/4 | 2 | 6 | 12 |
| 567 | White Tampico | 7 | 3 1/4 | 6 3/4 | 2 | 7 | 12 |

Solvent Resistant Polypropylene

Clear Solvent-Resistant Plastic staple set in clear lacquered hardwood block with $6^{3}\!4$ inch handle attached.

Recommended Use: For applying all types of masonry and water paints.

| Item Id | Description | Block Length | Block Width | Trim Length (in) | Handle Length | Rows | Carton Wt. (lbs) | Carton Qty. |
|------------|------------------------------------|-----------------|----------------|---------------------|------------------|------|---------------------|----------------|
| 560-P | Almond Colored Polypropylene | 6 1/2 | 1 3/4 | 3 1/2 | 6 3/4 | 4 | 8 | 12 |
| 565 | Clear Polystyrene | 6 1/2 | 2 | 3 1/4 | 6 3/4 | 5 | 7 1/2 | 12 |







(563)





(560-P AND 565)

Applicator Brushes

| Item Id | Description | Block Length | Trim Length (in) | Handle Length | Rows | Carton Wt. (lbs) | Carton Qty. |
|---------|---------------------------------|-----------------|------------------------|------------------|------|------------------------|----------------|
| 566-P | Almond Colored Polypropylene | 6 | 3 1/4 | 6 3/4 | 2 | 5 1/2 | 12 |
| 567-P | Almond Colored Polypropylene | 7 | 3 1/4 | 6 3/4 | 2 | 6 1/4 | 12 |

White Wash Brushes

Selected White Tampico Fiber staple set in smooth sanded wax tumbled hardwood block with tapered handle hole.

| 577 | White Tampico | 7 | 2 1/2 | ** | 3 | 6 1/2 | 12 |
|-----|---------------|---|-------|----|---|-------|----|
| 578 | White Tampico | 8 | 2 1/2 | ** | 3 | 6 1/2 | 12 |

^{**}Can be used with a tapered handle not included

Seal Coat Brush

Cream-color Polypropylene fiber is staple set in wax tumbled hardwood block. **Recommended Use:** Applying seal coating, cement slurry, water proofing, etc.

| Item Id | Description | Block Length | Block Width | Trim Length (in) | Handle Length | Rows | Carton Wt. (lbs) | Carton Qty. |
|---------|--------------------------------|-----------------|----------------|------------------------|------------------|------|------------------------|----------------|
| 568 | Cream Colored Polypropylene | 6 | 1 1/16 | 3 1/8 | 6 3/4 | 3 | 9 1/2 | 12 |

Masonry/Applicator/Paste with Hang Clip

Filling material staple set in foam plastic block with hang clip molded into 61/2" handle. Convenient for hanging brush on side of can or bucket.

| 580 | Tampico | 6 | 13/4 | 3 1/2 | 6 1/2 | 4 | 8 | 12 |
|-------|------------------------------------|---|------|-------|-------|---|-------|----|
| 580-P | Almond Colored Polypropylene | 6 | 13/4 | 3 1/2 | 6 1/2 | 4 | 8 | 12 |
| 586 | Tampico | 6 | 3/4 | 3 1/2 | 6 1/2 | 2 | 6 | 12 |
| 586-P | Almond Colored | 6 | 3/4 | 3 1/2 | 6 1/2 | 2 | 5 1/2 | 12 |
| | Polypropylene | | | | | | | |





(577



(568)



(L TO R: 586-P, 580, 586-P, 586)

PAINT BRUSHES

Paint brushes from Magnolia Brush are available for all applications and come in a variety of filaments and blends for the perfect coat.



(L TO R:233, 235-DT, FB-2, 257, RAD-1, OS-2)

Chip Brushes

Magnolia Chip Brushes are made of 100% White bristles. Smooth sanded handle with tin ferrule. 1 1/2" trim. Single thickness.

| MAG # | Description | Carton Qty | Carton Wt. (lbs) | Master PK Qty | Master Weight |
|---------------------|--|---------------|---------------------|------------------|------------------|
| 230 | 1/2" Low Cost Chip Brush | 36 | 1 | 864 | 17 |
| 231 | 1" Low Cost Chip Brush | 36 | 1 1/2 | 864 | 35 |
| 232 | 1-1/2" Low Cost Chip Brush | 36 | 2 | 864 | 43 |
| 233 | 2" Low Cost Chip Brush | 24 | 2 1/4 | 432 | 54 |
| 234 | 2-1/2" Low Cost Chip Brush | 24 | 1 1/4 | 432 | 43 |
| 235 | 3" Low Cost Chip Brush | 24 | 1 1/2 | 432 | 52 |
| 236-S | 4" Low Cost Chip Brush | 12 | 1 1/4 | 240 | 40 |
| Double ⁻ | Thickness – 2 1/4" trim | | | | |
| 235-DT | 3" Low Cost Chip Brush (Double Thickness) | 12 | 2 | 240 | 20 |
| 236 | 4" Low Cost Chip Brush (Double Thickness) | 12 | 2 1/2 | 144 | 30 |

Foam Brushes

Polyfoam paint brushes with wooden dowel type handle. Not recommended for use with lacquer, shellac or solvents.

| Item ID | Width (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|------------|------------------|-------------|
| FB-1 | 1 | 1/4 | 12 |
| FB-2 | 2 | 1/4 | 12 |
| FB-3 | 3 | 1/2 | 12 |
| FB-4 | 4 | 1/2 | 12 |
| | | | |

800-248-2261 WWW.MAGNOLIABRUSH.COM

Low Cost Polyester

Polyester bristle epoxy set in a plastic handle with metal ferrule.

Recommended for use with all paints.

| Item ID | Size | Carton Wt. (lbs) | Carton Qty. |
|---------|-------|------------------|-------------|
| 257-1 | 1 | 1 | 12 |
| 257-1.5 | 1 1/2 | 1 1/2 | 12 |
| 257-2 | 2 | 2 | 12 |
| 257-2.5 | 2 1/2 | 2 1/2 | 12 |
| 257-3 | 3 | 3 | 12 |
| 257-4 | 4 | 3 3/4 | 12 |

Radiator Brushes

100% Bristle set in a bent ferrule on a 14 1/2" natural wood handle.

Recommended Use: Cleaning radiators and other hard to reach places.

| Item ID | Width (in) | Carton Wt. (lbs) | Carton Qty. | Trim Length (in) |
|---------|------------|---------------------|-------------|---------------------|
| RAD-1 | 1 | 1 1/2 | 12 | 1 3/4 |
| RAD-1.5 | 1 1/2 | 2 | 12 | 13/4 |
| RAD-2 | 2 | 2 | 12 | 2 |
| RAD 2.5 | 2 1/2 | 3 | 12 | 2 |
| RAD-3 | 3 | 3 1/2 | 12 | 2 1/8 |
| RAD-4 | 4 | 4 1/4 | 12 | 2 1/8 |
| | | | | |

Oval Sash Brushes

100% Bristle set in a metal ferrule on a lacquered wooden handle with hang up hole. Suggested for use with oil based paints, enamel, epoxy, urethane, alkyd oil, varnish, shellac and solvents.

Recommended Use: Cleaning parts, home improvement projects, faux finish and cleaning nooks and crevices that wear out a flat brush.

| OS-2 | 9 1/2 | 1 | 12 | 3/4 |
|-------|--------|-------|----|-------|
| OS-4 | 9 3/4 | 1 | 12 | 1 |
| OS-6 | 10 | 1 1/2 | 12 | 2 1/8 |
| OS-8 | 10 3/4 | 2 | 12 | 2 |
| OS-10 | 12 1/8 | 2 1/4 | 12 | 2 |
| OS-12 | 12 5/6 | 1 1/4 | 12 | 2 |



Professional Wall

(L TO R: 250-3, 251, 252-2, 253-2)

China Bristle Beavertail

Bristles are epoxy set in a smooth sanded natural wooden handle. Professional quality for industrial or household use. *Recommended for use* with oil based paints, varnishes, stains and enamels.

| Item ID | Width (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|------------|------------------|-------------|
| 250-1 | 1 | 1 | 12 |
| 250-1.5 | 1 1/2 | 1 1/2 | 12 |
| 250-2 | 2 | 13/4 | 12 |
| 250-2.5 | 2 1/2 | 2 1/2 | 12 |
| 250-3 | 3 | 2 3/4 | 12 |
| 250-4 | 4 | 13/4 | 6 |

China Bristle Angle Sash

Angled bristle epoxy set in a smooth sanded natural wooden handle with stainless steel ferrule, allows for easy painting in corners and other places that are hard to reach with a regular straight brush.

Recommended for use with oil based paints, varnishes, stains and enamels.

| 251-1.5 | 1 1/2 | 13/4 | 12 |
|---------|-------|-------|----|
| 251-2 | 2 | 2 1/2 | 12 |
| 251-2.5 | 2 1/2 | 3 | 12 |
| 251-3 | 3 | 4 3/4 | 12 |

SRT Polyester Beavertail

SRT Polyester bristles are epoxy set in a smooth sanded natural wooden handle. Professional quality for industrial or household use.

Recommended for use with all paints.

| 252-1 | 1 | 1 1/2 | 12 |
|---------|-------|-------|----|
| 252-1.5 | 1 1/2 | 2 1/4 | 12 |
| 252-2 | 2 | 2 3/4 | 12 |
| 252-2.5 | 2 1/2 | 3 3/4 | 12 |
| 252-3 | 3 | 5 1/4 | 12 |
| 252-4 | 4 | 4 | 6 |

SRT Polyester Angle Sash

Recommended for use with all paints. Use around doors, windows and trim for an easier finish.

| Item ID | Width (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|------------|------------------|-------------|
| 253-1.5 | 1 1/2 | 2 1/2 | 12 |
| 253-2 | 2 | 3 1/4 | 12 |
| 253-2.5 | 2 1/2 | 4 | 12 |
| 253-3 | 3 | 5 1/4 | 12 |

Nylon/Polyester Blend Beavertail

Nylon and Polyester bristles epoxy set in a smooth sanded natural wood handle with stainless steel ferrule. Professional Quality for industrial or household use.

Recommended for use with all paints.

| 254-1 | 1 | 1 1/2 | 12 |
|---------|-------|-------|----|
| 254-1.5 | 1 1/2 | 2 1/4 | 12 |
| 254-2 | 2 | 2 3/4 | 12 |
| 254-2.5 | 2 1/2 | 3 3/4 | 12 |
| 254-3 | 3 | 5 1/4 | 12 |
| 254-4 | 4 | 4 | 6 |

Nylon/Polyester Blend Angle Sash

Angled bristles allow for easy painting in corners and other places that are hard to reach with a regular straight brush. Professional quality for industrial or household use.

Recommended for use with all paints.

| 255-1.5 | 1 1/2 | 2 1/2 | 12 |
|---------|-------|-------|----|
| 255-2 | 2 | 3 3/4 | 12 |
| 255-2.5 | 2 1/2 | 4 | 12 |
| 255-3 | 3 | 5 1/4 | 12 |





(254 AND 255-2)



Paint Sundry PAINT BRUSHES



Professional Wall (continued)

Nylon

Recommended Use: Tapered Nylon, "Epoxy" set. Very fine brush for painting large flat wall surfaces both interior/ exterior and for fine clean up jobs. Smooth wood handles with stainless steel ferrule. Best used with water based paints

| Item ID | Width (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|------------|------------------|-------------|
| 904 | 4 | 3 | 6 |
| 905 | 5 | 2 | 3 |
| 906 | 6 | 2 | 3 |



Industrial Paint Brushes

100% black bristles epoxy set in varnished handle. 1½ inch thickness. Moderately priced.

Recommended Use: For industrial or household use. For painting fixtures, machinery, for do-it-yourself jobs, etc.

| Item ID | Width (in) | Carton Wt. (lbs) | Carton Qty. | Trim Length (in) |
|---------|------------|---------------------|-------------|---------------------|
| 241 | 1 | 1 | 12 | 2 |
| 242 | 2 | 2 | 12 | 2 |
| 243 | 3 | 3 | 12 | 2 1/4 |
| 244 | 4 | 3 1/4 | 12 | 2 1/4 |

ROLLER COVERS



Heavy Duty

100% Synthetic fiber attached to a 4-ply Phenolic Core backing.

| Item ID | Length (in) | Nap (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|----------|---------------------|-------------|
| 3SC038 | 3 | 3/8 | 2 | 24 |
| 3SC050 | 3 | 1/2 | 3 | 24 |
| 3SC075 | 3 | 3/4 | 2 | 24 |
| 4SC038 | 4 | 3/8 | 3 | 24 |
| 4SC050 | 4 | 1/2 | 3 | 24 |
| 4SC075 | 4 | 3/4 | 3 | 24 |
| 9SC025 | 9 | 1/4 | 4 | 24 |
| 9SC038 | 9 | 3/8 | 4 1/2 | 24 |
| 9SC050 | 9 | 1/2 | 5 | 24 |
| 9SC075 | 9 | 3/4 | 5 | 24 |
| 9SC125 | 9 | 1 1/4 | 6 | 24 |
| 18SC038 | 18 | 3/8 | 4 1/2 | 12 |
| 18SC050 | 18 | 1/2 | 5 | 12 |
| 18SC075 | 18 | 3/4 | 6 | 12 |
| 18SC125 | 18 | 1 1/4 | 6 | 12 |
| | | | | |



Good Value

100% Synthetic fiber attached to a 3-ply Phenolic Core backing.

| Item ID | Length (in) | Nap (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|----------|---------------------|-------------|
| 9TU038 | 9 | 3/8 | 6 1/2 | 24 |
| 9TU050 | 9 | 1/2 | 5 | 24 |
| 9TU075 | 9 | 3/4 | 5 | 24 |
| 9TU100 | 9 | 1 | 5 | 24 |
| 9TU125 | 9 | 1 1/4 | 6 | 24 |

White Velvet




White Velvet Roller Cover – 100% Dralon fiber. Lint free use in all paints.

Recommended Use: Applying clear finishes

| 4WV038 | 3 | 3/8 | 3 | 24 |
|---------|----|-----|-------|----|
| 9WV038 | 9 | 3/8 | 4 1/2 | 24 |
| 18WV038 | 18 | 3/8 | 6 | 12 |

Paint Sundry ROLLER COVERS







(4MR-P10, 4MR-WY10, 4MR-F10)

Mo-Tech

100% Synthetic fiber. Dripless synthetic and lint free. **Recommended Use:** Gloss and Semi-Gloss Paints.

| Item ID | Length (in) | Nap (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-------------|----------|---------------------|-------------|
| 9MT025 | 9 | 1/4 | 4 | 24 |
| 18MT025 | 18 | 1/4 | 4 1/2 | 12 |

Foam

Yellow Foam Roller Covers with PVC core. Large cover (9FM075) made with slits to ensure even coverage on rough or uneven surfaces. Foam covers won't splatter, mat or leave fuzz in finish and are seamless for even coverage. Foam does not absorb paint, resulting in easy clean up with water if you are using latex paint or with the correct solvent if you are using paints other than latex.

Recommended Use: For use with all paints (NOT lacquer or shellac). Great for getting a lot of paint onto porous surfaces (such as wood paneling or cabinets), and for creating supersmooth finishes with glossier paints.

| 9FM038 | 9 | 3/8 | 2 | 12 |
|--------|---|-----|-------|----|
| 9FM075 | 9 | 3/4 | 2 1/2 | 12 |

Heavy Duty Carpet Roller Cover

For a texture finish. Synthetic, gray carpet twist fabric on phenolic core creates a stippled effect on smooth to medium surfaces with all paints

| 9CP038 | 9 | 3/8 | 8 | 36 | |
|--------|---|-----|---|----|--|

Mini Roller Covers

Red Polyester Roller Cover

For use with all Paints.

| Item ID | Length (in) | Carton Wt. (lbs) | Carton Qty. |
|------------------|-------------|------------------|-------------|
| 4MR-P10 | 4 | 1/2 | 10* |
| 6MR-P10 | 6 | 3/4 | 10* |
| *packed 10 per d | lear box | | |
| 4MR-PB | 4 | 2 1/2 | 24* |
| 6MR-PB | 6 | 3 | 24* |

^{*}packed 2 per bag 24 bags per carton

White and Yellow Striped Acrylic Roller Covers

For use with all Paints.

| Item ID | Length (in) | Carton Wt. (lbs) | Carton Qty. |
|------------------|-------------|------------------|-------------|
| 4MR-WY10 | 4 | 1/2 | 10* |
| 6MR-WY10 | 6 | 1/2 | 10* |
| *packed 10 per c | lear box | | |
| 4MR-WYB | 4 | 2 | 24* |
| 6MR-WYB | 6 | 3 | 24* |

^{*}packed 2 per bag 24 bags per carton

White Foam

For use with all Paints.

| 4MR-F10 | 4 | 1/2 | 10* | |
|---------------|--------------|-----|-----|--|
| 6MR-F10 | 6 | 1/2 | 10* | |
| *packed 10 pe | er clear box | | | |
| 4MR-FB | 4 | 2 | 24* | |
| 6MR-FB | 6 | 3 | 24* | |

^{*}packed 2 per bag 24 bags per carton



ROLLER COVER KITS

Contractor packs for convenience.

13 Piece Contractor Kit

Packaged in a neat plastic storage container. Designed for the Contractor.

| Item ID | Quantity | Contents | Individual Weight (lbs) | Carton Qty. |
|---------|----------|--------------------------------|----------------------------|-------------|
| CK-13 | | | 3 | 6 |
| | 10 | 9" Roller Covers (Medium Pile) | | |
| | 2 | 9" Roller Covers (Long Pile) | | |
| | 1 | 900-516 Roller Frame | | |



7 Piece Contractor Kit

Packaged in a neat plastic storage container. Designed for the contractor.

| CK-7 | | | 2 1/4 | 6 | |
|------|---|--------------------------------|-------|---|--|
| | 5 | 9" Roller Covers (Medium Pile) | | | |
| | 1 | 9" Roller Covers (Long Pile) | | | |
| | 1 | 900-516 Roller Frame | | | |



3 Piece Masonry Kit

Packaged in a neat plastic storage container. 6 kits per carton.

| MK-3 | | 1 3/4 | 6 | |
|------|--|-------|---|--|
| 2 | 10" White Woven Acrylic Roller Covers | | | |
| 1 | 10" Heavy Dusty Contractor Frame | | | |



(MK-3

ROLLER FRAMES



Heavy Duty

9" Heavy Duty Roller Frame – Exceptional quality frame made of 5/16" chrome plated steel, 5 wire cage and reinforced handle socket. Better end cap attachment and larger handle grip.

| Item ID | Width | Carton Wt. (lbs) | Carton Qty. |
|---------|-------|------------------|-------------|
| 1695-HD | 9 | 14 | 12 |
| 900-516 | 9 | 20 | 24 |

Good Value

Frame made of 1/4" chrome plated steel, 4 wire cage and reinforced handle socket

| 300-014 | 3 | 7 1/2 | 24 | |
|---------|---|-------|----|--|
| 400-014 | 4 | 9 | 24 | |
| 900-014 | 9 | 11 | 24 | |

Heavy Duty Frame and Paint Kit

Convenient three piece kit containing 18" adjustable metal frame, cover and solvent resistant tray.

| 1900-KIT | 18" | 14 | 6 | |
|----------|-----|----|---|--|
|----------|-----|----|---|--|

Industrial Frame

Adjustable Industrial paint frame with threaded handle hole. End Caps sold Separately.

|--|

End Caps for 1800-112 Industrial Frame. Sold in Pairs, 6 pairs per carton

| 1800-112CAP End Caps for 1800-112 | 12 | 2 |
|-----------------------------------|----|---|
|-----------------------------------|----|---|

Heavy Duty Adjustable

12 inch to 18 inch adjustable metal frame. End Caps sold Separately.

| Item ID | Width | Carton Wt. (lbs) | Carton Qty. |
|--------------|----------|------------------|-------------|
| 1800-1218 | 12-18" | 11 | 12 |
| 1800-1218CAP | End Caps | 2 | 12 pair |

Mini Roller Frames

Frame made of chrome plated steel. One steel wire for use with mini-rollers.

12" with plastic handle

| MRF-412 | 4 | 6 1/2 | 24 | |
|---------|---|-------|----|--|
| MRF-612 | 6 | 7 1/2 | 24 | |

19" with plastic handle

| MRF-419 | 4 | 9 | 24 | |
|---------|---|----|----|--|
| MRF-619 | 6 | 10 | 24 | |



PAINT TRAYS AND ACCESSORIES



(L TO R: MET-100, PET-100G, PET-1800, MIN-100, LIN-100, GRID-1)

Metal Paint Tray

| Item ID | Size (in) | Carton Wt. (lbs) | Carton Qty. |
|---------|-----------|------------------|-------------|
| MET-100 | 9 | 17 | 24 |

Black Plastic Paint Trays

| PET-100G 9 16 24 |
|------------------|
|------------------|

Industrial size molded plastic tray is economical yet durable withstanding many uses on the job.

| DET 1000 | 22 | 0 | 6 | |
|----------|----|---|---|--|
| PE1-1800 | 22 | 9 | 6 | |

Mini Paint Trays

For use with 4 in and 6 inch mini rollers.

| MIN-100 | 4 | 6 1/2 | 24 | |
|---------|---|-------|----|--|
| MIN-200 | 7 | 12 | 24 | |

Paint Tray Liner

Disposable Liners for easy paint tray clean-up. Fit's all 9 inch paint trays.

| LIN-100 | 9 | 2 1/2 | 24 | |
|---------|---|-------|----|--|

Metal Bucket Grids

Paint bucket grids for painting directly out of a bucket.

| GRID-1 | 1 Gallon | 7 | 24 | |
|--------|----------|--------|----|--|
| GRID-5 | 5 Gallon | 13 1/2 | 24 | |

Handles

| Item ID | Size (ft) | Diameter | Carton Wt. (lbs) | Carton Qty. |
|----------|-----------|----------|---------------------|-------------|
| LC-48-12 | 4 | 15/16 | 10 | 12** |
| LC-60-12 | 5 | 15/16 | 13 | 12** |
| LC-72-12 | 6 | 15/16 | 15 | 12** |
| LC-48-24 | 4 | 15/16 | 19 | 24** |
| LC-60-24 | 5 | 15/16 | 25 | 24** |
| LC-72-24 | 6 | 15/16 | 29 | 24** |

^{**}paper wrapped bundle

Mini Paint Pails

| Item ID | Width Bottom (in) | Width Top (in) | Height (in) | Volume (qt) | Carton Wt. (lbs) | Carton Qty. |
|-----------------------|-------------------------|-------------------|----------------|----------------|------------------------|----------------|
| #2.5 Paint Pail | 6 1/8 | 7 1/4 | 4 7/8 | 2 1/2 | 21 3/4 | 36 |
| #5 Paint Pail | 7 3/8 | 8 1/2 | 6 1/4 | 5 | 19 1/2 | 24 |



(LC-48-12)



(#2.5 PAINT PAIL)

SPONGES

Polyester

Made of 100% polyester. The best man made sponge available. Holds as much water as a natural sponge.

Recommended Use: For use in the tile and painting industry. Rounded corners prevent marring and digging into grout. Also good for washing cars, boats and windows.

| Item ID | Shape | Length (in) | Width (in) | Height (in) | Weight (oz) | Quantity |
|---------|-------------|----------------|------------|-------------|-------------|----------|
| 591 | Rectangular | 6 | 4 | 2 | 1 | 1* |
| 592 | Rectangular | 6 5/8 | 4 3/8 | 2 1/8 | 2 | 1* |
| 593 | Rectangular | 7 1/4 | 5 1/8 | 2 1/4 | 2 | 1* |
| 595 | Half-Round | 7 1/2 | 4 1/2 | 2 3/4 | 1 1/2 | 1* |
| | | | | | | |

Peanut Shaped

Jumbo all purpose sponge, peanut shaped for easy holding.

Recommended Use: Ideal for washing vehicles, outdoor furniture, boats, etc.

|--|

^{*} Also available in bale quantity



WALLPAPER TEXTURE

PaperHanger Smoother

Filling material is staple set in smooth sanded wax tumbled hardwood block. Two rows of fiber.

| 512 White Tampico 12 2 8 12 513 Clear Polystyrene 12 2 7 1/2 12 514 Tampafil Polypropylene 12 2 7 1/2 12 | Item ID | Description | (in) | (in) | (lbs) | Carton Qty. |
|--|---------|------------------------|------|------|-------|-------------|
| | 512 | White Tampico | 12 | 2 | 8 | 12 |
| 514 Tampafil Polypropylene 12 2 7 1/2 12 | 513 | Clear Polystyrene | 12 | 2 | 7 1/2 | 12 |
| Tampam respiratorial in the second se | 514 | Tampafil Polypropylene | 12 | 2 | 7 1/2 | 12 |
| 515 Clear Polystyrene 12 9/16 6 3/4 12 | 515 | Clear Polystyrene | 12 | 9/16 | 6 3/4 | 12 |

Faux Finish

Three rows of green nylex staple set in a clear lacquered hardwood block. **Recommended Use:** Designed for use in applying faux finishing.

| 578-N | Green 6.12 Nylex | 8 | 1 1/2 | 6 1/2 | 12 | |
|-------|------------------|---|-------|-------|----|--|





CROWSFOOT BRUSHES

Pattern Texture brushes are constructed of select white tampico or horsehair and built to our high standards. These high quality brushes hold up well when applying the "stomped" or "slap-brush" texture technique to ceilings and walls.

CROWSFOOT – PATTERN TEXTURE BRUSHES

Oblong

White Tampico Fiber, staple set in a smooth sanded hardwood block, standard threaded handle hole in center. Handle not included.

| Item ID | Description | Туре | Overall Width | Overall Length | Block Size (in) | Crossbar | Carton Wt. (lbs) | Carton Qty. |
|---------|------------------|--------|------------------|-------------------|-----------------------|----------|------------------------|----------------|
| CF-12 | White Tampico | Single | 8 1/2 | 13 1/2 | 1 5/8 x 6 3/8 | n/a | 6 | 6 |
| CF-13 | White Tampico | Double | 16 1/2 | 13 1/2 | 1 5/8 x 6 3/8 | 9" | 12 | 6 |





(CF-12 AND CF-13)

Round

White Tampico Fiber, staple set in a marine grade hardwood plywood block, 4½ inches in diameter. Standard threaded handle hole. Packed 6 brushes per carton.

| Item ID | Description | Туре | Overall Width | Overall Length | Block Size (in) | Crossbar | Carton Wt. (lbs) | Carton Qty. |
|---------|------------------|--------|------------------|-------------------|-----------------------|----------|------------------------|----------------|
| CF-10 | White Tampico | Single | 8 | 8 | 4 1/2 | n/a | 9 | 6 |
| CF-11 | White Tampico | Double | 8 | 16 | 4 1/2 | 9" | 18 | 6 |



(CF-10 AND CF-11)

100% Horsehair staple set in marine grade hardwood block with standard threaded handle hole. Block diameter: 4½ inches. Overall diameter of flattened single brush: 8"

| CF-8 | Horsehair | Single | 8 | 8 | 4 1/2 | n/a | 6 | 6 |
|------|-----------|--------|---|----|-------|-----|----|---|
| CF-9 | Horsehair | Double | 8 | 16 | 4 1/2 | 9" | 12 | 6 |





800-248-2261 WWW.MAGNOLIABRUSH.COM



BRUSH FIBER INFORMATION
PAGE 93

DISPLAY SETS AND RACKS

| Item ID | Quantity | Item | Description | Weight |
|---------|----------|------|--|--------|
| 20019 | | | Floor Garage Assortment 1 | 101 |
| | 4 | 2218 | 18" Brown Plastic Garage Brush | |
| | 4 | 2224 | 24" Brown Plastic Garage Brush | |
| | 4 | 3718 | 18" Grey Flagged Floor Brush | |
| | 4 | 3724 | 24" Grey Flagged Floor Brush | |
| | 4 | 2018 | 18" Black Plastic Floor Brush | |
| | 4 | 2024 | 24" Black Plastic Floor Brush | |
| | 24 | M-60 | 15/16" x 60" Metal Threaded Handle | |
| | 1 | RK2 | Display Rack with Header | |
| 20020 | | | Floor Garage Assortment 2 | 103 |
| | 4 | 5518 | 18" Green Poly Garage Brush | |
| | 4 | 5524 | 24" Green Poly Garage Brush | |
| | 4 | 3518 | 18" Brown Plastic & Grey Flagged Plastic Floor Brush | |
| | 4 | 3524 | 24" Brown Plastic & Grey Flagged Plastic Floor Brush | |
| | 4 | 1918 | 18" Yellow Plastic Floor Brush | |
| | 4 | 1924 | 24" Yellow Plastic Floor Brush | |
| | 24 | M-60 | 15/16" x 60" Metal Threaded Handle | |
| | 1 | RK2 | Display Rack with Header | |
| 20021 | | | Wire Brush Display Assortment | 27 |
| | 12 | 4-S | Shoe Handle- Steel Wire Scratch | |
| | 12 | 1-S | Curved Handle Steel Wire Scratch | |
| | 12 | 4-SC | Shoe Handle- Steel Wire Scratch with Scraper | |
| | 6 | 1-SC | Curved Handle Steel Wire Scratch with Scraper | |
| | 6 | 8-SC | Straight Handle Steel Wire Scratch with Scraper | |
| | 1 | RK3 | Wire Display Rack | |





Designed to mount on peg boards. Stores long-handled tools, brooms, etc. to keep them off the floor and out of the way when not in use. Made of steel with protective coating to prevent rusting. 17" Overall Length, 4 1/2" wall mount plate.

| Item ID | Description | Quantity | Weight |
|-------------------|------------------|----------|--------|
| Double Prong Hook | 17" Display Hook | 6 | 8 |

Black painted tubular metal rack holds 24 fully assembled brooms. Base: 24" \times 24" Overall Height: 73 1/2"

| RK1 | Assembled Broom Race | 1 | 27 | |
|-----|----------------------|---|----|--|



(RK-1)

BRUSH FIBER INFORMATION

Horsehair

Produced in the United States, South America, Canada, Australia, and China from the tails and manes. The tails produce the stiffer grades in both black and grey. The mane hair is soft and produced in both black and grey, also. Horsehair is used in a variety of brushes such as, floor sweeps, shoe shine brushes, tin handle acid brushes, counter dusters, window brushes, etc.

Nylon

A synthetic man-made filament that offers excellent resiliency and durability. This fiber has high water absorbency and is impervious to solvents, alkali and certain acids and is immune to most common chemicals. Nylon can withstand use near high temperatures and has high resistance to abrasion.

Palmyra

Palmyra is a natural cinnamon-color fiber obtained from the leaf stalk of a palm tree native to India. Palmyra is obtainable in the prime stiff and medium stiff grades. This fiber is used in garage floor brushes, gong or fender washing brushes, deck brushes, scrub brushes, etc.

Palmyra Stalk

This is a very coarse fill having the appearance of split bamboo. The stiff long-lasting material is used almost exclusively in street and contractor brooms.

Polypropylene

Available in a variety of diameters and colors. Polypropylene is highly resistant to petroleum solvents, acids, caustics and detergents. Polypropylene is used in brushes such as acid brushes, garage floor brushes, and black-top coater brushes. POLYPROPYLENE IS NOT AFFECTED BY ACIDS.

Polystyrene

Also available in a variety of diameters and colors. Polystyrene is highly resistant to acids and detergents, but has a lower resistance to petroleum solvents. Polystyrene has excellent flexibility and wear ability, which makes it Magnolia Brush Manufacturers' choice for a filament in floor sweeping brushes, car washing brushes, scrub brushes and many others.

Tampico Fiber

A vegetable fiber obtained from the Argava Lechuguilla cactus which grows wild on mountain slopes in Mexico. The natural color of the fiber is cream color. Tampico fiber is obtainable in natural color and dyed colors as well as mixtures of different colors. Tampico is used in floor sweeping brushes, acid brushes, counter dusters and many other brushes.

Union Fiber

A mixture usually of Tampico and Palmyra and often including Bassine. This fiber is cream and medium brown in color and is used in many different styles of brushes for wet or dry scrubbing.

Wire

A variety of wires are used in our brushes. We use only very high psi carbon and stainless steel wire in our scratch brushes and tempered brass in our aircraft brushes, white sidewall brushes and special-use brushes.



PRODUCT INDEX

| A-3PH | 17 | FG-90 | 20 | 18WV038 | 24 | 2-D | 25 | 66-MP | 78 | 167 | 32 | 276 | 69 |
|---------------------|----|-------------------|-------|--------------------------|----|---------------|-----|----------------|----|---------------|----|------------------|----|
| A-8 | | FLOAT HANDI | | 18SC038 | | 2-S | | 66-N | | 167-R | | 280 | |
| A-12 | | FX-60 | | 18SC050 | | 3-S | | 65 | | 168 | | 281 | |
| A-18 | | GB-48 | | 18SC075 | | 4-S | | 65-HH | | 170 | | 285 | |
| A-24 | | J-60 | | 18SC125 | | EC-4S | | 66 | | 171 | | 290 | |
| A-36 | | K-93 | | CK-13 | | 4-SB | | 67 | | 172 | | 291 | |
| A-48 | 17 | LC-48-12 | | CK-7 | 86 | 4-SC | 76 | 68 | 66 | 173 | 32 | 295 | 70 |
| A-54 | 17 | LC-60-12 | 17,88 | MK-3 | 86 | EC-4SC | 76 | 68-B | 66 | 174 | 32 | 295-B | 70 |
| A-60 | 17 | LC-72-12 | 17,88 | GRID-1 | 88 | 5-S | 77 | 68-C | 66 | 175 | 33 | 296 | 69 |
| A-72 | 17 | LC-48-24 | 17,88 | GRID-5 | | 5-SC-7 | 77 | 68-P | 67 | 176 | 33 | 298 | 69 |
| AB-30 | | LC-60-24 | | LIN-100 | | 5-SC-15 | | 68-CP | | 176-P | | 299 | |
| AB-48 | | LC-72-24 | | 4MR-WY10 | | 5-ST | | 68-TP | | 177 | | 300 | |
| AF-60 | | M-48 | | 6MR-WY10 | | 6-B | | 68-WP | | 178 | | 301 | |
| AF-72 | | M-54 | | 4MR-WYB | | 6-N | | 70 | | 179 | | 302 | |
| AF-96 | | M-60 | | 6MR-WYB | | 6-S | | 70-B | | 179-T | | 304-PB | |
| AK-60 | | M-72 | | 4MR-F10 | | 6-T | | 70-C | | 180 | | 310 | |
| AK-72 | | MB024P | | 6MR-F10 4MR-FB | | 6-BP | | 70-P | | 180-HH 181 | | 310-SL | |
| AS-60 B-60 | | MB036P MB048P | | 6MR-FB | | 6-BNP 6-NP | | 70-CP 70-WP | | 186 | | 312 | |
| B-72 | | MB046F | | 4MR-P10 | | 6-SP | | 70-VVP | | 186-B | | 310-Y | |
| B-96 | | MB036T | | 6MR-P10 | | 7-Dope | | 72 | | 186-G | | 312-Y | |
| B-120 | | MB048T | | 4MR-PB | | 7-S | | 73-N | | 186-M | | 314-Y | |
| B-144 | | MB024H | | 6MR-PB | | 7-SC | | 75 | | 186-N | | 412-S | |
| BB-36 | | MB036H | | ROLLER FRAMES | | 8-SC | | 76 | | 186-R | | 418-S | |
| BB-51 | | MB048H | | 1695-HD | | 8L-SC | | 77 | | 187 | | 418-SA | |
| BR-60 | | MB024S | | 900-516 | 87 | EC-8S | | 78 | 68 | 187-B | 64 | 400 | 73 |
| BR-72 | 18 | MB036S | | 300-014 | 87 | EC-8SS | | 80 | 67 | 187-Y | | 401 | 73 |
| BR-96 | 18 | MB048S | 28 | 400-014 | 87 | 9-B | 76 | 81 | 68 | 188 | 31 | 402 | 73 |
| BU-60 | 18 | MB012A | 28 | 900-014 | 87 | 9-S | 76 | 81-BH | 68 | 188-M | 64 | 403 | 73 |
| BU-72 | 18 | OS-2 | | MRF-412 | 87 | EC-9S | | 82 | 67 | 188-N | | 461 | 45 |
| BW-60 | 17 | OS-4 | | MRF-419 | | 10 | 71 | 83 | 68 | 189 | 31 | 462 | |
| BW-120 | | OS-6 | | MRF-612 | | 11 | | 88 | | 190 | | 466 | |
| C-12 | | OS-8 | | MRF-619 | | 12 | | 88-M | | 190-P | | 467 | |
| C-18 | | OS-10 | | 1800-112 | | 13 | | 88-FG | | 191 | | 463 | |
| C-24 | | OS-12 | | 1800-112CAP | | 15 | | 90 | | 192 | | 464 | |
| C-36 | | PAILS | | 1800-1218 | | 16 | | 90-M | | 193 | | 465 | |
| C-48 C-54 | | QD-100 QD-500 | | 1800-1218CAP 1900-KIT | | 12-M | | 90-FG | | 193-U | | 470-DS | |
| | | QD-500 QD-816Y | | MET-100 | | 16-M 20-M | | 91 | | 194 | | 471-DS | |
| C-60 C-72 | | QD-816B | | PET-100G | | 24-M | | 92 | | 195 195-T | | 472-DS 473-DS | |
| C-96 | | QD-824Y | | MIN-100 | | 32-M | | 96 | | 196 | | 474-DS | |
| C-120 | | QD-824B | | MIN-200 | | 24-M-NW | | 97 | | 196-T | | 475-DS | |
| C-144 | | QD-900 | | PET-1800 | | 32-M-NW | | 98 | | 199 | | 500 | |
| CF-8 | | R-90 | | S-48 | | 19-S | | 99 | | 209 | | 512 | |
| CF-9 | | RAD-1 | | SB-1000 | 74 | 20-S | 78 | 99-S | 20 | 210 | 30 | 513 | 89 |
| CF-10 | 90 | RAD-1.5 | 82 | SF-54 | 52 | 22-S | 76 | 99-SL | 20 | 212 | 30 | 514 | 89 |
| CF-11 | 90 | RAD-2 | 82 | SB-60 | 18 | 27 | 69 | 101 | 77 | 223 | 45 | 515 | 89 |
| CF-12 | | RAD-2.5 | | T-12 | | 28 | 69 | 109 | 30 | 224 | 45 | 520 | 24 |
| CF-13 | | RAD-3 | | T-18 | | 37 | | 110 | | 226 | | 521 | |
| D-60 | | RAD 4 | | T-48 | | 39 | | 110-SL | | 227 | | 522 | |
| D-60-C | | ROLLER COVE | | T-54 | | 40 | | 112 | | 228 | | 523 | |
| Double Prong | | 3SC038 | | T-60 | | 40-P | | 114 | | 229 | | 524 | |
| DM-60 | | 3SC050 3SC075 | | TUBS | | 40-SL | | 114-SL | | 230 | | 712X-FH | |
| DM-60-M DM-60-FG | | 4SC038 | | TRASH CANS | | 41 | | 110-S | | 231 | | 2912-FH 540 | |
| DISPLAY ASST | | 4SC050 | | U-48 U-60 | | 42 | | 112-S 114-S | | 232 | | 541 | |
| 20019 | | 4SC075 | | U-72 | | 44 | | 130 | | 234 | | 542 | |
| 20020 | | 9CP038 | | U-90 | | 44-SL | | 142 | | 235 | | 544 | |
| 20021 | | 9FM038 | | WASHBOARDS | | 45 | | 148 | | 235-DT | | 545 | |
| RK-1 | | 9FM075 | | WET FLOOR | | 48 | | 149 | | 904 | | 546 | |
| DS-6 | | 9MT025 | | WTP ADAPTOR | | 49 | | 150 | | 905 | | 550 | |
| DUST PANS | | 18MT025 | | W-48 | | 51-PN | | 150-WC | | 906 | | 559 | |
| EXT. HANDLES | | 9SC025 | | W-54 | | 52 | 47 | 151-N | | 260 | | 560 | |
| F-60 | | 9SC038 | | 1A | | 53 | | 152-P | | 261 | | 560-P | |
| F-93 | 20 | 9SC050 | | 2A | 70 | 54 | | 155 | 51 | 270 | | 561 | |
| FB-1 | 82 | 9SC075 | 84 | 3A | 70 | 54-X | 46 | 155-WC | 51 | EC-270 | 69 | 562 | 80 |
| FB-2 | | 9SC125 | | 1-S | | 55 | | 156 | 51 | 271 | | 563 | |
| FB-3 | | 9TU038 | | EC-1S | | 56 | | 157 | 51 | EC-271 | | 564 | |
| FB-4 | | 9TU050 | | 1-SB | | 57 | | 158 | | 272 | | 565 | |
| FEH-60 | | 9TU075 | | 1-SC | | 58 | | 159 | | EC-272 | | 566 | |
| FG-60 | | 9TU100 | | EC-1SC | | 59 | | 160 | | 273 | | 566-P | |
| EC-FG60 | | 9TU125 | | 1-SS | | 60 | | 161 | | 274 | | 567 | |
| FG-72 | 18 | 4WV038 | | EC-1SS | | 61 | 46 | 162 | 32 | EC-274 | | 567-P | 81 |
| EC-FG72 | | 9WV038 | 0.4 | 1-SP | 70 | 66-B | C E | 166 | 22 | 275 | 60 | 568 | 01 |

| 577 | 81 | 1318-0 | 15 | 2148-H | 22 | 3024 | 62 | 4043 | 49 | 4624-TPN | 37 | 5518 | 1 |
|--------------|----|-----------|----|---------|-------|---------|----|------------|----|---------------|----|--------------|---------|
| 578 | 81 | 1324-0 | 15 | 2124-N | | 3026 | 62 | 4044 | 49 | 4630-TPN | 37 | 5524 | |
| 578-N | | 1316-O-FX | | 2136-N | | 3028 | | 4100 | | 4636-TPN | | 5518-FX | |
| 80 | | 1416 | | 2148-N | | 3029 | | 4100-B | | 4716 | | 5524-FX | |
| 80-P | | 1418 | | 2124-22 | | 3032 | | 4100-S | | 4724 | | 5536-FX | |
| | | | | | | | | | | | | | |
| 86 | | 1418-SL | | 2136-22 | | 3033 | | 4118 | | 4732 | | 5618 | |
| 86-P | | 1424 | | 2148-22 | | 3034 | | 4124 | | 4816 | | 5624 | |
| 91 | 89 | 1424-SL | | 2124-Y | 22 | 3035 | | 4130 | | 4824 | 53 | 5630 | 10 |
| 92 | 89 | 1430 | 12 | 2136-Y | 22 | 3036 | 62 | 4136 | 36 | 4832 | 53 | 5636 | 1/ |
| 93 | 89 | 1430-SL | 12 | 2148-Y | 22 | 3036-G | 62 | 4118-S | 36 | 4914 | 53 | 5618-A | 1/ |
| 95 | 89 | 1436 | 12 | 2210-N | | 3037 | 63 | 4124-S | | 4920 | | 5624-A | 1/ |
| 98 | | 1436-SL | | 2212-N | | 3038 | | 4118-N | | 4924 | | 5724 | |
| 00 | | 1418-A | | 2216-N | | 3039 | | 4124-N | | 4932 | | 5730 | |
| | | | | | | | | | | | | | |
| 10 | | 1424-A | | 2210-NR | | 3040 | | 4130-N | | 4914-B | | 5736 | |
| 12 | | 1436-A | | 2212-NR | | 3040-WB | | 4136-N | | 4920-B | | 5700-B | |
| 8 | 6 | 1410 | 59 | 2216-NR | 57 | 3045 | 63 | 4118-TP | 36 | 4924-B | | Saddle Assen | nbly .2 |
| 24 | 6 | 1411 | 63 | 2216 | 13 | 3046 | 63 | 4124-TP | 36 | 4932-B | 53 | 5822-H | 2 |
| 8-A | 6 | 1411-G | 63 | 2218 | 13 | 3047 | 63 | 4130-TP | 36 | 5000 | 55 | 5823-B | 2 |
| 24-A | | 1420 | | 2224 | | 3050 | 65 | 4136-TP | | 5001 | 55 | 5836 | |
| 36-A | | 1421 | | 2230 | | 3110 | | EC 4118-TP | | 5000-R | | 5848 | |
| | | | | | | | | | | | | | |
| 25 | | 1422 | | 2236 | | 3112 | | EC 4124-TP | | 5001-R | | 59053 | |
| 26 | | 1425-X | | 2218-A | | 3116 | | EC 4130-TP | | 5017-BOXED | | 59230 | |
| 27 | | 1426 | | 2224-A | | 3118 | | EC 4136-TP | | 5017-BUNDLED | | 59263 | |
| 28 | 71 | 1426-X | | 2230-A | | 3214 | | 4118-TPN | 36 | 5019-BOXED | 43 | 6010 | |
| 9 | 71 | 1427 | 59 | 2236-A | | 3314 | 64 | 4124-TPN | | 5019-BUNDLED. | 43 | 6011 | 4 |
| 0 | | 1428-XC | | 2242-A | | 3314-N | | 4130-TPN | | 5026-BOXED | | 6023-3 | |
| 3 | | 1429 | | 2218-FX | | 3318 | | 4136-TPN | | 5026-BUNDLED | | 6035-3 | |
| 4 | | 1429-N | | 2224-FX | | 3318-N | | 4218 | | 5032-BOXED | | 6224 | |
| | | | | | | | | | | | | | |
| 36 | | 1514-P | | 2236-FX | | 3324 | | 4224 | | 5032-BUNDLED | | 6232 | |
| 24-PB | 6 | 1516-P | | 2218-PB | | 3418 | | 4230 | | 5032-NW-BDL | | 6418 | |
| 2-X | 6 | 1516P-SL | 16 | 2224-PB | 13 | 3324-N | 22 | 4236 | 37 | 5036-BOXED | 42 | 6424 | 1 |
| 8-X | 6 | 1518-P | 16 | 2218-SL | 11 | 3518 | 9 | 4218-N | 37 | 5036-BUNDLED | 42 | 6418-A | 1 |
| 24-X | 6 | 1524-P | 16 | 2224-SL | | 3524 | 9 | 4224-N | 37 | 5038-BOXED | | 6424-A | 1 |
| 24-X-PB | | 1614 | | 2236-SL | | 3530 | | 4230-N | | 5038-BUNDLED | | 6418-FX | |
| 8 | | 1616 | | 2310 | | 3536 | | 4236-N | | 15017-BOXED | | 6424-FX | |
| | | | | | | | | | | | | | |
| 24 | | 1616-P | | 2312 | | 3518-A | | 4318 | | 15017-BUNDLED | | 7018 | |
| 36 | | 1618 | | 2316 | | 3524-A | | 4324 | | 15018-BOXED | | 7024 | |
| 8-X | | 1624 | | 2318 | | 3530-A | 9 | 4318-K | 27 | 15018-BUNDLED | 43 | 7218 | 1 |
| 24-X | 7 | 1718 | 12 | 2310-B | 57 | 3550 | 47 | 4324-K | 27 | 15026-BOXED | 42 | 7224 | 1 |
| 30-X | 7 | 1724 | 12 | 2312-B | 57 | 3553 | 47 | 4312-S | 27 | 15026-BUNDLED | 42 | 7718 | 1 |
| 12 | | 1736 | | 2316-B | | 3714 | | 4312-SP | | 15032-BOXED | | 7724 | |
| 14 | | 1718-W | | 2318-B | | 3718 | | 4316-S | | 15032-BUNDLED | | 7324 | |
| 16 | | 1724-W | | 2418 | | 3724 | | 4318-PS | | | | 8224 | |
| | | | | | | | | | | 5100 | | | |
| 18 | | 1718-A | | 2424 | | 3724-SL | | 4318-S | | 5100-R | | 8230 | |
| 24 | | 1724-A | | 2418-A | | 3730 | | 4406 | | 5101 | | 8236 | |
| 30 | 7 | 1724-AW | 13 | 2424-A | 13 | 3736 | 10 | 4410 | 60 | 5101-R | 56 | 8224-R | 3 |
| 36 | 7 | 1818 | 7 | 2436-A | 13 | 3718-A | 10 | 4412 | 60 | 5118 | 55 | 8230-R | 3 |
|)18-A | 7 | 1824 | 7 | 2510 | 78 | 3724-A | 10 | 4416 | 60 | 5124 | 55 | 8236-R | 3 |
| 24-A | | 1918 | | 2512 | | 3730-A | | 4418 | | 5136 | | 8418 | |
| 36-A | | 1924 | | 2518 | | 3736-A | | 4406-R | | 5148 | | 8424 | |
| | | | | | | | | | | | | | |
| 8 | / | 1930 | | 2524 | | 3742-A | | 4410-R | | 5160 | | 8430 | |
| 24 | | 1936 | 8 | | 8 | 3718-FX | | 4412-R | | 5172 | 55 | 8436 | |
| 36 | | 1924-A | | 2624 | | 3724-FX | | 4416-R | | EC-5118 | | 8418-R | |
| 8-A | 7 | 1930-A | 8 | 2630 | 8 | 3736-FX | 10 | 4418-R | 60 | EC-5124 | 55 | 8424-R | 3 |
| 24-A | 7 | 2016 | 8 | 2636 | 8 | 3718-PB | 10 | 4606 | 60 | EC-5136 | 55 | 8430-R | 3 |
| 30-A | 7 | 2018 | | 2618-A | | 3724-PB | | 4612 | | EC-5148 | | 8436-R | |
| 36-A | | 2024 | | 2624-A | | | | | | | | | |
| | | | | | | 3814 | | 4618 | | 5112-F | | 8618 | |
| 18 | | 2024-SL | | 2709 | | 3916 | | 4624 | | 5118-F | | 8622 | |
| 24 | | 2030 | | 2709-H | | 3818-SL | | 4630 | | 5124-F | | 8722 | |
| 30 | 12 | 2036 | 8 | 2710 | 26 | 3824-SL | 11 | 4636 | 37 | 5136-F | | 8730 | 3 |
| 36 | 12 | 2018-A | 8 | 2714 | 26 | 3836-SL | 11 | 4618-N | 37 | 5148-F | 55 | 8822 | 3 |
| 4 | 15 | 2024-A | | 2912 | | 3918-SL | | 4624-N | | 5160-F | | 8830 | |
| 6 | | 2018-FX | | 2914 | | 3924-SL | | 4630-N | | 5172-F | | 8722-T | |
| 6-HD | | 2024-FX | | 2918 | | 3936-SL | | 4636-N | | 5212 | | 8730-T | |
| | | | | | | | | | | | | | |
| 16BL-SL | | 2036-FX | | 2924 | | 4000 | | 4618-TP | | 5218 | | 8830-T | |
| 18 | | 2018-PB | | 2930 | | 4010 | | 4624-TP | | 5224 | | 8918 | |
| 18-B | 15 | 2024-PB | 8 | 2936 | 9, 23 | 4015 | 34 | 4630-TP | 37 | 5236 | 55 | 8922 | |
| 24 | 15 | 2118 | 22 | 2924-PB | 9, 23 | 4016 | 34 | 4636-TP | 37 | 5248 | 55 | 9022 | 4 |
| 24-B | | 2124 | | 3010 | | 4016-S | | EC 4618-TP | | 5260 | | | |
| 24-0 16-A | | 2136 | | 3014 | | 4017 | | EC 4624-TP | | 5272 | | | |
| | | | | | | | | | | | | | |
| 18-A | | 2148 | | 3021 | | 4017-P | | EC 4630-TP | | 5324-PL | | | |
| 16-0 | | 2124-H | | 3022 | | 4020 | | EC 4636-TP | | 5336-PL | | | |
| | 15 | 2136-H | 22 | 3023 | 62 | 4042 | 49 | 4618-TPN | 37 | 5430 | 27 | | |



2016 PRODUCT CATALOG

WWW.MAGNOLIABRUSH.COM P | 1.800.248.2261 F | 1.800.427.5231

ORDERS@MAGNOLIABRUSH.COM (orders only)

