

# CORDLESS POWER TOOL ACCESSORIES

## Impact Driver Accessories

Universal 1/4" shank fits all drills and drivers / Use for power driving hex head screws, bolts and nuts.



### Socket Sets

|      |      |            |
|------|------|------------|
| 8 pc | 1/4" | 785501-A-A |
| 9 pc | 3/8" | 785508-A-A |



### Impact Driver Socket Sets

9 Piece Impact Socket Set (SAE) (T-01208)

SAE INCLUDES: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8"

9 Piece Impact Socket Set (Metric) (T-01214)

METRIC INCLUDES: 8, 10, 11, 13, 14, 16, 17, 19 mm


| Driver Bits                     |                 |                     |          |             |
|---------------------------------|-----------------|---------------------|----------|-------------|
| Description                     | Qty per Package | Size                | Length   | Part No.    |
| <b>Slotted Driver Bits</b>      | 1               | #5F                 | 1-15/16" | 784010-0A   |
|                                 | 1               | #7F                 | 1-15/16" | 784011-0A   |
|                                 | 1 (Bulk)        | #1                  | 1"       | 784212-0    |
|                                 | 1 (Bulk)        | #2                  | 1"       | 784211-2    |
|                                 | 5               | #2                  | 1"       | 784211-2P   |
|                                 | 500 (Bulk)      | #2                  | 1"       | 784990-A    |
|                                 | 500 (Bulk)      | #2 Drywall          | 1"       | 784991-A    |
|                                 | 1               | #2                  | 1-7/8"   | 784214-0A   |
|                                 | 1               | #2                  | 2"       | 784245-5    |
|                                 | 1               | #2                  | 2"       | 784244-7    |
| <b>Phillips Driver Bits</b>     | 2               | #2                  | 2-5/8"   | 784203-1-2  |
|                                 | 1 (Bulk)        | #3                  | 1"       | 784213-8    |
|                                 | 1               | #3                  | 1-7/8"   | 784215-0A   |
|                                 | 6               | #1, 2, 3 (2 ea)     | 1"       | 784211-K    |
|                                 | 3               | #1, 2, 3 (1 ea)     | 3-1/2"   | 784216-K    |
|                                 | 1 (Bulk)        | #1                  | 1"       | 784212-1A   |
|                                 | 1               | #1                  | 2"       | 784110-0A   |
|                                 | 1 (Bulk)        | #2                  | 1"       | 784212-2A   |
|                                 | 200 (Bulk)      | #2                  | 1"       | 784992-A    |
|                                 | 1 (Bulk)        | #2                  | 2"       | 784111-0A   |
| <b>Square Drive Driver Bits</b> | 5               | #2                  | 1"       | 784212-2AP  |
|                                 | 3               | #2                  | 4"       | 784114-2AP  |
|                                 | 3               | #2                  | 4"       | 784216-P    |
|                                 | 250 (Bulk)      | #2                  | 2"       | 784993-A    |
|                                 | 1 (Bulk)        | #3                  | 1"       | 784212-3A   |
|                                 | 1               | #3                  | 2"       | 784112-0A   |
|                                 | 6               | #1, 2, 3 (2 ea)     | 1"       | 784212-K    |
|                                 | 3               | #1, 2, 3 (1 ea)     | 4"       | 784114-K    |
|                                 | 1               | T27                 | 1-1/8"   | 944 500 866 |
|                                 | 1               | T27                 | 5"       | 944 500 865 |
| <b>Torx® Driver Bits</b>        | 1               | #1 Phillips         | 2-5/8"   | 784201-5    |
|                                 | 1               | #2 Phillip          | 1-3/4"   | 784202-3    |
|                                 | 1               | #2 Phillips         | 2-5/8"   | 784203-1    |
|                                 | 2               | #2 Phillips         | 2-5/8"   | 784203-1-2  |
|                                 | 1               | Phillips / Slotted  | 1-3/4"   | 784637-8    |
|                                 | 1               | Phillips / Slotted  | 2-1/2"   | 784636-0    |
|                                 | 1               | #2 Square           | 1-3/4"   | 784639-4    |
|                                 | 1 (Bulk)        | #2 Square           | 2"       | 784637-8    |
|                                 | 2               | #2, 3 Square (1 ea) | 2"       | 784640-9    |
|                                 | 1               | #5-75 Hex           | 3"       | 784638-6    |
| <b>Double Ended Driver Bits</b> |                 |                     |          |             |
|                                 |                 |                     |          |             |
|                                 |                 |                     |          |             |
|                                 |                 |                     |          |             |
|                                 |                 |                     |          |             |
|                                 |                 |                     |          |             |
|                                 |                 |                     |          |             |
|                                 |                 |                     |          |             |
|                                 |                 |                     |          |             |
|                                 |                 |                     |          |             |

122756-6A

### Adjustable Depth Gauge



**Adjustable Depth Gauge (122756-6A)**  
INCLUDED: Depth gauge assembly, magnetic bit holder, Phillips and Square drive bits



### Keyless Drill Chuck (Bulk)

763198-1 (Bulk)

• 3/8" Keyless Drill Chuck



### 1/4" Hex Drill Bits kit CT&HSS

D-23765

CT - 2 Carbide-Tipped Masonry drill bits  
Diameter 3/16" and 1/4"

HSS - 3 High Speed Steel drill bits for Wood and Metal  
Diameter 3/16" and 1/4"



| Hex Shank ULTRALOCK™ Masonry Drill Bits               |                |                                                   |            |
|-------------------------------------------------------|----------------|---------------------------------------------------|------------|
| Diameter                                              | Shank          | Description                                       | Part No.   |
| 1/8"                                                  | 1/4" Hex Shank | Masonry Drill Bit                                 | 784885-A   |
| 3/16"                                                 |                |                                                   | 784886-A   |
| 1/4"                                                  |                |                                                   | 784887-A   |
| Description                                           |                | Contents                                          | Part No.   |
| 3 Piece Assortment                                    |                | Include 1 each: 1/8", 3/16", 1/4"                 | 784888-A   |
| • Ideal for Soft, Medium and Hard Masonry             |                |                                                   |            |
| • Spiral Flutes create Smooth, Efficient Chip Removal |                |                                                   |            |
| • Tungsten-Carbide Tipped for Long Life               |                |                                                   |            |
| Hex Shank ULTRALOCK™ Drill Bits                       |                |                                                   |            |
| Diameter                                              | Shank          | Description                                       | Part No.   |
| 1/16"                                                 | 1/4" Hex Shank | 135° Split Point Drill Bit                        | 711469-A   |
| 5/64"                                                 |                |                                                   | 711470-A   |
| 3/32"                                                 |                |                                                   | 711471-A   |
| 7/64"                                                 |                |                                                   | 711472-A   |
| 1/8"                                                  |                |                                                   | 711473-A   |
| 9/64"                                                 |                |                                                   | 711474-A   |
| 5/32"                                                 |                |                                                   | 711475-1   |
| 11/64"                                                |                |                                                   | 711476-A   |
| 3/16"                                                 |                |                                                   | 711477-A   |
| 13/64"                                                |                |                                                   | 711478-A   |
| 7/32"                                                 |                |                                                   | 711479-A   |
| 15/64"                                                |                |                                                   | 711480-A   |
| 1/4"                                                  | 711481-A       |                                                   |            |
| Description                                           |                | Contents                                          | Part No.   |
| 5 Piece Assortment                                    |                | Includes 1 each: 1/16", 3/32", 1/8", 5/32", 3/16" | 784000-A-A |

| Hex Shank Woodboring Spade Bits |                                        |          |
|---------------------------------|----------------------------------------|----------|
| Diameter                        | Description                            | Part No. |
| 1/4"                            | 1/4" Hex Woodboring Spade Bit          | 784876-A |
| 3/8"                            |                                        | 784877-A |
| 1/2"                            |                                        | 784878-A |
| 5/8"                            |                                        | 784879-A |
| 3/4"                            |                                        | 784880-A |
| 7/8"                            |                                        | 784881-A |
| 1"                              |                                        | 784882-A |
| 1-1/4"                          |                                        | 784883-A |
| 1/2", 3/4", 1" (1 ea)           | 1/4" Hex Woodboring Spade Bit 3 Pc Set | 784884-A |

## Fast Connect System

Ultralok™



| Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Part #   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <b>Ultralok™ Connector</b><br>For fast connections of 1/4" Hex Shank accessories                                                                                                                                                                                                                                                                                                                                                         | 784871-A |
| <b>Ultralok™ 7 Piece Set</b><br>1 - Ultralok™ Connector<br>3 - 135° Split Point Hex Shank Drill Bits - 1/16", 1/8", 3/32", 1/4"<br>3 - Professional Power Screwdriver Bits - Phillips & Slotted                                                                                                                                                                                                                                          | 784873-A |
| <b>Ultralok™ 14 Piece Set</b><br>1 - Ultralok™ Connector<br>12 - 135° Split Point Hex Shank Drill Bits - 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 11/64", 13/64", 7/32", 1/4"<br>1 - Storage Case                                                                                                                                                                                                                          | 784875-A |
| <b>Ultralok™ 15 Piece Set</b><br>1 - Ultralok™ Connector<br>4 - 135° Split Point Hex Shank Drill Bits - 1/16", 1/8", 5/32", 3/16"<br>1 - "Shorty" Finder/Driver® with #2 Robertson Bits<br>3 - Professional Insert Bits - Phillips & Robertson<br>4 - Quality Sockets - 1/4", 5/16", 3/8", 1/2"<br>1 - Power Socket Adapter<br>1 - Storage Case                                                                                          | 784874-A |
| <b>Ultralok™ 23 Piece Set</b><br>1 - Ultralok™ Connector<br>7 - 135° Split Point Hex Shank Drill Bits - 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32"<br>3 - Non-Percussion Hex Shank Masonry Drill Bits - 1/8", 3/16", 1/4"<br>1 - "Shorty" Finder/Driver® with #2 Phillips Bit<br>5 - Professional Insert Bits - Phillips, Robertson<br>4 - Quality Sockets - 1/4", 5/16", 3/8", 1/2"<br>1 - Power Socket Adapter<br>1 - Storage Case | 784872-A |

### Magnetic Bit Holders



Accommodates all 1/4" hex insert bits

### Magnetic Nutsetter



|       |          |
|-------|----------|
| Long  | 784801-1 |
| Short | 784807-9 |
| 1/4"  | 784803-7 |
| 5/16" | 784804-5 |
| 3/8"  | 784802-9 |
| 7/16" | 784805-3 |

## CORDLESS POWER TOOL ACCESSORIES



### 44 PC Impact Driver Accessory Kit

Includes a popular assortment of 1/4" Hex Shank bits for your Makita impact driver **T-01199**



### 84 PC Impact Driver Accessory Kit

Includes a popular assortment of 1/4" Hex Shank bits for your Makita impact driver **M-00147**



### 124 PC Impact Driver Accessory Kit

Includes a popular assortment of 1/4" Hex Shank bits for your Makita impact driver **T-01183**



### 99 PC Drill & Driver Accessory Kit

Includes a wide assortment of round shank drilling and driving accessories **T-01177**

## Finder Drivers

### Finder - Driver

784810-A



Retracting Screw Holder  
1ea. #2 phillips bit and #2 Robertson insert bit  
• Outer sleeve surrounds both bit tip and screw head  
• Keeps bit tip in screw head  
• Prevents screws from wobbling  
• Sleeve retracts as screw penetrates wood  
• Overall length: 4-5/8" (without insert bit)

### Contractor Finder - Driver

784812-A



Retracting Screw Holder  
1/4" nutsetter and #2 phillips bit  
• Large diameter for holding #12 screws  
• Overall length: 4-5/8" (without insert bit)

### Finder - Driver Duo Set

784810-A-A



Retracting Screw Holder contains a convenient "Stubby" Finder/Driver™ for most screws and the original Finder/Driver™ for long screws  
• 1ea. #1 phillips bit, '6-8" slotted insert bits and 1/4" nutsetter and  
• 2 ea. #2 phillips bit

### "Stubby" Finder - Driver

784811-A



Retracting Screw Holder  
Includes: 1ea. #2 phillips bit and #2 Robertson insert bit  
• Shortened model for access into tighter work spaces  
• Gives excellent control when starting screws  
• Overall length: 3-1/8" (without insert bit)

### "Shorty" Finder - Driver

784867-A



Retracting Screw Holder  
Includes: 1ea. #2 phillips bit  
• A compact size for tight places  
• Overall length: 2-1/4" (without insert bit)

## Quad Driver Countersinks


| Part #   | Tool                        | Description                                                                                |
|----------|-----------------------------|--------------------------------------------------------------------------------------------|
| 784814-A | Vision Finder / Driver      | Retractable Screw Holder (comes with #1 Phillips, #2 Square Drive & #6-8 Slot Insert Bits) |
| 784818-A | Quad Flip/Driver            | Includes Quad Driver and #2 Phillips/#2 Square Drive Driver                                |
| 784834-A | Quad Driver Countersink #6  | Replacement Inserts for Quad-Driver Countersinks                                           |
| 784835-A | Quad Driver Countersink #8  |                                                                                            |
| 784836-A | Quad Driver Countersink #10 |                                                                                            |
| 784837-A | Quad Driver Countersink #12 |                                                                                            |

## "Stubby" Finder - Driver



- Shorty Finder/Driver® with 5 assorted insert bits **784868-A**
- 14 pc. Shorty Finder/Driver® Set includes: **784869-A**
  - (1) Shorty Finder/Driver,
  - (13) Assorted insert bits
- Shorty and Regular Finder/Driver® Duo Set Includes: **784870-A**
  - (1) Shorty Finder/Driver
  - (1) Regular Finder/Driver
  - (5) Assorted insert bits

## Modular Set Self Centering



### Description

Part #

#### Modular Set

784859-A

For securing drill bits, countersinks and screwdriver bits. Includes:

- 1 - Industrial Quad-Driver™ No. 6 Countersink
- 1 - Industrial Quad-Driver™ No. 8 Countersink
- 1 - Industrial Quad-Driver™ No. 10 Countersink
- 1 - Industrial Quad-Driver™ No. 12 Countersink
- 1 - Industrial Quad-Driver™ Shaft with Built-in Hex Key
- 1 - 1/2" Hex Coupler
- 5 - #2 Phillips Bits
- 1 - Storage Case

#### 13 Piece Set

784832-A

Includes:

- 1 - Industrial Quad-Driver™ shaft
- 1 - No. 6 reversible countersink/driver
- 1 - No. 8 reversible countersink/driver
- 1 - No. 10 reversible countersink/driver
- 1 - No. 12 reversible countersink/driver
- 4 - #2 Driver bits
- 4 - Extra drill bits, one for each size countersink/driver
- 1 - Storage Case

#### Self Centering Quad - Driver Drill Guide 4 Piece Set

784827-A

Includes:

- 1 - Quad-Driver™ shaft
- 1 - No. 6 reversible center bit/driver
- 1 - No. 8 reversible center bit/driver
- 1 - No. 10 reversible center bit/driver
- 3 - #2 Phillips bits
- 1 - Storage Case

#### Industrial Quad - Driver the Complete Drill & Driver Set

784858-A

For size 8 screws

Includes:

- 1 - Industrial Quad-Driver™ shaft
- 1 - Industrial Quad-Driver™ No. 8 insert
- 1 - Industrial Quad-Driver™ Drill Guide insert
- 1 - Industrial Quad-Driver™ 2-in-1 insert
- 3 - #2 Phillips bits
- 3 - #2 Robertson bits
- 1 - Storage Case

#### Self Centering Quad - Driver Drill Guide

Reversible Self-centering Drill and Driver

- Screw hole is automatically centered as it is drilled • Reverse bit holder • Drive the screw
- Self centering drill is great for precise mounting of hinges, latches, brackets, strikeplates, etc
- Drill Guide protects drill bit from breakage
- Built-in hex key for easy bit changes

- For size #6 screws **784824-A**
- For size #8 screws **784825-A**
- For size #10 screws **784826-A**

#### Industrial Quad - Driver

Reversible Drill and Driver

- Heavy duty design
- New modular design-all pieces can be changed
- New Bit Lok™ system to lock bits in tool
- Built-in hex key for easy bit changes

- For size #6 screws **784828-A**
- For size #8 screws **784829-A**
- For size #10 screws **784830-A**
- For size #12 screws **784831-A**

#### 25 Piece Power Screwdriver Accessory Pack

- "Vision" Finder/Driver Retracting Screw Holder
- "Stubby" Finder/Driver Retracting Screw Holder
- Quad-Driver 2-in-1 Screwdriver with 2 Magnetic Bit Holders
- Makita manual handle also accepts the 2-in-1 Magnetic Bit Holders
- 3/8" hex adapter fits over Finder/Driver 1/4" hex shanks
- Use the "Stubby" and "Vision" in the manual handle to "Start screws the easy way!"
- Total of 18 screwdriver bits • 1 - Storage Case
- For size #6 screws **784823-A**



| Black Oxide Drill Bits                                                                                           |             |     |            |  |
|------------------------------------------------------------------------------------------------------------------|-------------|-----|------------|--|
| High Speed Steel bits with a 135° Split Point                                                                    |             |     |            |  |
| Black Oxide Coating for more efficient chip removal                                                              |             |     |            |  |
| Diameter                                                                                                         | Description | Qty | Part No.   |  |
| 1/16"                                                                                                            | Black Oxide | 1   | 711301-A   |  |
| 3/32"                                                                                                            |             | 1   | 711303-A   |  |
| 1/8"                                                                                                             |             | 1   | 711305-A   |  |
| 5/32"                                                                                                            |             | 1   | 711307-A   |  |
| 3/16"                                                                                                            |             | 1   | 711309-A   |  |
| 7/32"                                                                                                            |             | 1   | 711311-A   |  |
| 1/4"                                                                                                             |             | 1   | 711313-A   |  |
| 9/32"                                                                                                            |             | 1   | 711315-A   |  |
| 5/16"                                                                                                            |             | 1   | 711317-A   |  |
| 11/32"                                                                                                           |             | 1   | 711319-A   |  |
| 3/8"                                                                                                             |             | 1   | 711321-A   |  |
| 13/32"                                                                                                           |             | 1   | 711323-A   |  |
| 7/16"                                                                                                            |             | 1   | 711325-A   |  |
| 15/32"                                                                                                           |             | 1   | 711327-A   |  |
| 1/2"                                                                                                             |             | 1   | 711329-A   |  |
| Includes: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4"             |             | 13  | 711300-A-B |  |
| Includes: 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2" |             | 15  | 711300-A-C |  |



| Ultrafast Drill Bits                                                             |                |              |          |
|----------------------------------------------------------------------------------|----------------|--------------|----------|
| Coated High Speed Steel for fast, clean drilling                                 |                |              |          |
| Aggressive chisel and rake angles penetrate material on contact.                 |                |              |          |
| Self Centering 135° Split Point prevents "walking" and increases drilling speed. |                |              |          |
| Enlarged precision ground flutes maximize chip removal and prevent binding.      |                |              |          |
| Premium quality High Speed Steel construction.                                   |                |              |          |
| Use requires little operator pressure .                                          |                |              |          |
| Diameter                                                                         | Overall Length | Flute Length | Part No. |
| 1/16"                                                                            | 1-7/8"         | 7/8"         | 711330-A |
| 5/64"                                                                            | 2"             | 1"           | 711331-A |
| 3/32"                                                                            | 2-1/4"         | 1-1/4"       | 711332-A |
| 7/64"                                                                            | 2-5/8"         | 1-1/2"       | 711333-A |
| 1/8"                                                                             | 2-3/4"         | 1-5/8"       | 711334-A |
| 9/64"                                                                            | 2-7/8"         | 1-3/4"       | 711335-A |
| 5/32"                                                                            | 3-1/8"         | 2"           | 711336-A |
| 11/64"                                                                           | 3-1/4"         | 2-1/8"       | 711337-A |
| 3/16"                                                                            | 3-1/2"         | 2-5/16"      | 711338-A |
| 13/64"                                                                           | 3-5/8"         | 2-7/16"      | 711339-A |
| 7/32"                                                                            | 3-3/4"         | 2-1/2"       | 711340-A |
| 15/64"                                                                           | 3-7/8"         | 2-5/8"       | 711341-A |
| 1/4"                                                                             | 4"             | 2-3/4"       | 711342-A |
| 17/64"                                                                           | 4-1/8"         | 2-7/8"       | 711343-A |
| 9/32"                                                                            | 4-1/4"         | 2-15/16"     | 711344-A |
| 19/64"                                                                           | 4-3/8"         | 3-1/16"      | 711345-A |
| 5/16"                                                                            | 4-1/2"         | 3-1/16"      | 711346-A |
| 21/64"                                                                           | 4-5/8"         | 3-5/16"      | 711347-A |
| 11/32"                                                                           | 4-3/4"         | 3-7/16"      | 711348-A |
| 23/64"                                                                           | 4-7/8"         | 3-1/2"       | 711349-A |
| 3/8"                                                                             | 5"             | 3-5/8"       | 711350-A |
| 25/64"                                                                           | 5-1/8"         | 3-3/4"       | 711351-A |
| 13/32"                                                                           | 5-1/4"         | 3-7/8"       | 711352-A |
| 27/64"                                                                           | 5-3/8"         | 3-15/16"     | 711353-A |
| 7/16"                                                                            | 5-1/2"         | 4-1/16"      | 711354-A |
| 29/64"                                                                           | 5-5/8"         | 4-3/16"      | 711355-A |
| 15/32"                                                                           | 5-3/4"         | 4-5/16"      | 711356-A |
| 31/64"                                                                           | 5-7/8"         | 4-3/8"       | 711357-A |
| 1/2"                                                                             | 6"             | 4-1/2"       | 711358-A |
| 25/64"                                                                           | 5-1/8"         | 3-3/4"       | 711359-A |
| 13/32"                                                                           | 5-1/4"         | 3-7/8"       | 711360-A |
| 27/64"                                                                           | 5-3/8"         | 3-15/16"     | 711361-A |
| 7/16"                                                                            | 5-1/2"         | 4-1/16"      | 711362-A |
| 29/64"                                                                           | 5-5/8"         | 4-3/16"      | 711363-A |
| 15/32"                                                                           | 5-3/4"         | 4-5/16"      | 711364-A |
| 31/64"                                                                           | 5-7/8"         | 4-3/8"       | 711365-A |
| 1/2"                                                                             | 6"             | 4-1/2"       | 711366-A |



| Titanium Nitride Coated Drill Bits                                   |                |              |          |
|----------------------------------------------------------------------|----------------|--------------|----------|
| Titanium Coating reduces heat buildup to prolong the life of the bit |                |              |          |
| Industrial Quality High Speed Steel Construction                     |                |              |          |
| Self Centering 135° Split Point prevents "walking"                   |                |              |          |
| Appropriate for all Metal, Wood and Plastic applications             |                |              |          |
| Diameter                                                             | Overall Length | Flute Length | Part No. |
| 1/16"                                                                | 1-7/8"         | 7/8"         | 710051-A |
| 5/64"                                                                | 2"             | 1"           | 710052-A |
| 3/32"                                                                | 2-1/4"         | 1-1/4"       | 710053-A |
| 7/64"                                                                | 2-5/8"         | 1-1/2"       | 710054-A |
| 1/8"                                                                 | 2-3/4"         | 1-5/8"       | 710055-A |
| 9/64"                                                                | 2-7/8"         | 1-3/4"       | 710056-A |
| 5/32"                                                                | 3-1/8"         | 2"           | 710057-A |
| 11/64"                                                               | 3-1/4"         | 2-1/8"       | 710057-B |
| 3/16"                                                                | 3-1/2"         | 2-5/16"      | 710058-A |
| 13/64"                                                               | 3-5/8"         | 2-7/16"      | 710058-B |
| 7/32"                                                                | 3-3/4"         | 2-1/2"       | 710059-A |
| 15/64"                                                               | 3-7/8"         | 2-5/8"       | 710059-B |
| 1/4"                                                                 | 4"             | 2-3/4"       | 710060-A |
| 17/64"                                                               | 4-1/8"         | 2-7/8"       | 710060-B |
| 9/32"                                                                | 4-1/4"         | 2-15/16"     | 710060-C |
| 19/64"                                                               | 4-3/8"         | 3-1/16"      | 710060-D |
| 5/16"                                                                | 4-1/2"         | 3-1/16"      | 710061-A |
| 21/64"                                                               | 4-5/8"         | 3-5/16"      | 710061-B |
| 11/32"                                                               | 4-3/4"         | 3-7/16"      | 710061-C |
| 23/64"                                                               | 4-7/8"         | 3-1/2"       | 710061-D |
| 3/8"                                                                 | 5"             | 3-5/8"       | 710062-A |
| 25/64"                                                               | 5-1/8"         | 3-3/4"       | 710062-B |
| 13/32"                                                               | 5-1/4"         | 3-7/8"       | 710062-C |
| 27/64"                                                               | 5-3/8"         | 3-15/16"     | 710062-D |
| 7/16"                                                                | 5-1/2"         | 4-1/16"      | 710063-A |
| 29/64"                                                               | 5-5/8"         | 4-3/16"      | 710063-B |
| 15/32"                                                               | 5-3/4"         | 4-5/16"      | 710063-C |
| 31/64"                                                               | 5-7/8"         | 4-3/8"       | 710063-D |
| 1/2"                                                                 | 6"             | 4-1/2"       | 710064-A |



| High Speed Steel Drill Bits                                                     |                |              |          |
|---------------------------------------------------------------------------------|----------------|--------------|----------|
| Aggressive chisel and rake angles penetrate material on contact                 |                |              |          |
| Self Centering 135° Split Point prevents "walking" and increases drilling speed |                |              |          |
| Enlarged precision ground flutes maximize chip removal and prevent binding      |                |              |          |
| Premium quality High Speed Steel construction                                   |                |              |          |
| Use requires little operator pressure                                           |                |              |          |
| Diameter                                                                        | Overall Length | Flute Length | Part No. |
| 1/16"                                                                           | 1-7/8"         | 7/8"         | 710001-A |
| 5/64"                                                                           | 2"             | 1"           | 710002-A |
| 3/32"                                                                           | 2-1/4"         | 1-1/4"       | 710003-A |
| 7/64"                                                                           | 2-5/8"         | 1-1/2"       | 710004-A |
| 1/8"                                                                            | 2-3/4"         | 1-5/8"       | 710005-A |
| 9/64"                                                                           | 2-7/8"         | 1-3/4"       | 710006-A |
| 5/32"                                                                           | 3-1/8"         | 2"           | 710007-A |
| 11/64"                                                                          | 3-1/4"         | 2-1/8"       | 710007-B |
| 3/16"                                                                           | 3-1/2"         | 2-5/16"      | 710008-A |
| 13/64"                                                                          | 3-5/8"         | 2-7/16"      | 710008-B |
| 7/32"                                                                           | 3-3/4"         | 2-1/2"       | 710009-A |
| 15/64"                                                                          | 3-7/8"         | 2-5/8"       | 710009-B |
| 1/4"                                                                            | 4"             | 2-3/4"       | 710010-A |
| 17/64"                                                                          | 4-1/8"         | 2-7/8"       | 710010-B |
| 9/32"                                                                           | 4-1/4"         | 2-15/16"     | 710010-C |
| 19/64"                                                                          | 4-3/8"         | 3-1/16"      | 710010-D |
| 5/16"                                                                           | 4-1/2"         | 3-1/16"      | 710011-A |
| 21/64"                                                                          | 4-5/8"         | 3-5/16"      | 710011-B |
| 11/32"                                                                          | 4-3/4"         | 3-7/16"      | 710011-C |
| 23/64"                                                                          | 4-7/8"         | 3-1/2"       | 710011-D |
| 3/8"                                                                            | 5"             | 3-5/8"       | 710012-A |
| 25/64"                                                                          | 5-1/8"         | 3-3/4"       | 710012-B |
| 13/32"                                                                          | 5-1/4"         | 3-7/8"       | 710012-C |
| 27/64"                                                                          | 5-3/8"         | 3-15/16"     | 710012-D |
| 7/16"                                                                           | 5-1/2"         | 4-1/16"      | 710013-A |
| 29/64"                                                                          | 5-5/8"         | 4-3/16"      | 710013-B |
| 15/32"                                                                          | 5-3/4"         | 4-5/16"      | 710013-C |
| 31/64"                                                                          | 5-7/8"         | 4-3/8"       | 710013-D |
| 1/2"                                                                            | 6"             | 4-1/2"       | 710014-A |



| Cobalt Drill Bits                                                                                                |                |              |          |
|------------------------------------------------------------------------------------------------------------------|----------------|--------------|----------|
| Made from M-42 Cobalt High Speed Steel for greater heat and abrasion resistance in Stainless Steel and Titanium. |                |              |          |
| Precision ground flutes for increased accuracy and better chip removal.                                          |                |              |          |
| Heavy duty thick web construction to resist breakage                                                             |                |              |          |
| Self Centering 135° Split Point prevents "walking" and increases drilling speed.                                 |                |              |          |
| Diameter                                                                                                         | Overall Length | Flute Length | Part No. |
| 1/16"                                                                                                            | 1-7/8"         | 7/8"         | 711401-A |
| 3/32"                                                                                                            | 2-1/4"         | 1-1/4"       | 711402-A |
| 5/32"                                                                                                            | 3-1/8"         | 2"           | 711404-A |
| 3/16"                                                                                                            | 3-1/2"         | 2-5/16"      | 711405-A |
| 7/32"                                                                                                            | 3-3/4"         | 2-1/2"       | 711406-A |
| 1/4"                                                                                                             | 4"             | 2-3/4"       | 711407-A |
| 9/32"                                                                                                            | 4-1/4"         | 2-15/16"     | 711408-A |
| 5/16"                                                                                                            | 4-1/2"         | 3-1/16"      | 711409-A |
| 11/32"                                                                                                           | 4-3/4"         | 3-7/16"      | 711410-A |
| 3/8"                                                                                                             | 5"             | 3-5/8"       | 711411-A |
| 13/32"                                                                                                           | 5-1/4"         | 3-7/8"       | 711412-A |
| 7/16"                                                                                                            | 5-1/2"         | 4-1/16"      | 711413-A |
| 15/32"                                                                                                           | 5-3/4"         | 4-5/16"      | 711414-A |
| 1/2"                                                                                                             | 6"             | 4-1/2"       | 711415-A |

## 710017-AST

**ULTRAFast**

- PART #

711330-B-G

711330-B-A

711330-R-R

711330-R-H

64"

711330-B-J



## 784864-A

- ULTRAFAST**

**ULTRAFast**

- 

Part #

Part #

1/16" to 1/4"

711330-B-D

1/16" to 1/2"

711330-R-F

1/16" to 1/2"

100



*"Spurs" cut cleaner, more accurate holes through hardwood  
Chisel edge design is positively angled and aggressively digs into wood  
Strong, durable spade bits designed to last in heavy duty applications.*

| Diameter                                              | Overall Length | Shank Size | Part No. |
|-------------------------------------------------------|----------------|------------|----------|
| 3/8"                                                  | 18"            | 5/16"      | 714224-A |
| 7/16"                                                 | 18"            | 5/16"      | 714225-A |
| 1/2"                                                  | 18"            | 5/16" ***  | 714226-A |
| 9/16"                                                 | 18"            | 7/16" ***  | 714227-A |
| 5/8"                                                  | 8"             | 7/16" ***  | 714241-A |
| 5/8"                                                  | 18"            | 7/16" ***  | 714228-A |
| 11/16"                                                | 18"            | 7/16" ***  | 714229-A |
| 3/4"                                                  | 8"             | 7/16"      | 714243-A |
| 3/4"                                                  | 18"            | 7/16"      | 714230-A |
| 13/16"                                                | 8"             | 7/16" ***  | 714244-A |
| 13/16"                                                | 18"            | 7/16" ***  | 714231-A |
| 7/8"                                                  | 8"             | 7/16"      | 714245-A |
| 7/8"                                                  | 18"            | 7/16"      | 714232-A |
| 1"                                                    | 8"             | 7/16"      | 714247-A |
| 1"                                                    | 18"            | 7/16"      | 714234-A |
| 1-1/8"                                                | 18"            | 7/16"      | 714235-A |
| 1-1/4"                                                | 18"            | 7/16"      | 714236-A |
| 1-3/8"                                                | 18"            | 7/16"      | 714237-A |
| 1-1/2"                                                | 18"            | 7/16"      | 714238-A |
| 2-1/4" Counter Bore for holes less than 5/8" diameter |                |            | 714114-A |

\*\*\* Bits accepting counter bore.

- Heat treated to cut through tough nails

- *Machined on true center to pull bits straighter and faster with no wobble*

- Counter bore allows bolt head and nuts to be recessed without additional tools

- 18" lengths allow deep boring in telephone and power poles, docks, bridges, large timbers and more.



| Diameter | Overall Length | Shank Size | Part No. |
|----------|----------------|------------|----------|
| 1/4"     | 3-1/2"         | 3/8"       | 733308-A |
| 3/8"     |                |            | 733309-A |
| 1/2"     |                |            | 733310-A |
| 5/8"     |                |            | 733311-A |
| 3/4"     |                |            | 733312-A |
| 7/8"     |                |            | 733313-A |
| 1"       |                |            | 733314-A |
| 1-1/8"   |                |            | 733315-A |
| 1-1/4"   |                |            | 733316-A |
| 1-3/8"   |                |            | 733317-A |
| 1-1/2"   |                |            | 733318-A |
| 1-5/8"   |                |            | 733319-A |
| 1-3/4"   |                |            | 733320-A |
| 1-7/8"   |                |            | 733321-A |
| 2"       |                |            | 733322-A |

- Ideal for drilling clean, chip free holes in wood
- Large gullets produce exceptional chip clearance
- Sharp center spur accurately locates center of hole for precise drilling

| Diameter                                          | For Pipe Diameter | Part No  |
|---------------------------------------------------|-------------------|----------|
| 1"                                                |                   | 714101-A |
| 1-1/8"                                            | 1/2"              | 714102-A |
| 1-1/4"                                            | 3/4"              | 714103-A |
| 1-3/8"                                            |                   | 714104-A |
| 1-1/2"                                            | 1"                | 714105-A |
| 1-3/4"                                            | 1-1/4"            | 714106-A |
| 2"                                                |                   | 714107-A |
| 2-1/8"                                            | 1-1/2"            | 714108-A |
| 2-1/4"                                            |                   | 714109-A |
| 3"                                                |                   | 714111-A |
| 4-5/8"                                            | 4"                | 714113-A |
| 5-1/2" Extension                                  |                   | 714120-A |
| 12" Extension                                     |                   | 714121-A |
| 18" Extension                                     |                   | 714122-A |
| Double Ended Screw Point for 1" - 3" Bits         |                   | 714123-A |
| Double Ended Screw Point for 3-5/8" - 4-5/8" Bits |                   | 714124-A |

- Used by Plumbers, Electricians and more for boring pipe and conduit holes in wood
  - *Outlining spurs accurately define hole diameter*
- Threaded screw point pulls bit into material creating an easy to use self-feeding action
  - Heavy duty 1/2" shanks have 3 milled flutes for secured gripping in drill chuck
- 4-5/8" diameter bit features double chip lifters for quick and efficient chip removal




# CORDLESS POWER TOOL ACCESSORIES

## Cordless Rotary Hammer

For Models: BHR261, BHR241, BHR202, BHR162, BHR200SJ

### SDS PLUS DELTAGON BITS - Best



Hole drilled with Thruster Bit



| SDS Plus, 3-Flute Deltagon Bits                          |                |                |         |
|----------------------------------------------------------|----------------|----------------|---------|
| Diameter                                                 | Overall Length | Useable Length | Part #  |
| 5/32"                                                    | 4-1/2"         | 2"             | B-06535 |
| 3/16"                                                    | 4-1/2"         | 2"             | B-06563 |
| 3/16"                                                    | 6-1/2"         | 4"             | B-06579 |
| 3/16"                                                    | 8-1/2"         | 6"             | B-06585 |
| 1/4"                                                     | 4-1/2"         | 2"             | B-06622 |
| 1/4"                                                     | 6-1/2"         | 4"             | B-06638 |
| 1/4"                                                     | 8-1/2"         | 6"             | B-06644 |
| 1/4"                                                     | 10-1/2"        | 8"             | B-07098 |
| 5/16"                                                    | 4-1/2"         | 2"             | B-07107 |
| 5/16"                                                    | 6-1/2"         | 4"             | B-06666 |
| 5/16"                                                    | 8-1/2"         | 6"             | B-06650 |
| 5/16"                                                    | 10-1/2"        | 8"             | B-07113 |
| 5/16"                                                    | 12-1/2"        | 10"            | B-06672 |
| 3/8"                                                     | 4-1/2"         | 2"             | B-07129 |
| 3/8"                                                     | 6-1/2"         | 4"             | B-06688 |
| 3/8"                                                     | 8-1/2"         | 6"             | B-07135 |
| 3/8"                                                     | 10-1/2"        | 8"             | B-06694 |
| 3/8"                                                     | 12-1/2"        | 10"            | B-06703 |
| 3/8"                                                     | 18"            | 16"            | B-06719 |
| 7/16"                                                    | 6-1/2"         | 4"             | B-06725 |
| 1/2"                                                     | 6-1/2"         | 4"             | B-06747 |
| 1/2"                                                     | 8-1/2"         | 6"             | B-07141 |
| 1/2"                                                     | 10-1/2"        | 8"             | B-06753 |
| 1/2"                                                     | 12-1/2"        | 10"            | B-06769 |
| 1/2"                                                     | 18"            | 16"            | B-06775 |
| 9/16"                                                    | 6-1/2"         | 4"             | B-06781 |
| 9/16"                                                    | 8-1/2"         | 6"             | B-07157 |
| 9/16"                                                    | 10-1/2"        | 8"             | B-07163 |
| 9/16"                                                    | 12-1/2"        | 10"            | B-06797 |
| 9/16"                                                    | 18"            | 16"            | B-06806 |
| 5/8"                                                     | 6-1/2"         | 4"             | B-07179 |
| 5/8"                                                     | 8-1/2"         | 6"             | B-06812 |
| 5/8"                                                     | 10-1/2"        | 8"             | B-07185 |
| 5/8"                                                     | 12-1/2"        | 10"            | B-06828 |
| 5/8"                                                     | 18"            | 16"            | B-06834 |
| 11/16"                                                   | 6-1/2"         | 4"             | B-07191 |
| 11/16"                                                   | 8-1/2"         | 6"             | B-06840 |
| 11/16"                                                   | 10-1/2"        | 8"             | B-07200 |
| 11/16"                                                   | 12-1/2"        | 10"            | B-07216 |
| 11/16"                                                   | 18"            | 16"            | B-07222 |
| 3/4"                                                     | 6-1/2"         | 4"             | B-07238 |
| 3/4"                                                     | 8-1/2"         | 6"             | B-06856 |
| 3/4"                                                     | 10-1/2"        | 8"             | B-07244 |
| 3/4"                                                     | 12-1/2"        | 10"            | B-06862 |
| 3/4"                                                     | 18"            | 16"            | B-06878 |
| 3 Piece Bit Set (Incl. 1 ea: 3/16", 1/4", 1/2" x 6-1/2") |                |                | B-06884 |

### SDS PLUS THRUSTER BITS - Better



| SDS+ 2 Flute / Cutter Thruster Bits                                |                |                |          |            |
|--------------------------------------------------------------------|----------------|----------------|----------|------------|
| Diameter                                                           | Useable Length | Overall Length | 1 / Pkg  | 5 / Pkg    |
| 5/32"                                                              | 2"             | 4-1/2"         | 711226-A |            |
| 5/32"                                                              | 4"             | 6-1/4"         | 711227-A |            |
| 3/16"                                                              | 2"             | 4-1/2"         | 711228-A |            |
| 3/16"                                                              | 4"             | 6-1/4"         | 711229-A | 711229-A-5 |
| 3/16"                                                              | 6"             | 8-1/4"         | 711230-A |            |
| 3/16"                                                              | 8"             | 10"            | 711231-A |            |
| 3/16"                                                              | 10"            | 12"            | 711232-A |            |
| 3/16"                                                              | 12"            | 14"            | 711233-A |            |
| 7/32"                                                              | 4"             | 6-1/4"         | 711234-A |            |
| 1/4"                                                               | 2"             | 4-1/2"         | 711235-A | 711235-A-5 |
| 1/4"                                                               | 4"             | 6-1/4"         | 711236-A | 711236-A-5 |
| 1/4"                                                               | 6"             | 8-1/4"         | 711237-A |            |
| 1/4"                                                               | 9"             | 11"            | 711238-A |            |
| 1/4"                                                               | 12"            | 14"            | 711239-A |            |
| 5/16"                                                              | 4"             | 6-1/4"         | 711240-A |            |
| 5/16"                                                              | 10"            | 12"            | 711241-A |            |
| 3/8"                                                               | 4"             | 6-1/4"         | 711242-A |            |
| 3/8"                                                               | 10"            | 12"            | 711243-A |            |
| 3/8"                                                               | 22"            | 24"            | 711244-A |            |
| 7/16"                                                              | 4"             | 6-1/4"         | 711245-A |            |
| 7/16"                                                              | 10"            | 12"            | 711246-A |            |
| 7/16"                                                              | 16"            | 18"            | 711247-A |            |
| 1/2"                                                               | 4"             | 6-1/4"         | 711248-A | 711248-A-5 |
| 1/2"                                                               | 10"            | 12"            | 711249-A |            |
| 1/2"                                                               | 16"            | 18"            | 711250-A |            |
| 1/2"                                                               | 22"            | 24"            | 711251-A |            |
| 9/16"                                                              | 4"             | 6-1/4"         | 711252-A |            |
| 9/16"                                                              | 10"            | 12"            | 711253-A |            |
| 9/16"                                                              | 16"            | 18"            | 711254-A |            |
| 5/8"                                                               | 6"             | 8-1/4"         | 711255-A |            |
| 5/8"                                                               | 10"            | 12"            | 711256-A |            |
| 5/8"                                                               | 16"            | 18"            | 711257-A |            |
| 5/8"                                                               | 22"            | 24"            | 711258-A |            |
| 11/16**                                                            | 6"             | 8-1/4"         | 711172-A |            |
| 3/4**                                                              | 6"             | 8-1/4"         | 711173-A |            |
| 3/4**                                                              | 10"            | 12"            | 711174-A |            |
| 7/8**                                                              | 6"             | 8-1/4"         | 711176-A |            |
| 5 Piece Assortment (Includes 1 ea: 3/16", 3/8", 1/2" & 2 ea. 1/4") |                |                |          | 711259-A-A |
| * Not Thruster Style                                               |                |                |          |            |

## Cordless Stapler Accessories

| Galvanized Staples |                         |            |
|--------------------|-------------------------|------------|
| Part No.           | Description             | For Models |
| F-32904            | 1/4" Staples T50 (6mm)  |            |
| F-32917            | 5/16" Staples T50 (8mm) | BST221X    |
| F-32647            | 3/8" Staples T50 (10mm) | BST221Z    |
| F-32650            | 1/2" Staples T50 (13mm) |            |



## Cordless Jig Saw Accessories

### Tang Shank (European Style)

Thin Kerf for cordless Jig saws

For BJV180Z, BJV140Z



| Blade No.                                   | Teeth/inch | Usage                                                                            | 5 Pack   |
|---------------------------------------------|------------|----------------------------------------------------------------------------------|----------|
| B10                                         | 9          | Coarse Blade for Wood, Plywood & Plastic                                         | 792529-7 |
| B10S                                        | 9          | Splinter Free Cuts in Wood                                                       | 792691-8 |
| B12                                         | 6          | Fine cutting of wood, plywood & plastics up to 65mm.                             | 792464-9 |
| B21                                         | 12         | For non-ferrous metals including Aluminum                                        | 792472-0 |
| 51                                          | 24         | Extra Fine teeth for Wood, Plywood, Plastics, light ferrous & non-ferrous metals | 792428-3 |
| For full range of blades please see page 41 |            |                                                                                  |          |



### Makita Shank

Thin Kerf for cordless Jig saws

For 4334DWD



| Blade No. | Teeth/inch | Usage                                                         | 5 Pack   |
|-----------|------------|---------------------------------------------------------------|----------|
| 30S       | n/a        | For splinter-free cuts in wood - Cordless saws                | 792693-4 |
| 31        | 24         | Thin Kerf for cordless - Metal, Plywood, Plastics, Mild Steel | 792221-5 |
| 36        | 15         | Thin Kerf for cordless scroll cuts - Wood & Plywood           | 792544-1 |
| 39        | 12         | Thin Kerf for cordless - Wood                                 | 792222-3 |



See page 78 for our complete assortment of Autofeed Screws & Bits for models: BFR750Z/L, BFR550Z/L, BFR540Z/L



# CORDLESS POWER TOOL ACCESSORIES

## Recipro Saw Blades

for Model BJR141Z / BJR181Z / BJR182Z

Metal Cutting

| Length | TPI | Width | Thickness | Material | Type          | Application                                                     | 2/Pkg.     |
|--------|-----|-------|-----------|----------|---------------|-----------------------------------------------------------------|------------|
| 4"     | 14  | 5/8"  | .031"     | HSS      | Straight Back | Pipe, conduit, channel, metals from 3/16" - 1/4"                | 723019-G-2 |
| 4"     | 18  | 5/8"  | .031"     | BIM      | Straight Back | Heavy gauge metal 1/8" - 3/16", hard rubber                     | 723017-H-2 |
| 4"     | 24  | 5/8"  | .031"     | BIM      | Straight Back | Pipe, conduit, channels, thin gauge metal from 18 gauge to 1/8" | 723017-J-2 |
| 6"     | 14  | 5/8"  | .031"     | HSS      | Straight Back | Pipe, conduit, channel, metal from 3/16" - 1/4"                 | 723019-A-2 |
| 6"     | 18  | 5/8"  | .031"     | BIM      | Straight Back | Heavy gauge metal 1/8" - 3/16", hard rubber                     | 723017-C-2 |

All-Purpose

| Length | TPI | Width | Thickness | Material | Type          | Application                                     | 2/Pkg.     |
|--------|-----|-------|-----------|----------|---------------|-------------------------------------------------|------------|
| 6"     | 10  | 5/8"  | .031"     | BIM      | Straight Back | Metal, bar & pipe over 1/4", nail embedded wood | 723017-A-2 |

|                                 |                                            |
|---------------------------------|--------------------------------------------|
| <b>HCS</b><br>High Carbon Steel |                                            |
| <b>BIM.</b><br>Bi-Metal         | Lasts <b>10x</b> Longer<br>than HCS blades |
| <b>HSS</b><br>High Speed Steel  | Lasts <b>5x</b> Longer<br>than HCS blades  |

| Blade Thickness | Application         |
|-----------------|---------------------|
| .035"           | Flexible & standard |
| .050"           | Heavy duty          |
| .062"           | Demolition          |

| Material           | TPI                                 | Application                                                                                               |
|--------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>WOOD</b>        | 3<br>Progressive<br>6               | Very fast, rough<br>Combination - fast/clean<br>Fast, rough                                               |
| <b>ALL-PURPOSE</b> | 10<br>Progressive<br>8/12<br>10/14  | Rough - heavy wood with nails<br>Combination - fast/clean<br>Aggressive - soft metal<br>Fast, heavy metal |
| <b>METAL</b>       | 10<br>Progressive<br>14<br>18<br>24 | 1/4" + thick<br>Combination - all thicknesses<br>3/16" - 1/4" thick<br>1/8" - 3/16" thick<br>-1/8" thick  |

### 6 Piece Assortment Pack

Description

6 Pcs. Bi-Metal Pack - (1) each:  
723054-A (6 TPI)  
723064-A (10 TPI)  
723066-A (18 TPI)  
723061-A (18 TPI)  
723079-A (Progressive)  
723080-A (Progressive)

Part # 723086-A-A

### 3 Piece Assortment Packs

Description

3 Pcs. Bi-Metal Pack - (1) each:  
Wood (9 TPI)  
Metal/Wood (18 TPI)  
Metal (24 TPI)

Part # 193572-3

## Recipro Saw Blades

for Model 4390DW



| Cordless Reciprocating Saw Blades |     |                  |                                                  |                 |
|-----------------------------------|-----|------------------|--------------------------------------------------|-----------------|
| Length                            | TPI | Material         | Application                                      | 5 / Pk          |
| 4"                                | 24  | High Speed Steel | Mild Steel, Plastics, Masonite, Formica, Plywood | <b>792542-5</b> |
| 5-7/8"                            | 24  | High Speed Steel | Mild Steel, Plastics, Masonite, Formica, Plywood | <b>792615-4</b> |
| 4-3/4"                            | 9   | High Speed Steel | Thin Kerf Design for Wood                        | <b>792541-7</b> |
| 5-7/8"                            | 9   | High Speed Steel | Thin Kerf Design for Wood                        | <b>792616-2</b> |

## Circular Saw Blades



| Cordless Circular Saw Blades |             |          |                                                   |       |       |         |                                        |
|------------------------------|-------------|----------|---------------------------------------------------|-------|-------|---------|----------------------------------------|
| Blade Diam.                  | Arbor       | Teeth    | Application                                       | Grind | Kerf  | Max RPM | For Models                             |
| 3-3/8"                       | 5/8" / 16mm | 20 CT    | Ripping Hard & Soft Wood                          | ATB   | .039" | 2, 240  | 5094DWD                                |
|                              |             | 50 Steel | General Purpose Cutting in Hard & Soft Wood       | n/a   | .046" |         | 5094DWD                                |
|                              |             | 50 Steel | Cutting Plywood                                   | n/a   | .031" |         | 5094DWD                                |
| 5-3/8"                       | 5/8" / 16mm | 30 CT    | General Purpose Non-Ferrous Metals                | TCG   | .039" | 4, 500  | BSS500Z / BCS501Z                      |
|                              |             | 50 CT    | Thin Metals & Mild Steel                          | ATB   | .039" |         | BSS500Z / BCS501Z                      |
| 6-1/4"                       | 5/8" / 16mm | 30 CT    | Ripping Hard & Soft Wood                          | ATB   | .062" | 4, 770  | 5036DWD / 5046DWD                      |
|                              |             | 40 CT    | Fibre Cement Board                                | ATB   | .059" |         | 5036DWD / 5046DWD                      |
|                              |             | 46 CT    | General Purpose Non-Ferrous or Coated Metals      | TCG   | .063" |         | 5036DWD / 5046DWD                      |
|                              |             | 56 CT    | General Purpose Smooth Cutting Non-Ferrous Metals | TCG   | .063" |         | 5036DWD / 5046DWD                      |
| 6-1/2"                       | 5/8" / 16mm | 24 CT    | Smooth Crosscutting Hard & Soft Wood              | ATB   | .059" | 4, 770  | BSS610X2 / BSS610Z / BSS611X / BSS611Z |
|                              |             | 24 CT    | Cutting Hard & Soft Wood                          | ATB   | .059" |         | BSS610X2 / BSS610Z / BSS611X / BSS611Z |

### Small Diameter Diamond Blades (for 4190DW & 4191DW)

| Blade Diameter | Arbor       | Application                                                 | Max RPM | Part No.           |
|----------------|-------------|-------------------------------------------------------------|---------|--------------------|
| 3-3/8" (85mm)  | 5/8" (16mm) | General Purpose wet cutting in tile and glass               | 2, 240  | <b>724950-8C</b>   |
| 3-3/8" (85mm)  | 5/8" (16mm) | Wet / Dry for stone, masonry and general purpose use        | 17, 984 | <b>724950-8A</b>   |
| 3-3/8" (85mm)  | 5/8" (16mm) | Wet / Dry for stone, masonry and general purpose use (BULK) | 17, 984 | <b>724950-8A-X</b> |
| 3-3/8" (85mm)  | 5/8" (16mm) | Wet cutting continuous rim                                  | 1, 300  | <b>A-01323</b>     |

• Ideal for long operational life in masonry, glass, tile and general purpose materials

### Circular Saw Legend

ATB - Alternate Top Bevel

FT - Flat Top

TCG - Triple Chip Grind

HG - Hollow Ground

FTG - Flat Top Grind

### Angle Drill Accessories

| Description         | For Model(s) No.                          | Part No.        |
|---------------------|-------------------------------------------|-----------------|
| Straight Attachment | 6940D, BTL060Z, BTL061Z, BTL062Z, BTL063Z | <b>192440-7</b> |
| Ratchet Attachment  |                                           | <b>192439-2</b> |
| 3/8" Socket Adapter |                                           | <b>134745-9</b> |
| 1/2" Socket Adapter |                                           | <b>134746-7</b> |

Straight Attachment



Ratchet Attachment



Socket Adapter



# CORDLESS POWER TOOL ACCESSORIES

## Bi-Metal Hole Saws



- Variable pitch teeth cut faster, last longer
- Extra hard high speed steel teeth
- Flexible, shatter resistant steel body for long life and durability
- Deeper cutting than standard Bi-Metal Hole Saws
- Drills through steel and wood

### Bi-Metal Hole Saws

| Diameter | Pipe Entrance Size | Pipe Tap Size | Per No (Card) | Part No (Box) | Arbor                                                                                                 |
|----------|--------------------|---------------|---------------|---------------|-------------------------------------------------------------------------------------------------------|
| 9/16"    |                    |               |               | 714001-A      | Use with<br>Arbor<br>714060-A<br>(1/4" Chuck)<br>714061-A<br>(3/8" Chuck)<br>714062-A<br>(1/2" Chuck) |
| 5/8"     |                    |               |               | 714002-A      |                                                                                                       |
| 11/16"   |                    |               |               | 714003-A      |                                                                                                       |
| 3/4"     |                    |               | 714004-B      | 714004-A      |                                                                                                       |
| 13/16"   |                    |               |               | 714005-A      |                                                                                                       |
| 7/8"     | 1/2"               | 3/4"          | 714006-B      | 714006-A      |                                                                                                       |
| 15/16"   |                    |               |               | 714007-A      |                                                                                                       |
| 1"       |                    |               | 714008-B      | 714008-A      |                                                                                                       |
| 1-1/16"  |                    |               |               | 714009-A      |                                                                                                       |
| 1-1/8"   | 3/4"               | 1"            | 714010-B      | 714010-A      |                                                                                                       |
| 1-3/16"  |                    |               |               | 714011-A      |                                                                                                       |
| 1-1/4"   |                    |               | 714012-B      | 714012-A      | Use with<br>Arbor<br>714063-A<br>(3/8" Chuck)<br>714065-A<br>(1/2" Chuck)<br>714066-A<br>(3/4" Chuck) |
| 1-5/16"  |                    |               |               | 714013-A      |                                                                                                       |
| 1-3/8"   | 1"                 |               | 714014-B      | 714014-A      |                                                                                                       |
| 1-7/16"  |                    |               |               | 714015-A      |                                                                                                       |
| 1-1/2"   |                    | 1-1/2"        | 714016-B      | 714016-A      |                                                                                                       |
| 1-9/16"  |                    |               |               | 714017-A      |                                                                                                       |
| 1-5/8"   |                    |               | 714018-B      | 714018-A      |                                                                                                       |
| 1-11/16" |                    |               |               | 714019-A      |                                                                                                       |
| 1-3/4"   | 1-1/4"             | 1-1/2"        | 714020-B      | 714020-A      |                                                                                                       |
| 1-13/16" |                    |               |               | 714021-A      |                                                                                                       |
| 1-7/8"   |                    |               | 714022-B      | 714022-A      |                                                                                                       |
| 2"       | 1-1/2"             |               | 714023-B      | 714023-A      |                                                                                                       |
| 2-1/16"  |                    |               |               | 714024-A      |                                                                                                       |
| 2-1/8"   |                    |               | 714025-B      | 714025-A      |                                                                                                       |
| 2-1/4"   |                    | 2"            | 714026-B      | 714026-A      |                                                                                                       |
| 2-5/16"  |                    |               |               | 714027-A      |                                                                                                       |
| 2-3/8"   |                    |               |               | 714028-A      |                                                                                                       |
| 2-1/2"   | 2"                 |               | 714029-B      | 714029-A      | Use with<br>Arbor<br>714065-A<br>(1/2" Chuck)<br>714066-A<br>(3/4" Chuck)                             |
| 2-9/16"  |                    |               |               | 714030-A      |                                                                                                       |
| 2-5/8"   |                    | 2-1/2"        |               | 714031-A      |                                                                                                       |
| 2-3/4"   |                    |               | 714032-B      | 714032-A      |                                                                                                       |
| 2-7/8"   |                    |               |               | 714033-A      |                                                                                                       |
| 3"       | 2-1/2"             |               | 714034-B      | 714034-A      |                                                                                                       |
| 3-1/8"   |                    |               |               | 714035-A      |                                                                                                       |
| 3-1/4"   |                    | 3"            | 714036-B      | 714036-A      |                                                                                                       |
| 3-3/8"   |                    |               |               | 714037-A      |                                                                                                       |
| 3-1/2"   |                    |               | 714038-B      | 714038-A      |                                                                                                       |
| 3-5/8"   |                    | 3"            |               | 714039-A      |                                                                                                       |
| 3-3/4"   |                    | 3-1/2"        | 714040-B      | 714040-A      |                                                                                                       |
| 3-7/8"   |                    |               |               | 714041-A      |                                                                                                       |
| 4"       |                    |               | 714042-B      | 714042-A      |                                                                                                       |
| 4-1/8"   | 3-1/2"             |               |               | 714043-A      |                                                                                                       |
| 4-1/4"   |                    |               |               | 714044-A      |                                                                                                       |
| 4-3/8"   |                    |               |               | 714045-A      |                                                                                                       |
| 4-1/2"   |                    | 4"            |               | 714046-A      |                                                                                                       |
| 4-3/4"   |                    | 4-1/2"        |               | 714047-A      |                                                                                                       |
| 5"       |                    |               |               | 714048-A      |                                                                                                       |
| 5-1/2"   |                    |               |               | 714049-A      |                                                                                                       |
| 6"       |                    |               |               | 714050-A      |                                                                                                       |

### Bi-Metal Hole Saw Arbors

| Shank Size                                | Thread Size                              | Chuck Size | 1 per Card | 1 per Box |
|-------------------------------------------|------------------------------------------|------------|------------|-----------|
| 1/4" Round                                | 1/2" - 20                                | 1/4"       | 714060-B   | 714060-A  |
| 3/8" Hex                                  | 1/2" - 20                                | 3/8"       |            | 714061-A  |
| 7/16" Hex                                 | 1/2" - 20                                | 1/2"       | 714062-B   | 714062-A  |
| 3/8" Hex                                  | 5/8" - 18                                | 3/8"       | 714063-B   | 714063-A  |
| 7/16" Hex                                 | 5/8" - 18                                | 1/2"       | 714065-B   | 714065-A  |
| 5/8" Hex                                  | 5/8" - 18                                | 3/4"       |            | 714066-A  |
| Description                               | For Arbor Part No.                       |            | Part No.   |           |
| 12" Extension for 7/16" Shank Arbors      |                                          |            | 714067-A   |           |
| 1/4" x 2-3/4" Replacement Pilot Drill Bit | 714062-A / 714062-B, 714065-A / 714065-B |            | 714069-A   |           |
| 1/4" x 4-1/2" Replacement Pilot Drill Bit |                                          |            | 714068-A   |           |

## Bi-Metal Hole Saws

### Bi-Metal Lock Installation Kit

714051-B

Includes:

- 1 - 2-1/8" Bi-Metal Hole Saw
- 1 - 1" Bi-Metal Hole Saw
- 1 - Arbor Adapter
- 1 - Arbor



### 8 Piece Electrician's Bi-Metal Hole Saw Kit

714000-A-C

Includes:

- 1 - Hole Saw Sizes 7/8", 1-1/8", 1-3/8", 1-3/4", 2", & 2-1/2"
- 1 - 3/8" Shank Arbor
- 1 - 7/16" Shank Arbor



### 8 Piece Plumbers Bi-Metal Hole Saw Kit

714000-A-D

Includes:

- 1 - Hole Saw Sizes 3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", & 2-1/4"
- 1 - 3/8" Shank Arbor
- 1 - 7/16" Shank Arbor



### 13 Piece Plumbers & Electrician's Bi-Metal Hole Saw Kit

714000-A-B

Includes:

- 1 - Hole Saw Sizes 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2-1/4", & 2-1/2"
- 1 - 3/8" Shank Arbor
- 1 - 12" Extension
- 2 - 7/16" Shank Arbor



## Cut-Off Wheel

for Model BGA450 / BGA452 / BGA452 Z

### Cordless Grinder Cut-Off Wheel

See page 89-90 for wheel guard, inner flange, lock nut, rubber pad



#### Thin Kerf

For fast, clean cuts, notching and slotting



| Size                  | Application     | Grit     | Max RPM | Pkg. 25   |
|-----------------------|-----------------|----------|---------|-----------|
| 4-1/2" x 3/64" x 7/8" | Stainless Steel | A46U9BF  | 13,285  | 724112A25 |
| 4-1/2" x 3/64" x 7/8" | General Purpose | A46T11BF | 13,285  | 724115A25 |



### Band Saw Blades

| Material         | Thickness    | Teeth per Inch | Part No. | For Model (s)  |
|------------------|--------------|----------------|----------|----------------|
| High Speed Steel | 13/64"       | 14             | 792557-2 |                |
|                  | 5/32" - 3/4" | 18             | 792556-4 |                |
|                  | 5/32"        | 24             | 792555-6 |                |
| Bi-Metal         | 1/4" - 1/2"  | 14             | 792557-A | BPB180, 2107FK |
|                  | 1/8" - 1/4"  | 18             | 792556-A |                |
|                  | 1/8"         | 24             | 792555-A |                |
| Carbon Steel     | 1/2"         | 6              | 792567-9 |                |
|                  | 1/4" - 1/2"  | 14             | 792560-A |                |
|                  | 1/8" - 1/4"  | 18             | 792559-A |                |
|                  | 1/8"         | 24             | 792558-A |                |

### Band Saw Accessories

| Description    | Part No. | For Model (s) No. |
|----------------|----------|-------------------|
| Band Saw Stand | 194026-3 | BPB180 & 2107FK   |
| Cutting Wax    | 191897-9 |                   |

# CORDLESS POWER TOOL ACCESSORIES

## LXT Tool Bag with Wheels 831269-3



### Insert Bit 7 Piece Kit

Magnetic bit holder + 6 popular insert bits in a carrying case



Includes:  
#1, #2 and #3 phillips insert bits & #1, #2, #3, Robertson  
insert bits and a 2-1/8" magnetic bit holder with  
1/4" hex shank

6 pack

784806-X

### Cordless Chain Saw Accessories for Model UC120DWD


Extension Handle

192927-9

Telescoping action extends reach of chain saw  
from 5.9' (retracted) to 8.5' (extended)



### Vacuum Accessories for Model 4093D/4013DZ/4033DZ



## Safety Equipment & Jobsite Accessories

Part No.

Description

191687-A Makita Safety Glasses (Clear)

192219-6 Safety Goggles (Clear)

192517-8 OR  
A0908-0171 Safety Goggles (Clear)

HB 25 Ultra Lite Headmuffs

MK401-9 M-Force Gloves Size 9 Machine Washable

MK401-10 M-Force Gloves Size 10 Molded Rubber Protective  
Guards

MK401-11 M-Force Gloves Size 11 Synthetic Leather Palm and  
Thumb

MK402-9 M-Force II Gloves Size 9 Reinforced Synthetic Leather  
Fingertips

MK402-10 M-Force II Gloves Size 10 Foam Sewn Underneath Syn-  
thetic Leather "Accordion Style"

MK402-11 M-Force II Gloves Size 11

821007X Tool Bag 21"

821010-X

Tool Bag 14"

831269-3 LXT Tool Bag with Wheels

831274-0 Soft Case

831278-2 LXT Tool Bag (Blue)

831273-2 LXT Tool Bag (Black)

823032-A Cordura Tool Holster Weather Resistant Durable Cor-  
dura with Custom Casing

823033-3R Leather Tool Holster - Right  
Handed

823033-3L Leather Tool Holster - Left Handed

823033-F Universal Synthetic Leather Hol-  
ster - Right Handed

823033-G Universal Leather Holster - Right  
Handed

823033-3C Battery Holster All Stick Style Batteries

## Impact Wrench Accessories

| Part No  | Description                             | Purpose                                                             | For Models                                     |
|----------|-----------------------------------------|---------------------------------------------------------------------|------------------------------------------------|
| 134874-8 | 1/2" Square Drive Impact Extension      | For work in narrow areas where socket will not reach                | BTW250, BTW251, BTW450,<br>BTW200SA, 6434FDWDE |
| 134873-0 | 1/2" Square Drive Bit Adapter           | For driving machine screws                                          |                                                |
| 134877-2 | 1/2" Square Drive Large Universal Joint | For use in areas where tool cannot be held in line with bolt or nut |                                                |
| 134878-0 | 1/2" Square Drive Small Universal Joint |                                                                     |                                                |

