

Hex Shank Masonry Drill Bits **Ultralok™**



Description

Part

3 Pc. Hex Masonry Set - 1/8", 3/16", 1/4"	784888-A
1/8" Hex Masonry Drill Bit	784885-A
3/16" Hex Masonry Drill Bit	784886-A
1/4" Hex Masonry Drill Bit	784887-A

- Drills soft & medium hard masonry
- Fast spiral for smooth, efficient chip removal
- Tungsten Carbide-tipped for long life

Hex Shank Drill Bits

Ultralok™



Description

Part

5 Pc. Set - 1/16", 3/32", 1/8", 5/32", 3/16"	784000-A-A
3/16", 1/4" (with Storage Case)	
1/16" Hex 135° Split Point Drill Bit	711469-A
5/64" Hex 135° Split Point Drill Bit	711470-A
3/32" Hex 135° Split Point Drill Bit	711471-A
7/64" Hex 135° Split Point Drill Bit	711472-A
1/8" Hex 135° Split Point Drill Bit	711473-A
9/64" Hex 135° Split Point Drill Bit	711474-A
5/32" Hex 135° Split Point Drill Bit	711475-A
11/64" Hex 135° Split Point Drill Bit	711476-A
3/16" Hex 135° Split Point Drill Bit	711477-A
13/64" Hex 135° Split Point Drill Bit	711478-A
7/32" Hex 135° Split Point Drill Bit	711479-A
15/64" Hex 135° Split Point Drill Bit	711480-A
1/4" Hex 135° Split Point Drill Bit	711481-A

- 135° Split Point drills faster & penetrates quickly without walking
- Drills wood, metal & plastic


Fast Connect System

Ultralok™



Fits most common chucks

Double-Action Spring
for Natural Motion



① Pull Forward

② Release

Description

Part



Ultralok™ Connector

784871-A

For fast connections
of 1/4" Hex Shank accessories



Ultralok™ 7 Piece Set

784873-A

1-Ultralok™ Connector
3-135° Split Point Hex Shank Drill
Bits-1/16", 1/8", 3/16",
3-Professional Power Screwdriver
Bits-Phillips & Slotted



Ultralok™ 14 Piece Set

784875-A

1-Ultralok™ Connector
12 -135° Split Point Hex Shank Drill Bits-1/16", 5/64",
3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 11/64", 13/64", 7/32", 1/4"
1-Storage Case



Ultralok™ 15 Piece Set

784874-A

1-Ultralok™ Connector
4-135° Split Point Hex Shank Drill Bits - 1/16", 1/8", 5/32", 3/16"
1-"Shorty" Finder/Driver® with #2 Robertson Bits
4-Professional Insert Bits-Phillips & Robertson
4-Quality Sockets-1/4", 5/16", 3/8", 1/2"
1-Power Socket Adapter
1-Storage Case



Ultralok™ 23 Piece Set

784872-A

1-Ultralok™ Connector
7-135° Split Point Hex Shank Drill Bits -1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32"
3-Non-Perussion Hex Shank Masonry Drill Bits-1/8", 3/16", 1/4"
1-"Shorty" Finder/Driver® with #2 Phillips Bit
5-Professional Insert Bits-Phillips, Robertson
4-Quality Sockets-1/4", 5/16", 3/8", 1/2"
1-Power Socket Adapter
1-Storage Case

CORDLESS POWER TOOL ACCESSORIES


Accessory kit for impact drivers



PART NO. M-00147
84 Piece Set

Modular Set

Self Centering



Description

Part

Modular Set

784859-A

For securing drill bits, countersinks and screwdriver bits. Includes:

- 1 - Industrial Quad-Driver™ No. 6 Countersink
- 1 - Industrial Quad-Driver™ No. 8 Countersink
- 1 - Industrial Quad-Driver™ No. 10 Countersink
- 1 - Industrial Quad-Driver™ No. 12 Countersink
- 1 - Industrial Quad-Driver™ Shaft with Built-in Hex Key
- 1 - 1/2" Hex Coupler
- 5 - #2 Phillips Bits
- 1 - Storage Case

13 Piece Set

784832-A

Includes:

- 1 - Industrial Quad-Driver™ shaft
- 1 - No. 6 reversible countersink/driver
- 1 - No. 8 reversible countersink/driver
- 1 - No. 10 reversible countersink/driver
- 1 - No. 12 reversible countersink/driver
- 4 - #2 Driver bits
- 4 - Extra drill bits, one for each size countersink/driver
- 1 - Storage Case

Self Centering Quad - Driver Drill Guide 4 Piece Set

784827-A

Includes:

- 1 - Quad-Driver™ shaft
- 1 - No. 6 reversible center bit/driver
- 1 - No. 8 reversible center bit/driver
- 1 - No. 10 reversible center bit/driver
- 3 - #2 Phillips bits
- 1 - Storage Case

Industrial Quad - Driver the Complete Drill & Driver Set

784858-A

For size 8 screws

Includes:

- 1 - Industrial Quad-Driver™ shaft
- 1 - Industrial Quad-Driver™ No. 8 insert
- 1 - Industrial Quad-Driver™ Drill Guide insert
- 1 - Industrial Quad-Driver™ 2-in-1 insert
- 3 - #2 Phillips bits
- 3 - #2 Robertson bits
- 1 - Storage Case

Self Centering Quad - Driver Drill Guide

Reversible Self-centering Drill and Driver

- Screw hole is automatically centered as it is drilled • Reverse bit holder • Drive the screw
- Self centering drill is great for precise mounting of hinges, latches, brackets, strikeplates, etc
- Drill Guide protects drill bit from breakage
- Built-in hex key for easy bit changes

For size #6 screws	784824-A
For size #8 screws	784825-A
For size #10 screws	784826-A

Industrial Quad - Driver

Reversible Drill and Driver

- Heavy duty design
- New modular design-all pieces can be changed
- New Bit Lok™ system to lock bits in tool
- Built in hex key for easy bit changes

For size #6 screws	784828-A
For size #8 screws	784829-A
For size #10 screws	784830-A
For size #12 screws	784831-A

25 Piece Power Screwdriver Accessory Pack 784823-A

Includes:

- "Vision" Finder/Driver Retracting Screw Holder
- "Stubby" Finder/Driver Retracting Screw Holder
- Quad-Driver 2-in-1 Screwdriver with 2 Magnetic Bit Holders
- Makita manual handle also accepts the 2-in-1 Magnetic Bit Holders
- 3/8" hex adapter fits over Finder/Driver 1/4" hex shanks
- Use the "Stubby" and "Vision" in the manual handle to "Start screws the easy way!"
- Total of 18 screwdriver bits • 1 - Storage Case

Finder Drivers

Finder - Driver

784810-A



Retracting Screw Holder

- 1ea. #2 phillips bit and #2 Robertson insert bit
- Outer sleeve surrounds both bit tip and screw head
- Keeps bit tip in screw head
- Prevents screws from wobbling
- Sleeve retracts as screw penetrates wood
- Overall length: 4-5/8" (without insert bit)

Contractor Finder - Driver

784812-A



Retracting Screw Holder

- 1/4" nutsetter and #2 phillips bit
- Large diameter for holding #12 screws
- Overall length: 4-5/8" (without insert bit)

Finder - Driver Duo Set

784810-A-A



Retracting Screw Holder contains a convenient "Stubby" Finder/Driver™ for most screws and the original Finder/Driver™ for long screws

- 1ea. #1 phillips bit, '6-8" slotted insert bits and 1/4" nutsetter and
- 2 ea. #2 phillips bit

"Stubby" Finder - Driver

784811-A



Retracting Screw Holder

- Includes: 1ea. #2 phillips bit and #2 Robertson insert bit
- Shortened model for access into tighter work spaces
- Gives excellent control when starting screws
- Overall length: 3-1/8" (without insert bit)

"Shorty" Finder - Driver

784867-A



Retracting Screw Holder

- Includes: 1ea. #2 phillips bit
- A compact size for tight places
- Overall length: 2-1/4" (without insert bit)

"Stubby" Finder - Driver

784811-A



- Shorty Finder/Driver® with 5 assorted insert bits 784868-A
- 14 pc. Shorty Finder/Driver® Set includes: 784869-A
 - (1)-Shorty Finder/Driver,
 - (13)-Assorted insert bits
- Shorty and Regular Finder/Driver® Duo Set Includes: 784870-A
 - (1)-Shorty Finder/Driver
 - (1)-Regular Finder/Driver
 - (5)-Assorted insert bits

CORDLESS POWER TOOL ACCESSORIES

Black Oxide Drill Bits



Diameter	Description	Qty.	Part #
	13PC Bit Set Black Oxide	1	711300-A-B
	15PC Bit Set Black Oxide	1	711300-A-C
1/16"	Black Oxide	1	711301-A
3/32"	Black Oxide	1	711303-A
1/8"	Black Oxide	1	711305-A
5/32"	Black Oxide	1	711307-A
3/16"	Black Oxide	1	711309-A
7/32"	Black Oxide	1	711311-A
1/4"	Black Oxide	1	711313-A
9/32"	Black Oxide	1	711315-A
5/16"	Black Oxide	1	711317-A
11/32"	Black Oxide	1	711319-A
3/8"	Black Oxide	1	711321-A
13/32"	Black Oxide	1	711323-A
7/16"	Black Oxide	1	711325-A
15/32"	Black Oxide	1	711327-A
1/2"	Black Oxide	1	711329-A

High Speed Steel bits with a 135° split point
Black Oxide coating for easier chip removal

Drill Bits

ULTRAFAST



Diameter	Overall Length	Flute Length	Part #
1/16"	1-7/8"	7/8"	711330-A
5/64"	2"	1"	711331-A
3/32"	2-1/4"	1-1/4"	711332-A
7/64"	2-5/8"	1-1/2"	711333-A
1/8"	2-3/4"	1-5/8"	711334-A
9/64"	2-7/8"	1-3/4"	711335-A
5/32"	3-1/8"	2"	711336-A
11/64"	3-1/4"	2-1/8"	711337-A
3/16"	3-1/2"	2-5/16"	711338-A
13/64"	3-5/8"	2-7/16"	711339-A
7/32"	3-3/4"	2-1/2"	711340-A
15/64"	3-7/8"	2-5/8"	711341-A
1/4"	4"	2-3/4"	711342-A
17/64"	4-1/8"	2-7/8"	711343-A
9/32"	4-1/4"	2-15/16"	711344-A
19/64"	4-3/8"	3-1/16"	711345-A
5/16"	4-1/2"	3-1/16"	711346-A
21/64"	4-5/8"	3-5/16"	711347-A
11/32"	4-3/4"	3-7/16"	711348-A
23/64"	4-7/8"	3-1/2"	711349-A
3/8"	5"	3-5/8"	711350-A
25/64"	5-1/8"	3-3/4"	711351-A
13/32"	5-1/4"	3-7/8"	711352-A
27/64"	5-3/8"	3-15/16"	711353-A
7/16"	5-1/2"	4-1/16"	711354-A
29/64"	5-5/8"	4-3/16"	711355-A
15/32"	5-3/4"	4-5/16"	711356-A
31/64"	5-7/8"	4-3/8"	711357-A
1/2"	6"	4-1/2"	711358-A
1/16"	1-7/8"	7/8"	710001-A
5/64"	2"	1"	710002-A
3/32"	2-1/4"	1-1/4"	710003-A
7/64"	2-5/8"	1-1/2"	710004-A
1/8"	2-3/4"	1-5/8"	710005-A
9/64"	2-7/8"	1-3/4"	710006-A
5/32"	3-1/8"	2"	710007-A
11/64"	3-1/4"	2-1/8"	710007-B
3/16"	3-1/2"	2-5/16"	710008-A
13/64"	3-5/8"	2-7/16"	710008-B
7/32"	3-3/4"	2-1/2"	710009-A
15/64"	3-7/8"	2-5/8"	710009-B
1/4"	4"	2-3/4"	710010-A
17/64"	4-1/8"	2-7/8"	710010-B
9/32"	4-1/4"	2-15/16"	710010-C
19/64"	4-3/8"	3-1/16"	710010-D
5/16"	4-1/2"	3-1/16"	710011-A
21/64"	4-5/8"	3-5/16"	710011-B
11/32"	4-3/4"	3-7/16"	710011-C
23/64"	4-7/8"	3-1/2"	710011-D
3/8"	5"	3-5/8"	710012-A
25/64"	5-1/8"	3-3/4"	710012-B
13/32"	5-1/4"	3-7/8"	710012-C
27/64"	5-3/8"	3-15/16"	710012-D
7/16"	5-1/2"	4-1/16"	710013-A
29/64"	5-5/8"	4-3/16"	710013-B
15/32"	5-3/4"	4-5/16"	710013-C
31/64"	5-7/8"	4-3/8"	710013-D
1/2"	6"	4-1/2"	710014-A
1/16" - 1/4"	includes metal index case	-	710015-AST

• Aggressive chisel and rake angles penetrated on contact. Computer generated split point design prevents "walking" and drills faster. Enlarged precision ground flutes maximize chip removal and prevent binding. Premium quality high speed steel construction for extended life. More holes per charge in cordless drills. Requires minimal operator pressure

Titanium Nitride Coated Drill Bits

ULTRAFAST



Diameter	Overall Length	Flute Length	Part #
1/16"	1-7/8"	7/8"	710051-A
5/64"	2"	1"	710052-A
3/32"	2-1/4"	1-1/4"	710053-A
7/64"	2-5/8"	1-1/2"	710054-A
1/8"	2-3/4"	1-5/8"	710055-A
9/64"	2-7/8"	1-3/4"	710056-A
5/32"	3-1/8"	2"	710057-A
11/64"	3-1/4"	2-1/8"	710057-B
3/16"	3-1/2"	2-5/16"	710058-A
13/64"	3-5/8"	2-7/16"	710058-B
7/32"	3-3/4"	2-1/2"	710059-A
15/64"	3-7/8"	2-5/8"	710059-B
1/4"	4"	2-3/4"	710060-A
17/64"	4-1/8"	2-7/8"	710060-B
9/32"	4-1/4"	2-15/16"	710060-C
19/64"	4-3/8"	3-1/16"	710060-D
5/16"	4-1/2"	3-1/16"	710061-A
21/64"	4-5/8"	3-5/16"	710061-B
11/32"	4-3/4"	3-7/16"	710061-C
23/64"	4-7/8"	3-1/2"	710061-D
3/8"	5"	3-5/8"	710062-A
25/64"	5-1/8"	3-3/4"	710062-B
13/32"	5-1/4"	3-7/8"	710062-C
27/64"	5-3/8"	3-15/16"	710062-D
7/16"	5-1/2"	4-1/16"	710063-A
29/64"	5-5/8"	4-3/16"	710063-B
15/32"	5-3/4"	4-5/16"	710063-C
31/64"	5-7/8"	4-3/8"	710063-D
1/2"	6"	4-1/2"	710064-A
1/16" - 1/4"	includes metal index case	-	710065-AST

- Titanium Coating reduces heat build-up and prolongs the life of the bit
- Industrial quality high speed steel
- Self-centering 135° split point prevents "walking"
- Drills through all metals, woods and plastics
- Drills more holes per charge in cordless drills for significant productivity gain

Cobalt Drill Bits



Diameter	Overall Length	Flute Length	Part #
1/16"	1-7/8"	7/8"	711401-A
3/32"	2-1/4"	1-1/4"	711402-A
5/32"	3-1/8"	2"	711404-A
3/16"	3-1/2"	2-5/16"	711405-A
7/32"	3-3/4"	2-1/2"	711406-A
1/4"	4"	2-3/4"	711407-A
9/32"	4-1/4"	2-15/16"	711408-A
5/16"	4-1/2"	3-1/16"	711409-A
11/32"	4-3/4"	3-7/16"	711410-A
3/8"	5"	3-5/8"	711411-A
13/32"	5-1/4"	3-7/8"	711412-A
7/16"	5-1/2"	4-1/16"	711413-A
15/32"	5-3/4"	4-5/16"	711414-A
1/2"	6"	4-1/2"	711415-A

- Made from M-42 cobalt high speed steel for greater heat and abrasion resistance in hard-to-drill materials such as stainless steel and titanium
- Precision ground flutes for accurate round holes and better chip removal
- Heavy duty thick web construction resists breakage
- Self-centering 135° split point prevents "walking" and drills faster

High Speed Steel Drill Bits



Diameter	Overall Length	Flute Length	Part #
1/16"	1-7/8"	7/8"	710001-A
5/64"	2"	1"	710002-A
3/32"	2-1/4"	1-1/4"	710003-A
7/64"	2-5/8"	1-1/2"	710004-A
1/8"	2-3/4"	1-5/8"	710005-A
9/64"	2-7/8"	1-3/4"	710006-A
5/32"	3-1/8"	2"	710007-A
11/64"	3-1/4"	2-1/8"	710007-B
3/16"	3-1/2"	2-5/16"	710008-A
13/64"	3-5/8"	2-7/16"	710008-B
7/32"	3-3/4"	2-1/2"	710009-A
15/64"	3-7/8"	2-5/8"	710009-B
1/4"	4"	2-3/4"	710010-A
17/64"	4-1/8"	2-7/8"	710010-B
9/32"	4-1/4"	2-15/16"	710010-C
19/64"	4-3/8"	3-1/16"	710010-D
5/16"	4-1/2"	3-1/16"	710011-A
21/64"	4-5/8"	3-5/16"	710011-B
11/32"	4-3/4"	3-7/16"	710011-C
23/64"	4-7/8"	3-1/2"	710011-D
3/8"	5"	3-5/8"	710012-A
25/64"	5-1/8"	3-3/4"	710012-B
13/32"	5-1/4"	3-7/8"	710012-C
27/64"	5-3/8"	3-15/16"	710012-D
7/16"	5-1/2"	4-1/16"	710013-A
29/64"	5-5/8"	4-3/16"	710013-B
15/32"	5-3/4"	4-5/16"	710013-C
31/64"	5-7/8"	4-3/8"	710013-D
1/2"	6"	4-1/2"	710014-A
1/16" - 1/4"	includes metal index case	-	710015-AST

- Aggressive chisel and rake angles penetrated on contact
- Computer generated split point design prevents "walking" and drills faster
- Enlarged precision ground flutes maximize chip removal and prevent binding
- Premium quality high speed steel construction for extended life
- More holes per charge in cordless drills
- Requires minimal operator pressure

CORDLESS POWER TOOL ACCESSORIES

Drill Bit Sets

22 Piece Dome Set

710017-AST

- Includes Driver and Drill bits
- 7 High speed steel bits 1/16"-1/4"
- 4 Masonry bits 1/8"-5/16"
- 1 Center punch
- 8 Screwdriver bits
- 2 Wood spade bits 3/4"-1"



Drill Bit Sets in Plastic Case

ULTRAFast

- Bits clip into place for easy access

PART #

7 Piece Set Includes: 1 each: 1/16", 3/32", 1/8", 3/16", 7/32", 1/4" and 5/16"

711330-B-G

10 Piece Set Includes: 1 each: 1/16", 5/64", 3/32", 7/64",

711330-B-A

13 Piece Set Includes 1 each: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4"

711330-B-B

17 Piece Set Includes 1 each: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 5/16", 3/8", 7/16", and 1/2" *

711330-B-H

17+4+21 Piece Set Includes 1 each: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64",

3/16", 13/64", 7/32", 15/64", 1/4", 5/16", 3/8", 7/16", and 1/2" with a 3/8" shank

711330-B-J

Plus 4 Bonus Bits: 1/16", 1/8", 3/16", 1/4"



15 Piece Drill & Driver Set

784864-A

ULTRAFast

- 1 - "Stubby" Finder/Driver® Retracting Screw Holder

- 7 - Industrial quality insert bits: #1 phillips, 2 ea. #2 phillips, #4-5 slotted, #6-8 slotted, and #2 Robertson

- 7 - Popular UltraFast drilling bits: 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", and 1/4"



Drill Bit Sets in metal Index Case

ULTRAFast

- Index folds out for bench top usage
- Small bits displayed in front rows for easy access

Qty./Pkg.

Description

Part #

13 Piece Set Includes 1 each:

1/16" to 1/4" by 64ths

711330-B-C

15 Piece Set Includes 1 each:

1/16" to 1/2" by 32nds

711330-B-D

21 Piece Set Includes 1 each:

1/16" to 3/8" by 64ths

711330-B-E

29 Piece Set Includes 1 each:

1/16" to 1/2" by 64ths

711330-B-F



Ship Auger Bits



Diameter	Overall Length	Shank Size	Part #
5/8"	8"	7/16"***	714241-A
3/4"	8"	7/16"	714243-A
13/16"	8"	7/16"***	714244-A
7/8"	8"	7/16"	714245-A
1"	8"	7/16"	714247-A
3/8"	18"	5/16"	714224-A
7/16"	18"	5/16"	714225-A
1/2"	18"	5/16"***	714226-A
9/16"	18"	7/16"***	714227-A
5/8"	18"	7/16"***	714228-A
11/16"	18"	7/16"***	714229-A
3/4"	18"	7/16"	714230-A
13/16"	18"	7/16"***	714231-A
7/8"	18"	7/16"	714232-A
1"	18"	7/16"	714234-A
1-1/8"	18"	7/16"	714235-A
1-1/4"	18"	7/16"	714236-A
1-3/8"	18"	7/16"	714237-A
1-1/2"	18"	7/16"	714238-A

Counter Bore

2-1/4" Counter Bore for <5/8" Dia. Bits

*** Bits accepting counter bore for recessing bolt heads.



714114-A

- Molybdenum Coating works as a dry lubricant - reducing friction and heat. Heat treated to blast through tough nails. Machined on true centre to pull bit straighter and faster with no wobble. Counter bore bits allow bolt heads and nuts to be recessed without using additional tools. 18" lengths for deep boring applications in telephone and power poles, docks, bridges and large timber.

Forstner Bits

Diameter	Overall Length	Shank Size	Part #
1/4"	3-1/2"	3/8"	733308-A
3/8"	3-1/2"	3/8"	733309-A
1/2"	3-1/2"	3/8"	733310-A
5/8"	3-1/2"	3/8"	733311-A
3/4"	3-1/2"	3/8"	733312-A
7/8"	3-1/2"	3/8"	733313-A
1"	3-1/2"	3/8"	733314-A
1-1/8"	3-1/2"	3/8"	733315-A
1-1/4"	3-1/2"	3/8"	733316-A
1-3/8"	3-1/2"	3/8"	733317-A
1-1/2"	3-1/2"	3/8"	733318-A
1-5/8"	3-1/2"	3/8"	733319-A
1-3/4"	3-1/2"	3/8"	733320-A
1-7/8"	3-1/2"	3/8"	733321-A
2"	3-1/2"	3/8"	733322-A



- For drilling clean, chip free holes in wood
- Large gullets provide exceptional chip clearance
- Sharp center spur accurately locates the center of hole

Heavy Duty Spade Bit with "Spurs"



Diameter	Overall Length	Shank Size	Part #
1/4"	6-1/8"		714154-A
5/16"	6-1/8"		714155-A
3/8"	6-1/8"		714156-A
7/16"	6-1/8"		714157-A
1/2"	6-1/8"		714158-A
9/16"	6-1/8"		714159-A
5/8"	6-1/8"		714160-A
11/16"	6-1/8"		714161-A
3/4"	6-1/8"		714162-A
13/16"	6-1/8"		714163-A
7/8"	6-1/8"		714164-A
15/16"	6-1/8"		714165-A
1"	6-1/8"		714166-A
1-1/8"	6-1/8"		714167-A
1-1/4"	6-1/8"		714168-A
1-3/8"	6-1/8"		714169-A
1-1/2"	6-1/8"		714170-A
6 Piece Set: 3/8", 1/2", 5/8", 3/4", 7/8", 1"			714171-A
3/8"	16"		714147-A
1/2"	16"		714148-A
5/8"	16"		714150-A
3/4"	16"		714151-A
7/8"	16"		714152-A
1"	16"		714153-A

- "Spurs" cut cleaner more accurate holes through hardwood. The chisel edge design is more positively angled and digs into wood. Strong, durable spade bit lasts under heavy demand

Self Feed Bits



Diameter	For Pipe Diameter	Part #
1"	-	714101-A
1-1/8"	1/2"	714102-A
1-1/4"	3/4"	714103-A
1-3/8"	-	714104-A
1-1/2"	1"	714105-A
1-3/4"	1-1/4"	714106-A
2"	-	714107-A
2-1/8"	1-1/2"	714108-A
2-1/4"	-	714109-A
2-9/16"	2"	714110-A
3"	-	714111-A
3-5/8"	3"	714112-A
4-5/8"	4"	714113-A
5-1/2" Extension		714120-A
18" Extension		714122-A
12" Extension		714121-A
Double ended screw point for 3-5/8" to 4-5/8" bits		714124-A
Double ended screw point for bits 1" to 3"		714123-A

- Used by plumbers, electrician's and other tradesmen for boring holes for pipe and conduit in wood
- Outlining spurs accurately define hole diameter
- Threaded screw point pulls the bit into the work providing a fast, easy to use self feeding action
- Heavy duty 1/2" shanks have 3 milled flats for secured gripping by drill chuck
- 3-5/8" and 4-5/8" diameter bits feature double chip lifters